



# **SPEAR & JACKSON**

## **GARDEN TOOL**

**PRODUCT GUIDE**



**Quality tools you  
can rely on**

**SPADES  
FORKS  
CULTIVATORS  
SHOVELS  
LANDSCAPING &  
FENCING**



**SPEAR & JACKSON**

# Introduction

**Spear & Jackson** - A garden tool brand synonymous with great quality, design, choice and value for money. Our varied ranges appeal to all levels of gardening ability and expertise by combining the best of traditional and modern materials with the latest manufacturing technology and design to produce superb products at affordable prices.

**Spear & Jackson - 250 years of garden tool expertise.**



# contents



## **SPADES**

Neverbend & Sovereign ranges

**4**

4-5

---



## **FORKS**

Digging

Plantation

Potato

Hay

Manure

**6**

6

6

6-7

7

7

---



## **CULTIVATORS**

Edging knives

Small Hand Tools

Rakes

**8**

9

9

10-11

---



## **SHOVELS**

Railway

Sand

Concrete

Grain

Open Socket

**12**

13

13

13

13

13

---

## **LANDSCAPING & FENCING**

Post Hole Tools

Fencing Grafter

Rubber Maul

**14**

15

15

15

# NEVERBEND & SOVEREIGN hollandse modellen spades



RVS



Gesmeed en gepolijst



Gesmeed en deels gepolijst



Gesmeed en voorzien van een epoxylaag

Because digging can be hard work, strong tools are a must. That is why Spear & Jackson use only the best steel that can be forged, hardened and rolled. That strength, combined with long, tough, weatherproofed wooden handles make Spear & Jackson spades not only highly durable, but also great to use.



Artikelnummer Omschrijving

Bladmaat

Steel

Type kruk

Range\*

Artikelnummer	Omschrijving	Bladmaat	Steel	Type kruk	Range*
1041AR	Tuinspade no. 1, gesmeed, gepolijst	276 x 163 x 152mm	914mm	T-kruk	Neverbend
1041FT	Tuinspade no. 1, gesmeed, gepolijst, extra lange dul voorzien van klinknagel voor extra kracht	276 x 163 x 152mm	914mm	T-kruk	Neverbend
1041TRD	Tuinspade met trede, gesmeed, ¾ gepolijst	276 x 163 x 152mm	914mm	T-kruk	Neverbend
1042AV	Tuinspade no. 2, gesmeed, gepolijst	284 x 179 x 183mm	914mm	T-kruk	Neverbend
1043GL	Tuinspade, goud epoxy, extra lange dul voorzien van klinknagel voor extra kracht	276 x 163 x 152mm	914mm	T-kruk	Sovereign
F1043NH	Tuinspade, gesmeed, grijs epoxy	276 x 163 x 152mm	914mm	T-kruk	Neverbend
F1043RS	Tuinspade, gesmeed, goud epoxy	276 x 163 x 152mm	914mm	T-kruk	Sovereign
1044AN	Draineerspade, gesmeed, ¾ gepolijst	327 x 127 x 108mm	914mm	T-kruk	Neverbend
1044TRD	Draineerspade met trede, gesmeed, ¾ gepolijst	327 x 127 x 108mm	914mm	T-kruk	Neverbend
1160EK	Tuinspade, RVS	290 x 178 x 178mm	900mm	T-kruk	Neverbend

# NEVERBEND & SOVEREIGN hollandse modellen spades

**1041AR**



- Forged polished head
- Weatherproofed hardwood ash handle

**1041FT**



- Forged polished head
- Lipped, double riveted socket
- Weatherproofed hardwood ash handle

**1041TRD**



- Forged head
- 3/4 polished head with tread
- Weatherproofed hardwood ash handle

**1042AV**



- Forged polished head strength
- Weatherproofed hardwood ash handle

**1043GL**



- Forged gold epoxy head
- Lipped, double riveted socket
- Weatherproofed hardwood ash handle
- Sovereign

**F1043NH**



- Forged grey epoxy head
- Weatherproofed hardwood ash handle

**F1043RS**



- Forged gold epoxy head
- Weatherproofed hardwood ash handle
- Sovereign

**1044AN**



- Forged Draining Spade
- 3/4 polished head
- Weatherproofed hardwood ash handle

**1044TRD**



- Forged Draining Spade
- 3/4 polished head with tread
- Weatherproofed hardwood ash handle

**1160EK**



- Weatherproofed hardwood ash handle
- Stainless steel

# SPEAR & JACKSON forks

Because digging can be hard work, strong tools are a must. That is why Spear & Jackson use only the best steel that can be forged, hardened and rolled. That strength, combined with long, tough, weatherproofed wooden handles make Spear & Jackson forks not only highly durable, but also great to use.



**92069-SJ**  
digging



- Solid forged head
- Powder coated tines
- Weatherproofed hardwood shaft

**1702FLW**  
plantation



- Solid forged head
- Banjo label - shallow dish tines
- 5 rivet strapped
- Weatherproofed shaft
- Wood R.E.H handle

**1660BP**  
potato



- Solid forged head
- Powder coated tines
- Weatherproofed hardwood shaft



Artikelnummer	Omschrijving	Head / Bladmaat size	Shaft / Handle Size
92069-SJ	Digging fork	275 x 175mm	850mm
1702FLW	Banjo fork shallow dish tines, Wood R.E.H handle	340 x 230mm	787mm
1660BP	Potato fork	256 x 200mm	812mm
1650SN	Potato fork, MYD handle	300 x 220mm	762mm
1650TQ	Potato fork, T handle	300 x 220mm	812mm
1600HS	Hay fork, LK handle	330 x 240mm	1220mm
1602BA	Hay fork, LK handle	242 x 140mm	1370mm
1600FD	Hay fork, T handle	330 x 240mm	810mm
91159-SJ	Manure fork	310 x 225mm	850mm
1636DE	Manure fork, PY handle	330 x 230mm	810mm
1636AY	Manure fork, T handle	330 x 230mm	810mm
1636CU	Manure fork, LK handle	330 x 230mm	1220mm
1609CS	Manure fork, LK handle	130 x 178 x 203mm	1830mm

# SPEAR & JACKSON forks

**1650SN**  
potato



- Solid forged carbon steel head and socket
- Extra wide tines for lifting potatoes
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood shaft for greater durability

**1650TQ**  
potato



- Solid forged carbon steel head and socket
- Extra wide tines for lifting potatoes
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood shaft for greater durability

**1600HS**  
hay/  
manure



- Epoxy coated oval prongs
- Solid socket
- Weatherproofed hardwood shaft
- Round shoulders for ease of use

**1602BA**  
hay



- Epoxy coated oval prongs
- Solid socket
- Weatherproofed hardwood shaft
- Round shoulders for ease of use

**1600FD**  
hay/  
manure



- Epoxy coated oval prongs
- Solid socket
- Weatherproofed hardwood shaft
- Round shoulders for ease of use

**91159-SJ**  
manure



- Epoxy coated square tines
- Weatherproofed hardwood shaft for greater durability

**1636DE**  
manure



- Epoxy coated square tines
- Tubular steel shaft

**1636AY**  
manure



- Epoxy coated square tines
- Tubular steel shaft

**1636CU**  
manure



- Epoxy coated oval tines
- Solid socket
- Tubular steel shaft
- Designed for maximum strength and durability

**1609CS**  
manure



- Epoxy coated square tines
- Solid socket with weatherproofed hardwood shaft

# SPEAR & JACKSON cultivators

Spear & Jackson cultivators are perfectly designed to tackle a broad spectrum of tasks. Tough, carbon steel heads fitted with long, weatherproofed wood handles make the products both long lasting and user friendly.



Artikelnummer	Omschrijving	Head / Bladmaat sizet	Shaft / Handle Size
3818NB	Edging knife	200mm	812mm
3805AS	Edging knife	200mm	812mm
3883NB	3 Prong cultivator	3 prong	1525mm
4090NB	Hand trowel	150 x 80mm	128mm
4094NB	Weed fork	120 x 75mm	128mm
4092NB	Transplanting trowel	150 x 75mm	128mm
4096NB	Daisy grubber	150 x 20mm	128mm
8206AH	Alloy hay rake	16 teeth	1778mm
8207WH	Wooden hay rake	16 teeth	1778mm
3884WNB	Plastic leaf rake	24 tines	1220mm
3884NB	Plastic leaf rake	24 tines	1220mm
3881NB	Flexo lawn rake	20 tines	1220mm
3882NB	Adjustable lawn rake	178 - 610mm	1168mm
3872HDLH	Heavy duty lawn rake	20 tines	1370mm
2233-SJ	Garden Rake	12 tines	1620mm
3840EY	Garden rake	14 teeth	1778mm
3886AA	Asphalt rake	90 x 380mm	1752mm
3887AE	Tarmac rake	90 x 380mm	1752mm
3840BC	Floor scraper	75 x 205mm	1220mm
5004AX	Square rammer	4.5kg -weight	1372mm



# SPEAR & JACKSON cultivators

**3818NB**  
edging  
knife



- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Tubular aluminium shaft, epoxy coated
- Polypropylene T grip

**3805AS**  
edging  
knife



- T handle
- Solid forged carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood shaft for greater durability

**3883NB**  
3 prong  
cultivator



- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Extra long, weatherproofed hardwood shaft for greater durability
- 3 prongs



**4090NB**  
hand  
trowel



- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood handle for greater durability

**4094NB**  
weed  
fork



- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood handle for greater durability

**4092NB**  
transplanting  
trowel



- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood handle for greater durability

**4096NB**  
daisy  
grubber



- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Weatherproofed hardwood handle for greater durability



# SPEAR & JACKSON cultivators

**8206AH**

alloy  
hay &  
sand  
rake



- Lightweight for ease of use
- Extra long shafts for greater reach

**8207WH**

wooden  
hay &  
sand  
rake



- Lightweight for ease of use
- Extra long shafts for greater reach

**3884WNB**

plastic  
leaf  
rake



- Lightweight plastic head
- Hardwood shaft
- 610mm head
- 1220mm handle
- 24 plastic tines

**3884NB**

plastic  
leaf  
rake



- Lightweight plastic head
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip
- 610mm head
- 1220mm handle
- 24 plastic tines



**3881NB**

flexo  
lawn  
rake



- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalines in the soil
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip
- 20 spring steel tines

**3882NB**

adjustable  
lawn  
rake





- Fully adjustable 15 steel tined rake head
- Adjusts from 175 to 610mm span to suit all raking applications
- Lightweight aluminium shaft
- PVC grip

**3872HDLH**

heavy duty  
lawn  
rake

- Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- 20 tines
- Weatherproofed hardwood shaft for greater durability
- 1372mm handle



# SPEAR & JACKSON cultivators

**2233-SJ**  
garden  
rake



- Weatherproofed hardwood shaft for greater durability
- 12 teeth

**3840EY**  
garden  
rake



- Solid forged carbon steel head
- Hammer finish epoxy coated head
- Weatherproofed hardwood shaft for greater durability
- 14 teeth

**3886AA**  
asphalt  
rake



- Designed for raking and topping asphalt
- Wooden handle
- 16 teeth, flat

**3887AE**  
tarmac  
rake



- Designed for raking and topping tarmac
- Wooden handle
- 16 teeth, round

**3420BC**  
floor  
scraper



- Spring steel blade
- Tubular shaft
- Dished blade holder for extra strength

**5004AX**  
square  
rammer



- Forged steel head
- Ash shaft
- Specially designed square head enables earth to be rammed even into corners



# SPEAR & JACKSON shovels



Spear & Jackson shovels are popular, traditional styles produced from high quality carbon steel with solid hardwood handles, providing a responsive lightweight feel, but still offering strength and durability.



Artikelnummer	Omschrijving	Head / Bladmaat sizet	Shaft / Handle Size
2102EN	Railway shovel	283 x 219mm	813mm
2413EC	Sand shovel	270 x 218mm	1010mm
2415GA	Concrete shovel	281 x 218mm	1010mm
2750AG	Alloy grain shovel	420 x 250mm	710mm
2521EC	Square mouth shovel No2	320 x 250mm	813mm
2521LY	Square mouth shovel No4	348 x 278mm	813mm
2521QT	Square mouth shovel No6	370 x 300mm	813mm
2531UH	Square mouth shovel No2	320 x 255mm	1220mm

# SPEAR & JACKSON shovels

**2102EN**  
railway  
shovel



- Forged head
- Square mouth
- Strapped
- MYD handle

**2413EC**  
sand  
shovel



- Grey powder coated
- Hardwood shaft

**2415GA**  
concrete  
shovel



- Grey powder coated
- Hardwood shaft

**2750AG**  
alloy grain  
shovel



- Open socket
- Square mouth
- Lightweight
- Rust proof
- Can be sterilised
- PY handle

**2521EC**  
square  
mouth



- Open socket
- Square mouth No2
- Weatherproofed hardwood shaft
- PY handle

**2521LY**  
square  
mouth



- Open socket
- Square mouth No4
- Weatherproofed hardwood shaft
- PY handle

**2521QT**  
square  
mouth



- Open socket
- Square mouth No6
- Weatherproofed hardwood shaft
- PY handle

**2531UH**  
square  
mouth



- Open socket
- Square mouth No2
- Weatherproofed hardwood handle

# SPEAR & JACKSON landscaping & fencing

The growth of gardens as an 'outdoor room' has led to a great increase in interest for landscaping products. In response Spear & Jackson now offer a broad range of specialised fencing tools, all offering the strength and engineering excellence you would expect with Spear & Jackson products.



Artikelnummer	Omschrijving	Head / Bladmaat sizer	Length
PHAUG	Post hole auger	Screw L 380mm, Screw dia 35mm	Overall 1105mm
PHD-WH	Post hole digger	255 x 125mm	Shaft - 1220mm
DSH/WH	Post shovel holer	355 x 220mm	Overall - 1690mm
1047MY	Tree planting spade	130 x 273mm	Handle - 710mm
FG-HD54	Fencing grafter	276 x 144mm	Overall 1105mm
RMAUL	Rubber maul	Weight - 6kg	Overall 1060mm
PHR5	Post hole rammer	Steel body - 165mm	Overall 710mm

# SPEAR & JACKSON landscaping & fencing

**PHAUG**  
post hole  
auger



- For easy, non-mechanical digging of fencing post holes up to 6" (150mm) in diameter
- Long durable yet lightweight tubular steel shaft for ease of use
- Hardened blade cuts through most types of soil and clay
- Overall length – 44" (1105mm)
- Comfortable wooden handle provides a firm grip

**PHD-WH**  
post hole  
digger



- For producing deep, narrow, vertical holes minimising the need for backfill
- The steel oval shovel blades quickly and efficiently remove soil
- Hardened steel blades
- Ash wood handles
- Weatherproofed hardwood handles for greater durability

**DSH/WH**  
post shovel  
holer



- Hardened and tempered carbon steel blades
- Ash shafts
- Blade size: 355mm (14") x 220mm (8.5")



**1047MY**  
tree  
planting  
spade



- Epoxy coated head for reduced soil adhesion
- Weatherproofed hardwood shaft
- Heavy duty metal hilt

**FG-HD54**  
fencing  
grafter



- For digging narrow, deep holes for fencing posts
- Heavy duty tubular steel handle for maximum strength and efficiency
- Extra thick shovel blade for durability

**RMAUL**  
rubber  
maul




- For laying and levelling paving stones
- Large cylindrical head made of high grade rubber
- Comfortable wooden handle provides a firm grip
- Weight – 6kg

**PHR5**  
post hole  
rammer



- For driving fencing posts up to 6" (150mm) diameter into heavy ground
- Two large handles for ease of use
- Strong tubular steel body with solid metal end cap for maximum strength

UW Spear & Jackson dealer



Neill Tools Ltd  
Atlas Way, Atlas North,  
Sheffield S4 7QQ England.

Telephone: +44 (0)114 281 4242  
e-mail: sales@spear-and-jackson.com

[www.spear-and-jackson.com](http://www.spear-and-jackson.com)

Due to continuous product development and improvement,  
Spear & Jackson reserves the right to modify product design,  
specifications and materials without prior notice

These products are guaranteed against defects in manufacturing,  
subject to normal wear and tear and the provision of reasonable  
care and maintenance. This does not affect your statutory rights.



**SPEAR & JACKSON**

