



SPEAR & JACKSON

CONTRACTORS & GROUNDWORK TOOLS

PRODUCT GUIDE



A high quality range of
professional tools

CONTRACTORS TOOLS
SHOVELS
INSULATED TOOLS
HAND TOOLS
LANDSCAPING
AGRICULTURAL
PLANTATION



SPEAR & JACKSON

Spear & Jackson - A range of tools as tough as Britain's contractors'

No one demands more from their tools than the professionals who work in environments where performance is a must. At Spear & Jackson we have been supplying contractors with reliable professional quality hand and groundwork tools for over 250 years. Britain's contractors choose Spear & Jackson because they know the tools can be trusted to give outstanding performance in rigorous on-site conditions, day after day, year after year.

It's not just because our professional tools are designed to the very highest international quality standards - BS EN ISO 9001:2000. It's also because our products are developed through unique insights into what the trade really needs. We've done extensive research to make sure our specialist tools look right, feel right and work right every time. So, when a tradesman reaches for a Spear & Jackson shovel, fork or rake, they know that they have a tool they can trust.

No wonder that thousands of contractors, groundworkers, Local Authorities and National Utilities around the UK rely on Spear & Jackson professional hand and groundwork tools to get the job done. Your customers demand the best, offer them the best - Spear & Jackson.

Choice and value

Our products are designed to deliver superior performance and long-term durability. That adds up to great value for money. In addition our wide range means that customers can choose exactly the right tool for the job. In shovels alone, we offer 8 specialist ranges with a wide range of different handle and head types. There's an equally impressive choice of forks and rakes. Overall, a comprehensive range of professional tools for heavy-duty ground, preparation work, agricultural, fencing and plantation work.

Quality & Craftsmanship

We've been hand-crafting high quality hand tools for centuries, so we understand the needs of Britain's contractors. We design our tools to be extremely robust and test them to destruction to ensure outstanding performance in the most demanding conditions. Professional users know this because they can't afford down-time if the tool fails. All of our tools are manufactured to exacting BS ISO 9001:2008 standards and they're guaranteed to last. Our products are BS3388 compliant where relevant and our insulated range also pass the stringent requirements of BS8020:2002 giving the highest possible protection in live wire environments.

Heritage & Pride

Spear & Jackson is a brand name renowned around the world. We are very proud of our heritage and reputation. For over 250 years, we have successfully integrated traditional craftsmen's skills with leading-edge technology. This forward-thinking inventive spirit has helped to drive product innovation.



CONTRACTORS contents



TOOL SPECIFICATIONS 4

OPEN SOCKET SHOVELS 6

SOLID SOCKET SHOVELS 8

TUBULAR STEEL SHOVELS 10



STRAPPED SHOVELS 12

CONTRACTORS FORKS 13

POLYFIBRE RANGE 14

FIBRELITE RANGE 16



FIBREGLASS SHOVELS 18

INSULATED TOOLS 20

CONTRACTORS TOOLS 26

CONTRACTORS & LANDSCAPING TOOLS 30



AGRICULTURAL TOOLS 32

PLANTATION TOOLS 34

PRODUCT INDEX 36



THE OFFICIAL MARK OF QUALITY

Neill Tools Ltd. supplies the following Neverbend products in general compliance with the British Standard:- ISO 9001:2008. This represents another important milestone in NEILLTOOLS history, since this is internationally recognised as a mark of quality. In addition, we guarantee all our tools and products against defective workmanship and materials so you can be sure of first-class quality every time.



REGISTERED SUPPLIER

Neill Tools Ltd. are now officially registered suppliers to Achilles through the Link-Up qualification scheme. Supplier number 25988.

TOOL specifications

All our shovels are tested to British standards.

HANDLE TYPES

metal
MYD



Fixed with waterproof adhesive and steel pins to withstand 47Nm² torque.

polypropylene
PYD



UV stabilised to UK climate conditions.

crutch
T



Fixed with waterproof adhesive and a wooden peg to withstand 47Nm² torque.

long knob



Contoured shaft available in 48" and 54" lengths. Lacquered for weatherproofing.

Newton Metre Pressures (Nm²)

The ability to withstand an applied pressure before the seal between the surfaces is broken, causing rotation.

SHAFT TYPES

tubular



Unique streamlined shaft contoured to comfortably fit the hand. Automatically rotary welded to ensure perfect alignment of weld for maximum strength.

wood



Hardwood shaft for maximum strength and comfort in use.

fibreglass



Solid fibreglass shaft consisting of over 5 million parallel fibreglass strands. Each strand is pre-stressed then coated with a special epoxy resin. Up to 10 times stronger than timber and 8 times stronger than steel.

polyfibre




A strong, lightweight and durable material which is oil, chemical and water resistant.

fibrelite




The shaft has a shorter socket length making it easier to avoid touching metal whilst in use, thereby increasing safety.

insulated



Polyfibre shaft with integral D-Grip handle with a 112mm opening. Two layers of insulating material - when white material shows through the orange outer sheath, it warns the user that the tool needs replacing. Oil, chemical and water resistant. Complies with BS8020:2002.



TOOL specifications

HEAD TYPES

square mouth



Available in five sizes: 000, 0, 2, 4 & 6. General purpose contractors' shovel designed for shovelling out and refilling trenches, mixing concrete and moving tarmac.

taper mouth



General purpose shovel with tapered blade, traditionally popular in the Midlands. Designed for shoveling tarmac, mixing concrete and clearing and refilling trenches.

round mouth



An ideal tool for shoveling gravel and other loose materials. The pointed blade gives easier penetration.

trenching



A general trenching shovel ideal for narrow work such as pipe and cable laying.

cable laying



Specially designed for digging trenches for cables. Generally used in conjunction with the trenching shovel.

grafting



Specially designed for clay digging or heavy work (grafting). With dished blade and rounded point suitable for removal of heavy materials.

newcastle draining



Available in 14" or 16". Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and particularly depth. Lugs provide greater foot hold.

draining tool



A long narrow blade makes this tool ideal for digging trenches in terms of width and depth. Useful for digging cable, pipe and drain channels.

general service



Treaded general service purpose shovel, traditionally popular in Scotland.

west country




A long handled shovel for general use in sand, shingle or gravel. Head is hardened and tempered to enable use as a digging tool. Originally designed for the West Country and Wales.

irish round



A long handled general purpose shovel for loose materials. Head is hardened and tempered to enable use as a digging tool. Originally designed for use in Ireland.


trenching fork



Heavy duty contractors or trenching fork. Extra strong square prongs with chisel points make it ideal for heavy clay or stony ground. Lightweight version also available.



strapped



Strapped for power and extra strength. Double riveted for added strength.

* Some ranges feature treaded heads for more comfortable digging.

OPEN SOCKET shovels

A traditional style and a popular range. The solid hardwood shaft offers a natural, comfortable grip with a responsive lightweight 'feel'. A variety of handle and head types are available to suit individual preferences.



← **Hardwood
Ash Shaft**
For strength
and comfort

← Aluminium rivet
secures the handle
in the socket and
provides maximum
stability

← High quality carbon steel
for a longer life

Clear polyester powder
coat varnish protects
against rusting

Rounded corners reduce
the risk of damage to
pipes and cables

**square
mouth No6**
2521NC



Handle Type: T
Blade Size: 370mm (14½") x
305mm (12")
Handle Length: 711mm (28")

OPEN SOCKET shovels

**square
mouth**

2521AU



Handle Type: *T*
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

**square
mouth**

2521UA



Handle Type: *PYD*
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

**square
mouth**

2531UH



Handle Type: *LK*
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 1220mm (48")

**square
mouth No4**

2521HT



Handle Type: *T*
Blade Size: 345mm (13½") x
280mm (11")
Handle Length: 711mm (28")

**square
mouth No4**

2521VC



Handle Type: *PYD*
Blade Size: 345mm (13½") x
280mm (11")
Handle Length: 711mm (28")

**square
mouth No6**

2521WE



Handle Type: *PYD*
Blade Size: 370mm (14½") x
305mm (12")
Handle Length: 711mm (28")

**west
country 54"**

2530BW



Handle Type: *LK*
Blade Size: 305mm (12") x
255mm (10")
Handle Length: 1372mm (54")

**irish
round 54"**

2540HU



Handle Type: *LK*
Blade Size: 355mm (14") x
240mm (9½")
Handle Length: 1372mm (54")

**irish
round 60"**

2540JV



Handle Type: *LK*
Blade Size: 355mm (14") x
240mm (9½")
Handle Length: 1524mm (60")

**irish
digging**

IRISHDS



Handle Type: *Parallel*
Blade Size: 330mm (13") x
240mm (9½")
Handle Length: 1200mm (47")

SOLID socket shovels

A solid hardwood shaft is fitted into an extra long socket to give this range added strength where it's needed most. So even the toughest task can be tackled with confidence. Like all of our products, the solid socket range is manufactured to the highest standards.



← Specially specified 'A' grade density timber to maximise durability

Trials using this timber produce an average 138kg breaking strain which is over double the requirement of BS3388

(BS3388 - British Standard covering the manufacture of Spades, Forks & Shovels)

← Extra long sockets give added strength at the tool's potentially weakest point

← Made from carbon/manganese steel for maximum strength

Heat treated and tempered to give quality, performance and long life

Epoxy coated heads for reduced soil adhesion



SOLID socket shovels

**square
mouth** No000

2061TP



Handle Type: *T*
Socket Size: 305mm (12")
Blade Size: 265mm (10½") x
205mm (8")
Handle Length: 711mm (28")

**square
mouth** No0
Flat blade

2064GH



Handle Type: *T*
Socket Size: 305mm (12")
Blade Size: 290mm (11½") x
245mm (9½")
Handle Length: 711mm (28")

**square
mouth** No0

2062TP



Handle Type: *T*
Socket Size: 305mm (12")
Blade Size: 290mm (11½") x
230mm (9")
Handle Length: 711mm (28")

**square
mouth**

2029AV



Handle Type: *T*
Socket Size: 305mm (12")
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

**square
mouth**

2029RW



Handle Type: *MYD*
Socket Size: 305mm (12")
Blade Size: 320mm (12") x
250mm (10")
Handle Length: 711mm (28")

**taper
mouth**

2028AZ



Handle Type: *T*
Socket Size: 305mm (12")
Blade Size: 315mm (12½") x
218mm (8¾")
Handle Length: 711mm (28")

**taper
mouth**

2028RS



Handle Type: *MYD*
Socket Size: 305mm (12")
Blade Size: 315mm (12½") x
218mm (8¾")
Handle Length: 711mm (28")

**round
mouth**

2050AV



Handle Type: *PYD*
Socket Size: 305mm (12")
Blade Size: 305mm (12¼") x
240mm (9½")
Handle Length: 705mm (27½")

**rabbiting
spade**

1047MY



Handle Type: *MYD*
Socket Size: 325mm (12¾")
Blade Size: 276mm (11") x
133mm (5⅛")
Handle Length: 711mm (28")

**heavy duty
spade**


1307HDS



Handle Type: *MYD*
Socket Size: 305mm (12")
Blade Size: 305mm (12¼") x
200mm (8")
Handle Length: 711mm (28")

TUBULAR steel shovels

A tough, reliable no nonsense range of professional shovels, designed to give great performance in all conditions. The unique method of manufacture ensures a strong, comfortable tool that's lightweight and easy to use.



← Unique streamlined shaft contoured to comfortably fit the hand

← Automatically rotary welded to ensure perfect alignment of weld for maximum strength

← Made from carbon /manganese steel for maximum performance. Heat treated and tempered to give quality, performance and long life

← Epoxy coated heads for reduced soil adhesion



grafting spade

2131GZ



Handle Type: MYD
Blade Size: 320mm (13") x 165mm (6½")
Handle Length: 711mm (28")

TUBULAR steel shovels

square
mouth

2002AR



Handle Type: MYD
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

taper
mouth

2000AC



Handle Type: MYD
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

round
mouth

2001AD



Handle Type: MYD
Blade Size: 305mm (12¹/₄") x
240mm (9¹/₂")
Handle Length: 711mm (28")

trenching

2006AP



Handle Type: MYD
Blade Size: 276mm (11") x
172mm (7")
Handle Length: 711mm (28")

cable
laying

2007AP



Handle Type: MYD
Blade Size: 276mm (11") x
119mm (4³/₄")
Handle Length: 711mm (28")

newcastle
14"

2153AA



Handle Type: MYD
Blade Size: 355mm (14") x
105mm (4")
Handle Length: 711mm (28")

newcastle
16"

2153AE



Handle Type: MYD
Blade Size: 405mm (16") x
105mm (4")
Handle Length: 711mm (28")

draining
16"

2154HK



Handle Type: MYD
Blade Size: 405mm (16") x
105mm (4")
Handle Length: 711mm (28")

tubular
fork

1700AV



Handle Type: MYD
Head Size: 325mm (13") x
215mm (8¹/₂")
Handle Length: 760mm (30")

tubular
lightweight fork


1710AW



Handle Type: MYD
Head Size: 325mm (13") x
210mm (8¹/₄")
Handle Length: 760mm (30")

STRAPPED shovels & forks

Combines the extra strength of steel strapping with the comfort of a hardwood shaft such as ash. Quality materials and a superb, handcrafted finish ensure a well-balanced, highly durable shovel well suited to the demands of site work.



← **Steel strapped**
shaft provides
superior strength

Double riveted
A minimum of two
rivets for maximum
strength and
durability

Made from
high-strength
carbon/manganese
steel

Heat treated
tempered steel for
a longer life

Epoxy coated for
reduced soil adhesion
and rust

Fully forged heads
for added strength



**general
service
treaded**
2136NM



Handle Type: *T*
Blade Size: 255mm (10") x
205mm (8")
Strap Size: 255mm (10")
Handle Length: 711mm (28")
• 2 Rivets

**irish
spade**
1072AY



Handle Type: *T*
Blade Size: 330mm (13") x
165mm (6½") x 140mm (5½")
Strap Size: 255mm (10")
Handle Length: 762mm (36")
• 3 Rivets

**shallow
dish
fork**
1702FLW



Handle Type: *Wood R.E.H.*
Head Size: 340mm (13¼") x
230mm (9")
Strap Size: 530mm (21")
Handle Length: 787mm (31")
• 5 Rivets

CONTRACTORS forks

tubular fork

1700AV



Handle Type: MYD
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 760mm (30")

tubular lightweight fork

1710AW



Handle Type: MYD
Head Size: 325mm (13") x
210mm (8¼")
Handle Length: 760mm (30")

fibreglass fork

1841AH



Handle Type: MYD
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")

insulated fork

2154HK



Handle Type: YD Insulated
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")

polyfibre fork

1712PF/C



Handle Type: YD
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")

fibrelite fork

2741TFL



Handle Type: MYD
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")

- Heavy duty trenching forks - ideal for use in clay or stoney ground
- Extra strong square prongs with chisel points



long handled fork

2154HK



Handle Type: T
Head Size: 275mm (9¾") x
175mm (6¾")
Handle Length: 850mm (33½")

shallow dish fork

1702FLW



Handle Type: Wood R.E.H.
Head Size: 340mm (13¼") x
230mm (9")
Strap Size: 530mm (21")
Handle Length: 787mm (31")
• 5 Rivets

POLYFIBRE range

A range of lightweight professional shovels combining polyfibre shafts and extra long sockets for added strength and resistance to oil, chemicals and water.



Hilt size:
112mm opening

Polyfibre Shaft
Construction
A strong, lightweight
and durable material
which is oil, chemical
and water resistant

Extra long sockets
to give added
strength



Strong carbon/manganese
forged steel heads for
maximum strength

Epoxy coated for reduced
soil adhesion and
maximum durability.
Heat treated and tempered
to give quality, performance
and long life

POLYFIBRE range

trenching

2026PF/C



Handle Type: YD
Blade Size: 276mm (11") x 172mm (7")
Handle Length: 711mm (28")

cable

2027PF/C



Handle Type: YD
Blade Size: 276mm (11") x 119mm (4³/₄")
Handle Length: 711mm (28")

taper mouth

2028PF/C



Handle Type: YD
Head Size: 315mm (12¹/₂") x 218mm (8³/₄")
Handle Length: 711mm (28")

square mouth

2029PF/C



Handle Type: YD
Blade Size: 302mm (12") x 250mm (10")
Handle Length: 711mm (28")

general service

2036PF/C



Handle Type: YD
Blade Size: 345mm (13¹/₂") x 280mm (11")
Handle Length: 711mm (28")

newcastle drainer

2159PF/C



Handle Type: YD
Blade Size: 405mm (16¹/₄") x 105mm (4")
Handle Length: 711mm (28")

fork

1712PF/C



Handle Type: YD
Head Size: 325mm (13") x 215mm (8¹/₂")
Handle Length: 711mm (28")



FIBRELITE range

A range of lightweight professional shovels designed to reduce the risk of personal injury when working near live cables.



← The Fibrelite shaft is not only lightweight and extremely strong, but also fire and water resistant. The shorter socket length makes it easier to avoid touching metal whilst in use, thereby increasing safety



← One piece heads forged from manganese steel for maximum strength

Round bar treaded heads for more comfortable digging

Heat treated and tempered to give quality, performance and long life

Rounded corners reduce the risk of damage to pipes and cables

FIBRELITE range

square mouth

2731TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

trenching shovel

2701TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 276mm (11") x
172mm (7")
Handle Length: 711mm (28")

round mouth

2721TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 305mm (12¼") x
240mm (9½")
Handle Length: 711mm (28")

taper mouth

2702TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 315mm (12½") x
218mm (8¾")
Handle Length: 711mm (28")

cabl layer

2711TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 276mm (11") x
119mm (4¾")
Handle Length: 711mm (28")

newcastle drainer

2753TFL



Handle Type: MYD
Socket Size: 190mm (7½")
Blade Size: 405mm (16¼") x
105mm (4")
Handle Length: 711mm (28")

trenching fork

2741TFL




Handle Type: MYD
Socket Size: 190mm (7½")
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")



FIBREGLASS shovels

The shafts in our fibreglass range are 10 times stronger than timber and 8 times stronger than steel. They are also oil, chemical and water resistant, and help to resist electrical conduction. For all-round performance in virtually any working environment, they're absolutely unbeatable.



Fibreglass Shaft Construction

A solid shaft consisting of over 5 million parallel fibreglass strands. Each strand is pre-stressed then coated with a special epoxy resin. Resin adhesive cured by microwave



Extra long sockets to give added strength



Solid forged from carbon/manganese steel for maximum strength

Heat treated and tempered to give quality, performance and long life

Epoxy coated heads for reduced soil adhesion



**cable
laying**

2911AL



Handle Type: MYD
Blade Size: 276mm (11") x 119mm (4 3/4")
Handle Length: 711mm (28")

FIBREGLASS shovels

**square
mouth** No000

2841AD



Handle Type: MYD
Blade Size: 265mm (10½") x
205mm (8")
Handle Length: 711mm (28")

**square
mouth**

2831AL



Handle Type: MYD
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 711mm (28")

taper

2801AV



Handle Type: MYD
Blade Size: 315mm (12½") x
218mm (8¾")
Handle Length: 711mm (28")

trenching

2901AX



Handle Type: MYD
Blade Size: 276mm (11") x
172mm (7")
Handle Length: 711mm (28")

**general
service**

2811AN



Handle Type: MYD
Blade Size: 240mm (9½") x
195mm (7¾")
Handle Length: 711mm (28")

**round
mouth**

2821AK



Handle Type: MYD
Blade Size: 305mm (12¼") x
240mm (9½")
Handle Length: 711mm (28")

grafting

2861AP



Handle Type: MYD
Blade Size: 320mm (13") x
165mm (6½")
Handle Length: 711mm (28")

**newcastle
16"**

2871AQ



Handle Type: MYD
Blade Size: 405mm (16¼") x
105mm (4")
Handle Length: 711mm (28")

**draining
16"**

2872AN



Handle Type: MYD
Blade Size: 405mm (16¼") x
105mm (4")
Handle Length: 711mm (28")

**fibreglass
fork**

1841AH



Handle Type: MYD
Head Size: 325mm (13") x
215mm (8½")
Handle Length: 711mm (28")

INSULATED contractors tools

All of the Spear & Jackson range of Neverbend Insulated tools are manufactured and supplied in accordance with British Standard number BS8020:2002.

This exacting standard was introduced to ensure the best possible protection from potential harm when working in close proximity to live conductor cables.

To comply with this standard we need to demonstrate full conformity to exacting detailed manufacturing and testing procedures:

- Insulation is provided by two layers of polymer sheathing
- The inner white sheath consists of an environmentally friendly, flexible, flame retardant heat shrinkable length of tubing
- The orange outer sheath (also referred to as the abrasive guard) has excellent high voltage protection, is environment sealed and resistant to impact and abrasion
- Our shovels and contractors fork also incorporate the added safety feature of an integrated collar / hand stop designed to minimise the risk of the user's hand slipping over the metal component of the tools
- When the outer orange sheath abrades to the extent that the inner white sleeve is visible, the tool should be removed from use around live working conditions
- Testing consists of submerging every product for 24 hours in a vat of water and wiping it dry. Two electrodes are then attached and a voltage of 10KV A.C. applied continuously for 3 minutes.

The product is considered to comply with the British Standard only if no electric breakdown occurred and the leakage current did not exceed 1mA specified.

Each tool is marked with the BS8020:2002 mark, a unique reference number for traceability and certified, guaranteeing full conformity to live-working specifications.

- **Rated working voltages at 1,000 Volts A.C. and 1,500 Volts D.C.**
- **Tested to 10 Kva. Issued with a Certificate of Conformity**



INSULATED shovels

A comprehensive range of high quality insulated shovels for working on or near live cables.



← **ONE PIECE**
Polyfibre shaft with integral D-Grip 112mm opening

← **ULTIMATE STRENGTH & DURABILITY**
Oil, chemical and water resistant polyfibre shafts


← **SAFETY**
Two layers of insulating material - when white material shows through, it warns the user that the tool needs replacing. Exceptionally high resistance to abrasion

← **SAFETY**
Integrated hand stop to help prevent the hand slipping onto forged head

← **COMFORT**
All shovels have round bar treads

← **SAFETY**
Rounded corners reduce risk of damage to pipes and cables

← **HEADS**
Solid forged from carbon/manganese steel for maximum strength. Heat treated and tempered to give quality, performance and a long life



Certificate of Conformity



INSULATED tools

square mouth

2029PF/INS



Handle Type: YD Insulated
Blade Size: 302mm (12") x
250mm (10")
Handle Length: 733mm (28⁷/₈")

taper mouth

2028PF/INS



Handle Type: YD Insulated
Blade Size: 315mm (12¹/₂") x
218mm (8³/₄")
Handle Length: 733mm (28⁷/₈")

round mouth

2030PF/INS



Handle Type: YD Insulated
Blade Size: 305mm (12¹/₄") x
240mm (9¹/₂")
Handle Length: 733mm (28⁷/₈")

trenching shovel

2026PF/INS



Handle Type: YD Insulated
Blade Size: 276mm (11") x
172mm (7")
Handle Length: 733mm (28⁷/₈")

cable laying

2027PF/INS



Handle Type: MYD Insulated
Blade Size: 276mm (11") x
119mm (4³/₄")
Handle Length: 733mm (28⁷/₈")

newcastle drainer

2159PF/INS



Handle Type: YD Insulated
Blade Size: 405mm (16¹/₄") x
105mm (4")
Handle Length: 733mm (28⁷/₈")

general service

2036PF/INS



Handle Type: YD Insulated
Blade Size: 240mm (9¹/₂") x
195mm (7³/₄")
Handle Length: 733mm (28⁷/₈")

trenching fork

1712PF/INS



Handle Type: YD Insulated
Head Size: 325mm (13") x
215mm (8¹/₂")
Handle Length: 711mm (28")



INSULATED tools

**crowbar
point
& blunt**

CBPB114/INS



Handle Type: *Insulated*
Blade Width: 43mm (1⁵/₈"")
Overall Length: 1840mm (72")

**crowbar
chisel
& blunt**

CBCB114/INS



Handle Type: *Insulated*
Blade Width: 43mm (1⁵/₈"")
Overall Length: 1840mm (72")

**crowbar
chisel
& point**

CBCP114/INS



Handle Type: *Insulated*
Blade Width: 43mm (1⁵/₈"")
Overall Length: 1840mm (72")

**crowbar
bent chisel
& point**

CBHP114/INS



Handle Type: *Insulated*
Blade Width: 43mm (1⁵/₈"")
Overall Length: 1840mm (72")

**double
shovel holer**

DSH/INS



Handles: 32mm (1¹/₄"") Dia
Blade Length: 355mm (14")
Max Open Width: 370mm (14¹/₂"")
Overall Length: 1710mm (67¹/₄"")
Weight: 7.7kgs

INSULATED CROWBARS

- **Standard chisel end for general prying and breaking of heavy objects**
- **Bent chisel end for heavy levering tasks**
- **Pointed ends for breaking up stone and concrete**
- **Heat treated and hardened ends for maximum strength, quality and long life**
- **Strong yet lightweight fibreglass shaft has excellent insulating properties**

INSULATED tools

pipe
breaker

PBRKR/INS

10lb
rammer

RAM10LB/INS



Handle Type: *Insulated*
Head Size: 91mm (3½") to
61mm (2⅞") x 355mm (14")
Overall Length: 1305mm (51")
Weight: 9.5kgs



Handle Type: *Insulated*
Head Size: 130mm (5") x
130mm (5")
Overall Length: 1235mm (48½")
Weight: 10lb

INSULATED 10lb RAMMER

- For tamping flat areas when working near live cables, e.g. when preparing road surfaces
- Strong yet lightweight fibreglass shaft has excellent insulating properties
- Non-slip rubber end cap

INSULATED PIPE BREAKER

- For breaking up cast iron pipes
- Strong yet lightweight fibreglass shaft has excellent insulating properties
- Non-slip rubber end cap



INSULATED tools

2½lb
club hammer
MCH40FG/INS



Handle Type: *Insulated*
Head Size: 90mm (3½") x 48mm (1¾")
Overall Length: 250mm (10")
• Pinned shaft prevents the grip slipping during use
• Strong Polyfibre shaft has excellent insulating and shock properties

4lb
club hammer
MCH64FG/INS



Handle Type: *Insulated*
Head Size: 106mm (4") x 52mm (2")
Overall Length: 250mm (10")
• Pinned shaft prevents the grip slipping during use
• Strong Polyfibre shaft has excellent insulating and shock properties

14lb
sledgehammer
DSH224FG/INS



Handle Type: *Insulated*
Head Size: 193mm (7½") x 68mm (2⅝")
Overall Length: 850mm (33")
• Integrated hand stop to help prevent the hand slipping onto the metal head
• Strong Polyfibre shaft has excellent insulating and shock properties

10lb
sledgehammer
DSH160FG/INS



Handle Type: *Insulated*
Head Size: 178mm (7") x 64mm (2½")
Overall Length: 850mm (33")
• Integrated hand stop to help prevent the hand slipping onto the metal head
• Strong Polyfibre shaft has excellent insulating and shock properties

7lb
sledgehammer
DSH112FG/INS



Handle Type: *Insulated*
Head Size: 158mm (6") x 54mm (2")
Overall Length: 850mm (33")
• Integrated hand stop to help prevent the hand slipping onto the metal head
• Strong Polyfibre shaft has excellent insulating and shock properties

7lb pick
chisel & point
5000/INS



Handle Type: *Insulated*
Head Size: 158mm (6") x 54mm (2")
Overall Length: 910mm (36")
• Integrated hand stop to help prevent the hand slipping onto the metal head
• Strong Polyfibre shaft has excellent insulating and shock properties

pick
handle
5020/INS



Handle Type: *Insulated*
Overall Length: 910mm (36")

NEW INSULATED RANGE ADDITIONS COMING IN 2011

- Treaded Digging Spade
- Short Tine Fork
- Grafting (Rabbiting) Spade
- No.000 Square Mouth Shovel
- Ballast Fork
- 2 Prong Fork
- Keying Hammer



CONTRACTORS tools

asphalt rake

3886AA



Handle Type: *Wood*
Head Size: 90mm (3½") x 380mm (15")
Handle Length: 1750mm (69")
No of Teeth: 16 Flat



- Specially designed for raking and topping tarmac and asphalt
- Tubular steel & wooden handled options available
- Flat & round teeth options available

asphalt rake

3886BC



Handle Type: *Tubular*
Head Size: 90mm (3½") x 380mm (15")
Handle Length: 1750mm (69")
No of Teeth: 16 Flat

tarmac rake

3887AE



Handle Type: *Wood*
Head Size: 90mm (3½") x 380mm (15")
Handle Length: 1750mm (69")
No of Teeth: 16 Round

tarmac rake

3887AD



Handle Type: *Tubular*
Head Size: 90mm (3½") x 380mm (15")
Handle Length: 1750mm (69")
No of Teeth: 16 Round

10lb square tamper

5005AX



Weight: 4.5kg (10lbs)
Handle Length: 1345mm (53")
Head Size: 125mm (5") square
• Drop forged steel head
• Tubular steel handle
• Non-slip rubber grip

22lb asphalt tamper

5006AX



Weight: 10.2kg (22lbs)
Handle Length: 1380mm (54")
Head Size: 310mm (12") x 125mm (5")
• Drop forged steel head
• Tubular steel handle
• Non-slip rubber grip



CONTRACTORS tools

crowbar set (3 PIECE)

RIPPA3PS



Sizes included: 910mm (36"), 610mm (24") & 360mm (14")

- Ideally used for prising, dismantling tough objects and demolishing
- Special bar-to-claw angle for ease of access and safer prising
- Wider, flatter claw
- Easy-grip oval shank
- Heat treated, solid forged steel

heavy duty crowbars

RIPPA30 (30")
RIPPA36 (36")



- Size: 750mm (30")
Size: 910mm (36")
- Special bar-to-claw angle for ease of access and safer prising
 - Wider, flatter claw
 - Easy-grip oval shank
 - Heat treated, solid forged steel

medium duty crowbars

RIPPA18 (18")
RIPPA24 (24")



- Size: 450mm (18")
Size: 610mm (24")
- Special bar-to-claw angle for ease of access and safer prising
 - Wider, flatter claw
 - Easy-grip oval shank
 - Heat treated, solid forged steel

light duty crowbar

RIPPA14



- Size: 360mm (14")
- Special bar-to-claw angle for ease of access and safer prising
 - Wider, flatter claw
 - Easy-grip oval shank
 - Heat treated, solid forged steel

guarded chisels



22-410R Grooving
22-208R Flat
22-210R Flat
22-310R Concrete splitting
22-639R Brick cutting
22-649R Brick cutting
22-509R Floorboard

- Manufactured to BS standards
- Chisel shank heads specially shaped to resist 'mushrooming'
- Cutting edges hardened for durability
- Guard for protection during use

flat chisels

Part No	Product Description	Length	Blade Width	Octagon Dia.
CB24A	Flat	100mm (4")	6.35mm (1/4")	6.35mm (1/4")
CB28G	Flat	150mm (6")	6.35mm (1/4")	6.35mm (1/4")
CB46T	Flat	125mm (5")	9.5mm (3/8")	9.5mm (3/8")
CB48E	Flat	150mm (6")	9.5mm (3/8")	9.5mm (3/8")
CB68V	Flat	150mm (6")	12.7mm (1/2")	12.7mm (1/2")
CB70H	Flat	205mm (8")	12.7mm (1/2")	12.7mm (1/2")
CB72F	Flat	250mm (10")	12.7mm (1/2")	12.7mm (1/2")
CB73N	Flat	300mm (12")	12.7mm (1/2")	12.7mm (1/2")
CB88R	Flat	150mm (6")	15.9mm (5/8")	12.7mm (1/2")
CB89H	Flat	180mm (7")	15.9mm (5/8")	12.7mm (1/2")
CB90M	Flat	205mm (8")	15.9mm (5/8")	12.7mm (1/2")
CB92N	Flat	250mm (10")	15.9mm (5/8")	12.7mm (1/2")
CB108D	Flat	150mm (6")	19mm (3/4")	15.9mm (5/8")
CB110T	Flat	205mm (8")	19mm (3/4")	15.9mm (5/8")
CB111G	Flat	230mm (9")	19mm (3/4")	15.9mm (5/8")
CB112E	Flat	250mm (10")	19mm (3/4")	15.9mm (5/8")
CB113V	Flat	300mm (12")	19mm (3/4")	15.9mm (5/8")
CB116M	Flat	450mm (18")	19mm (3/4")	15.9mm (5/8")
CB150E	Flat	205mm (8")	25.4mm (1")	22.2mm (7/8")
CB151V	Flat	230mm (9")	25.4mm (1")	22.2mm (7/8")
CB152R	Flat	250mm (10")	25.4mm (1")	22.2mm (7/8")
CB153H	Flat	300mm (12")	25.4mm (1")	22.2mm (7/8")
CB156N	Flat	450mm (18")	25.4mm (1")	22.2mm (7/8")

- For general cutting and chipping of metals, and for shaping, facing and cutting of stonework
- Manufactured to BS standards
- Chisel shank heads specially shaped to resist 'mushrooming'
- Cutting edges hardened for durability

specialist chisels

Part No	Product Description	Length	Blade Width	Octagon Dia.
CB770K	Flooring	230mm (9")	56mm (2 1/4")	17.5mm (11/16")
CB730K	Bolster	230mm (9")	75mm (3")	19mm (3/4")
CB740K	Bolster	230mm (9")	100mm (4")	25mm (1")
CB534A	Crosscut	150mm (6")	6.35mm (1/4")	12.7mm (1/2")
CB556T	Crosscut	200mm (8")	9.5mm (3/8")	19mm (3/4")
CB827V	Plugging	250mm (10")	6.35mm (1/4")	15.9mm (5/8")
CB292R	Concrete Pt	250mm (10")	4mm (5/32")	15.9mm (5/8")
CB313P	Concrete Pt	300mm (12")	4.8mm (3/16")	19mm (3/4")
CB353G	Concrete Pt	300mm (12")	6.35mm (1/4")	25mm (1")
SJ-MCT	Mason's Pitching Tool			



CONTRACTORS tools

wood club hammers

SJ-MCH40 (2½lb)
SJ-MCH64 (4lb)



Handle Length: 250mm (10")

- Polished striking face
- Hickory handle

fibreglass club hammers

SJ-MCH40FG (2½lb)
SJ-MCH64FG (4lb)



Handle Length: 250mm (10")

- Polished striking face
- Pinned shaft prevents the grip slipping during use

anti-vibration club hammers

SJ-AVCLUB40 (2½lb)
SJ-AVCLUB64 (4lb)



Overall Length: 270mm (10½")

- Polished striking face
- Anti-vibration handle

wood sledge hammers

SJ-DSH112 (7lb)
SJ-DSH160 (10lb)
SJ-DSH224 (14lb)



Handle Length: 750mm (30") 7lb
Handle Length: 900mm (35") 10/14lb

- Polished striking face with chamfered edges to avoid chipping
- Double faced head
- Longer handle allows for a greater striking force
- Hickory handle

fibreglass sledge hammers

SJ-DSH112FG (7lb)
SJ-DSH160FG (10lb)
SJ-DSH224FG (14lb)



Handle Length: 850mm (33") 7/10lb
Handle Length: 860mm (34") 14lb

- Polished striking face with chamfered edges to avoid chipping
- Double faced head
- Fibreglass handle

1.5lb hatchet

3715AB



Handle Length: 380mm (15")

- Manufactured to the internationally recognised DIN standard
- Drop forged carbon head, hardened and tempered for durability
- Quality hickory shaft for strength
- Blade guard for added safety when not in use

2.5lb axe

3725CD



Handle Length: 485mm (19")

- Manufactured to the internationally recognised DIN standard
- Drop forged carbon head, hardened and tempered for durability
- Quality hickory shaft for strength
- Blade guard for added safety when not in use

4.5lb axe

3745EF



Handle Length: 845mm (33")

- Manufactured to the internationally recognised DIN standard
- Drop forged carbon head, hardened and tempered for durability
- Quality hickory shaft for strength
- Blade guard for added safety when not in use

6.5lb log splitting maul

3765LM



Handle Length: 885mm (34¾")

- Manufactured to the internationally recognised DIN standard
- Drop forged carbon head, hardened and tempered for durability
- Quality hickory shaft for strength
- Hooked end blade

wood splitter

SPLITTER



Handle Length: 170mm (6¾")
Striking Base: 70mm (2¾") x 70mm (2¾")

- Steel construction
- Supplied with rubber cap for safer storage

CONTRACTORS & LANDSCAPING tools

floor scraper

3420BC
3421AW*



Handle Type: *Tubular*
Blade Size: 75mm (3") x 205mm (8")
Handle Length: 1220mm (48")

heavy duty scraper 7"

3422HD7



Handle Type: *Wood*
Blade Size: 175mm (7") x 360mm (14")
Overall Length: 1620mm (63")

heavy duty scraper 4"

3422HD4



Handle Type: *Wood*
Blade Size: 100mm (4") x 360mm (14")
Handle Length: 1620mm (63")

24oz rubber mallet

MALLET24



Handle Length: 275mm (10¾")
Head Size: 110mm (4¼") x 63mm (2½")
• High grade rubber head
• Handle & head available separately

rubber maul

RMAUL
RMAUL-HD (head only)
RMAUL-HANDLE



Handle Length: 1066mm (42")
Head Size: 329mm (13") x 129mm (5")
• High grade rubber head
• Extra long handle
• Handle & head available separately

fencing pin

5007AB



Diameter: 22mm (¾")
Length: 1372mm (54")

- Carbon steel with rope loop

fencing bar

FB72



Diameter: 25mm (1")
Length: 1830mm (72")
Blade Width: 65mm (2½")

grubbing mattock

5002AE



Weight: 2.3kg (5lbs)
• Heat treated carbon steel
• For use with 5020AP or 5020/ins
• Ideal for breaking up heavy ground

navy pick chisel & point

5000BT



Weight: 3.2kg (7lbs)
• Heat treated carbon steel
• For use with 5020AP or 5020/ins

hardwood pick handle

5020AP



Length: 910mm (36")

- Hardwood for use with 5000BT and 5002AE

CONTRACTORS & LANDSCAPING tools

post hole digger

PHD-WH (wood)



Handle Length: 1219mm (48")
Head Length: 245mm (9½")
Blade Size: 230mm (9") x 120mm (4")
Max open width: 140mm (5½")
• Hardened steel blades
• Wooden handle

double shovel holer

DSH/WH (wood)



Handle Length: 1690mm (66")
Blade Size: 355mm (14") x 220mm (8½")
Max open width: 280mm (11")
• Hardened and tempered carbon steel blades
• Ash handle

double shovel holer

DSH/TH (tubular)



Handle Length: 1725mm (68")
Blade Size: 355mm (14") x 220mm (8½")
Max open width: 280mm (11")
• Hardened and tempered carbon steel blades
• Tubular steel handles

cable grafter

FG-HD54



Handle Length: 1380mm (54")
Blade Size: 276mm (11") x 119mm (4¾")
• Hardened and tempered carbon steel blades
• Tubular steel handle

chisel & point crowbar

CBCP1125 (1⅛")
CBCP114 (1¼")



Length: 1540mm (60")
Bar Width: 28mm (1⅛")
Chisel Width: 28mm (1⅛") & 31mm (1¼")
• Hardened and tempered to BS standards

heavy duty lawn rake

3872HD



Handle Type: Wood
Head Size: 203mm (8")
Handle Length: 1219mm (48")
No of Teeth: 20



- Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the likelihood of them becoming detached during use
- Weatherproofed hardwood shaft for greater durability

10lb square rammer

5004AX



Weight: 4.5kg (10lbs)
Handle Length: 1372mm (54")
Head Size: 125mm (5")^{square}
• Forged steel head
• Ash handle

post hole auger

PHAUG



Weight: 4kg (8.5lbs)
Length: 1105mm (43½")
Depth: 230mm (9")
Width: 155mm (6")
• Hardwood 'T' handle
• Steel shaft & corkscrew blade
• Hardened tip



post rammer

PHR5



Weight: 14.4kg (31.7lbs)
Length: 685mm (27")
Overall Width: 360mm (14")
Diameter: 165mm (6")
• Solid metal end cap
• 530mm (20⅞") long steel handles



CONTRACTORS & LANDSCAPING tools

turfing iron

3825NB




Handle Type: MYD
Blade Size: 280mm (11") x
220mm (8½")
Overall Length: 1270mm (50")

- A specially designed tool for cutting and paring off turf
- Solid forged carbon steel head and socket, heat treated and tempered to give quality, performance and long life
- Lipped socket, riveted for extra strength
- Hammer finish, epoxy coated head for improved resistance to rust, scratches and humidity
- Weatherproofed hardwood shaft for greater durability
- MYD handle

self cleaning rake (32 teeth)

SFC32
SFC32-HD (Head only)



Handle Type: Wood
Head Width: 647mm (25½")
Handle Length: 1610mm (63½")
No of Teeth: 32

self cleaning rake (48 teeth)

SFC48
SFC48-HD (Head only)

Handle Type: Wood
Head Width: 966mm (38")
Handle Length: 1610mm (63½")
No of Teeth: 48

alloy rake

8206AH



Handle Type: Wood
Head Size: 120mm (4¾") x 700mm (27½")
Handle Length: 1778mm (70")
Tooth Length: 85mm (3⅜")
No of Teeth: 18



- Ideal for levelling surfaces and sand bunkers



AGRICULTURAL tools

manure fork

1636DE (PY)
1636AY (PT)



- Handle Length: 810mm (32")
Head Size: 330mm (13") x 230mm (9")
- For raking manure
 - Epoxy coated square tines
 - Tubular steel shaft

manure drag LK

1609CS



- Handle Length: 1830mm (72")
Head Size: 130mm (5") x 178mm (7") x 203mm (8")
- For raking manure
 - Epoxy coated square tines
 - Weatherproofed hardwood shaft

manure fork LK

1636CU



- Handle Length: 1220mm (48")
Head Size: 330mm (13") x 230mm (9")
- Lightweight for general use
 - Epoxy coated oval tines
 - Tubular steel shaft

manure fork LK

1600HS



- Handle Length: 1220mm (48")
Head Size: 330mm (13") x 240mm (9½")
- Epoxy coated oval tines
 - Weatherproofed hardwood shaft
 - Round shoulders for ease

manure fork T

91159-SJ



- Handle Length: 850mm (33½")
Head Size: 310mm (12") x 225mm (8¾")
- Epoxy coated oval tines
 - Weatherproofed hardwood shaft
 - Round shoulders for ease

manure fork T

1600FD



- Handle Length: 810mm (32")
Head Size: 330mm (13") x 240mm (9½")
- Traditional tool for moving straw bales & hay
 - Epoxy coated oval tines
 - Weatherproofed hardwood shaft
 - Round shoulders for ease

hay fork LK

1602BA



- Handle Length: 1370mm (54")
Head Size: 242mm (9½") x 140mm (5½")
- Traditional tool for moving straw bales & hay
 - Epoxy coated oval tines
 - Weatherproofed hardwood shaft
 - Round shoulders for ease

alloy landscaping rake

8206AH



- Handle Type: Wood
Head Size: 120mm (4¾") x 700mm (27½")
Handle Length: 1778mm (70")
Tooth Length: 85mm (3⅓")
No of Teeth: 18
- Ideal for collecting straw, hay and grass cuttings
 - Lightweight for ease of use
 - Extra long shaft

wooden hay rake

8207WH



- Handle Type: Wood
Head Size: 85mm (3⅜") x 700mm (27½")
Handle Length: 1778mm (70")
No of Teeth: 16
- Ideal for collecting straw, hay and grass cuttings
 - Lightweight for ease of use
 - Extra long shaft

grain shovel

2750AG



- Handle Length: 810mm (32")
Head Size: 250mm (10") x 420mm (16½")
- Mainly used by farmers or the food industry for shoveling loose materials
 - Square mouth
 - Lightweight & rust proof
 - Can be sterilised

AGRICULTURAL tools

heavy duty
double brush hook
4604BY



Handle Length: 910mm (36")
Blade Size: 230mm (9")
• Ideal for thinning, trimming & clearing brush thickets
• Epoxy coated head
• Solid forged socket
• Weatherproofed hickory handle

heavy duty
single brush hook
4601BT



Handle Length: 910mm (36")
Blade Size: 255mm (10")
• Ideal for thinning, trimming & clearing brush thickets
• Epoxy coated head
• Solid forged socket
• Weatherproofed hickory handle

staff
brushing hook
4655BM



Handle Length: 910mm (36")
Blade Size: 380mm (15")
• Ideal for thinning, trimming & clearing brush thickets
• Epoxy coated head
• Solid forged socket
• Weatherproofed hickory handle

irish
slasher
4605BU



Handle Length: 760mm (30")
Blade Size: 380mm (15")
• Ideal for thinning, trimming & clearing brush thickets
• Epoxy coated head
• Solid forged socket
• Weatherproofed hickory handle

heavy duty
brushing slasher
4607CE



Handle Length: 910mm (36")
Blade Size: 380mm (15")
• Ideal for thinning, trimming & clearing brush thickets
• Epoxy coated head
• Solid forged socket
• Weatherproofed hickory handle

stafford
bill hook
4550AP



Handle Size: 150mm (6")
Blade Size: 255mm (10")
Handle: round grip
• For hedgerow maintenance & hedge laying
• Double edged blade
• Epoxy coated head
• Solid socket
• Weatherproofed handle

newton
bill hook
4501BZ



Handle Size: 150mm (6")
Blade Size: 255mm (10")
Handle: pistol grip
• For hedgerow maintenance & hedge laying
• Single edged blade
• Epoxy coated head
• Solid socket
• Weatherproofed handle

southern
counties bill hook
4516AZ



Handle Size: 150mm (6")
Blade Size: 255mm (10")
Handle: pistol grip
• For hedgerow maintenance & hedge laying
• Single edged blade
• Epoxy coated head
• Solid socket
• Weatherproofed handle

fussel
bristol reap
4700BU



Handle Size: 150mm (6")
Blade Size: 362mm (14")
Handle: round grip
• Used to cut through rough grass and weeds
• Forged, flat blade with through tang
• Hardwood handle

john riley
irish hook
4717BT



Handle Size: 140mm (5½")
Blade Size: 305mm (12")
Handle: round grip
• Used to cut through rough grass and weeds
• Forged, flat blade with through tang
• Hardwood handle

PLANTATION tools

fox shovel PYD

2050AV



Handle Type: PYD
Handle Length: 711mm (28")
Head Size: 310mm (12¹/₄") x 230mm (9")
• Round mouth, solid socket
• Solid forged
• Weatherproofed hardwood shaft

fox shovel LK

2050DB



Handle Type: LK
Handle Length: 1220mm (48")
Head Size: 310mm (12¹/₄") x 230mm (9")
• Round mouth, solid socket
• Solid forged
• Weatherproofed hardwood shaft

shovel 12¹/₂"

2521EC



Handle Type: PYD
Handle Length: 810mm (32")
Head Size: 320mm (12¹/₂") x 255mm (10")
• Open socket
• Square mouth
• Weatherproofed hardwood shaft

shovel 13³/₄"

2521LY



Handle Type: PYD
Handle Length: 810mm (32")
Head Size: 350mm (12³/₄") x 280mm (11")
• Open socket
• Square mouth
• Weatherproofed hardwood shaft

shovel 14¹/₂"

2521QT



Handle Type: PYD
Handle Length: 810mm (32")
Head Size: 370mm (14¹/₂") x 305mm (12")
• Open socket
• Square mouth
• Weatherproofed hardwood shaft

yam spade

3677BA



Blade Size: 203mm (8")
• Self tanged, self colour
• Heads only

tonga field hoe

3678AV



Blade Size: 178mm (7")
• Solid forged, epoxy coated
• Heads only

fern hooks single edge

4680AU



Blade Size: 343mm (13¹/₂")
• Single edge
• Heads only

fern hooks double edge

4681AV



Blade Size: 343mm (13¹/₂")
• Double edge
• Heads only

oil palm knives

4782AB



Blade Size: 295mm (11¹/₂")
• Flat tang
• Heads only

PLANTATION tools

cocoa pruners

4774BM



Blade Size: 83mm (3¼")

- Forged head, epoxy coated
- Heads only

machete 21"

SJ144821



Blade Size: 538mm (21")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 20/22"

SJ270220
SJ270222



Blade Size: 508mm (20")
Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 20/22"

SJ23220
SJ23222



Blade Size: 508mm (20")
Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 16/18/20/22"

SJ23016
SJ23018
SJ23020
SJ23022



Blade Size: 406mm (16")
Blade Size: 457mm (18")
Blade Size: 508mm (20")
Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 18"

SJ5180718



Blade Size: 457mm (18")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 19"

SJ141019



Blade Size: 482mm (19")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 19"

SJ120219



Blade Size: 482mm (19")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 15"

SJ2100615



Blade Size: 381mm (15")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 14/18"

SJ233514
SJ233518



Blade Size: 356mm (14")
Blade Size: 457mm (18")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

CONTRACTORS product index

Catalogue Number	Description	Barcode
OPEN SOCKET SHOVELS		
2521AU	Square Mouth No.2 - T handle	501198020522
2521UA	Square Mouth No.2 - PY handle	501198020591
2531UH	Square Mouth No.2 - LK handle	5012095011408
2521HT	Square Mouth No.4 - T handle	501198020638
2521VC	Square Mouth No.4 - PY handle	501198020607
2521NC	Square Mouth No.6 - T handle	501198020676
2521WE	Square Mouth No.6 - PY handle	501198020645
2530BW	West Country 54" - LK handle	501198020683
2540HU	Irish Round 54" - LK handle	501198020744
2540JV	Irish Round 60" - LK handle	501198020720
IRISHDS	Irish Digging - Parallel handle	5012095073796

Catalogue Number	Description	Barcode
SOLID SOCKET SHOVELS		
2061TP	Square Mouth No.000 - T handle	5012095006718
2064GH	Square Mouth No.0 (flat blade) - T handle	5012095013761
2062TP	Square Mouth No.0 - T handle	5012095006732
2029AV	Square Mouth No.2 - T handle	501198020218
2029RW	Square Mouth No.2 - MYD handle	501198020225
2028AZ	Taper Mouth No.2 - T handle	501198020195
2028RS	Taper Mouth No.2 - MYD handle	501198020164
2050AV	Round Mouth - PYD handle	501198020294
1047MY	Rabbiting Spade - MYD handle	5012095005803
1307HDS	Heavy Duty Spade - MYD handle	5012095042754

Catalogue Number	Description	Barcode
TUBULAR STEEL SHOVELS		
2002AR	Square Mouth No.2 - MYD handle	501198020065
2000AC	Square Mouth No.2 - MYD handle	501198020034
2001AD	Round Mouth No.2 - MYD handle	501198020058
2006AP	Trenching - MYD handle	501198600007
2007AP	Cable Laying - MYD handle	5012095011378
2153AA	Newcastle 14" - MYD handle	5012095011385
2153AE	Newcastle 16" - MYD handle	5012095011392
2154HK	Draining 16" - MYD handle	501198020898
1700AV	Tubular Fork - MYD handle	501198090020
1710AW	Tubular Lightweight Fork - MYD handle	5012095011286

Catalogue Number	Description	Barcode
STRAPPED SHOVELS		
2136NM	General Service Treaded - T handle	5012095007135
1072AY	Irish Spade - T handle	501198270675
1702FLW	Shallow Dish Fork - Wood R.E.H. handle	5012095065357

Catalogue Number	Description	Barcode
CONTRACTORS FORKS		
1700AV	Tubular Fork - MYD handle	501198090020
1710AW	Tubular Lightweight Fork - MYD handle	5012095011286
1841AH	Fibreglass Fork - MYD handle	5012095065775
2154HK	Insulated Fork - Insulated YD handle	501198020898
1712PF/C	Polyfibre Fork - YD handle	5012095072355
2741TFL	Fibrelite Fork - MYD handle	5012095069850
2154HK	Long Handled Fork - T handle	501198020898
1702FLW	Shallow Dish Fork - Wood R.E.H. handle	5012095065357

Catalogue Number	Description	Barcode
POLYFIBRE RANGE		
2026PF/C	Trenching Shovel - YD handle	5012095072300
2027PF/C	Cable Shovel - YD handle	5012095072294
2028PF/C	Taper Mouth - YD handle	5012095072317
2029PF/C	Square Mouth No.4 - YD handle	5012095072324
2036PF/C	General Service - YD handle	5012095072331
2159PF/C	Newcastle Drainer - YD handle	5012095072348
1712PF/C	Fork - YD handle	5012095072355

Catalogue Number	Description	Barcode
FIBRELITE RANGE		
2731TFL	Square Mouth No.2 - MYD handle	5012095069805
2701TFL	Trenching Shovel - MYD handle	5012095069812
2721TFL	Round Mouth - MYD handle	5012095069829
2702TFL	Taper Mouth - MYD handle	5012095069836
2711TFL	Cable Layer - MYD handle	5012095069843
2753TFL	Newcastle Drainer - MYD handle	5012095069867
2741TFL	Trenching Fork - MYD handle	5012095069850

Catalogue Number	Description	Barcode
FIBREGLASS RANGE		
2841AD	Square Mouth No.000 - MYD handle	5012095006794
2831AL	Square Mouth No.2 - MYD handle	501198021024
2801AV	Taper No.2 - MYD handle	501198021000
2901AX	Trenching Shovel - MYD handle	501198020980
2811AN	General Service - MYD handle	5012095007067
2821AK	Round Mouth No.2 - MYD handle	501198021017
2861AP	Grafting Shovel - MYD handle	501198021031
2871AQ	Newcastle 16" - MYD handle	501198021048
2872AN	Draining 16" - MYD handle	5012095011415
2911AL	Cable Laying - MYD handle	501198020997
1841AH	Fibreglass Fork - MYD handle	5012095056775



CONTRACTORS product index

Catalogue
Number

Description

Barcode

INSULATED TOOLS

2029PF/INS	Square Mouth No.0 - YD Ins handle	5012095069768
2028PF/INS	Taper Mouth - YD Ins handle	5012095069751
2030PF/INS	Round Mouth - YD Ins handle	5012095069775
2026PF/INS	Trenching Shovel - YD Ins handle	5012095069706
2027PF/INS	Cable Laying - YD Ins handle	5012095069713
2159PF/INS	Newcastle Drainer - YD Ins handle	5012095069782
2036PF/INS	General Service - YD Ins handle	5012095072485
1712PF/INS	Trenching Fork - YD Ins handle	5012095069799

INSULATED CROWBARS

CBPB114/INS	Crowbar Point & Blunt	5012095072577
CBCB114/INS	Crowbar Chisel & Blunt	5012095075431
CBPC114/INS	Crowbar Chisel & Point	5012095072584
CBHP114/INS	Crowbar Bent Chisel & Point	5012095072744
DSH/INS	Double Shovel Holer	5012095072614
PBRKR/INS	Pipe Breaker	5011198020195
RAM10LB/INS	10lb Rammer	5011198020164

INSULATED HAMMERS / PICK

MCH40FG/INS	2½lb Club Hammer	5012095078197
MCH64FG/INS	4lb Club Hammer	5012095078210
DSH224FG/INS	14lb Sledgehammer	5012095072812
DSH160FG/INS	10lb Sledgehammer	5012095078227
DSH112FG/INS	7lb Sledgehammer	5012095078234
5000/INS	7lb Pick Head - Chisel & Point	5012095072829
5020/INS	Pick Handle	5012095076155



Catalogue
Number

Description

Barcode

CONTRACTORS TOOLS

3886AA	Asphalt Rake - Wood handle	5011198090204
3886BC	Asphalt Rake - Tubular handle	5011198090211
3887AE	Tarmac Rake - Wood handle	5011198090136
3887AD	Tarmac Rake - Tubular handle	5012095011439
5005AX	10lb Square Tamper	5012095072652
5006AX	22lb Asphalt Tamper	5012095072669
RIPPA3PS	Crowbar Set - 3 piece	5012095058571
RIPPA36	Heavy Duty Crowbar	5012095066200
RIPPA30	Heavy Duty Crowbar	5012095066194
RIPPA24	Medium Duty Crowbar	5012095066187
RIPPA18	Medium Duty Crowbar	5012095066170
RIPPA14	Light Duty Crowbar	5012095066163

GUARDED CHISELS

22-410R	Guarded Chisels - Grooving	5012095200727
22-208R	Guarded Chisels - Flat	5012095195825
22-210R	Guarded Chisels - Flat	5012095197621
22-310R	Guarded Chisels - Concrete splitting	5012095200963
22-639R	Guarded Chisels - Brick cutting	5012095203520
22-649R	Guarded Chisels - Brick cutting	5012095203537
22-509R	Guarded Chisels - Floorboard	5012095204428

FLAT CHISELS

CB24A	Flat - 4"	5012095972358
CB28G	Flat - 6"	5012095008064
CB46T	Flat - 5"	5012095008057
CB48E	Flat - 6"	5012095008071
CB68V	Flat - 6"	5012095972402
CB70H	Flat - 8"	5012095972495
CB72F	Flat - 10"	5012095008101
CB73N	Flat - 12"	5012095008125
CB88R	Flat - 6"	5012095009399
CB89H	Flat - 7"	5012095008088
CB90M	Flat - 8"	5012095001508
CB92N	Flat - 10"	5012095008118
CB108D	Flat - 6"	5012095001478
CB110T	Flat - 8"	5012095000105
CB111G	Flat - 9"	5012095008095
CB112E	Flat - 10"	5012095972501
CB113V	Flat - 12"	5012095008132
CB116M	Flat - 18"	5012095008149
CB150E	Flat - 8"	5012095001485
CB151V	Flat - 9"	5012095001492
CB152R	Flat - 10"	5012095000082
CB153H	Flat - 12"	5012095000099
CB156N	Flat - 18"	5012095008156

CONTRACTORS product index

Catalogue
Number

Description

Barcode

SPECIALIST CHISELS

CB770K	Flooring - 9"	5012095972709
CB730K	Bolster - 9"	5012095972792
CB740K	Bolster - 9"	5012095972808
CB534A	Crosscut - 6"	5012095009405
CB556T	Crosscut - 8"	5012095009412
CB827V	Plugging - 10"	5012095972600
CB292R	Concrete Pt - 10"	5012095009429
CB313P	Concrete Pt - 12"	5012095009436
CB353G	Concrete Pt - 12"	5012095009542
SJ-MCT	Mason's Pitching Tool	5011198182886

HAMMERS

SJ-MCH40	Wood Club Hammer - 2½lb	5011198182848
SJ-MCH64	Wood Club Hammer - 4lb	5011198182855
SJ-MCH40FG	Fibreglass Club Hammer - 2½lb	5012095060314
SJ-MCH64FG	Fibreglass Club Hammer - 4lb	5012095060321
SJ-AVCLUB40	Anti-Vibration Club Hammer - 2½lb	5012095064084
SJ-AVCLUB64	Anti-Vibration Club Hammer - 4lb	5012095064107
SJ-DSH112	Wood Sledgehammer - 7lb	5012095018711
SJ-DSH160	Wood Sledgehammer - 10lb	5011198182800
SJ-DSH224	Wood Sledgehammer - 14lb	5011198182817
SJ-DSH112FG	Fibreglass Sledgehammer - 7lb	5012095056409
SJ-DSH160FG	Fibreglass Sledgehammer - 10lb	5012095056393
SJ-DSH224FG	Fibreglass Sledgehammer - 14lb	5012095056386
3715AB	1.5lb Hatchet	5012095017899
3725CD	2.5lb Axe	5012095017912
3745EF	4.5lb Axe	5012095017905
3765LM	6.5lb Splitting Maul	5012095045908
SPLITTER	Wood Splitter	5012095078180

CONTRACTORS & LANDSCAPING

3420BC	Floor Scraper	5012095054740
3421AW	Floor Scraper Blade	5011198040742
3422HD7	Heavy Duty Scraper 7"	5012095070252
3422HD4	Heavy Duty Scraper 4"	5012095070269
MALLET24	Rubber Mallet 24oz	5012095078173
RMAUL	Rubber Maul	5012095072799
RMAUL-HD	Rubber Maul Head Only	5012095072904
RMAUL-HANDLE	Rubber Maul Handle Only	5012095074779
5007AB	Fencing Pin	5011198090181
FB72	Fencing Bar	5012095072805
5002AE	Grubbing Mattock	5011198090143
5000BT	Navy Pick Chisel & Point	5011198090242
5020AP	Hardwood Pick Handle	5011198090280
PHD-WH	Post Hole Digger - Wood	5012095072034
DSH/WH	Double Shovel Holer - Wood	5012095072881
DSH/TH	Double Shovel Holer - Tubular	5012095072874
FG-HD54	Cable Grafter	5012095072898
CBCP1125	Chisel & Point Crowbar 1½"	5012095074670
CBCP114	Chisel & Point Crowbar 1¼"	5012095074687
3872HD	Heavy Duty Lawn Rake	5012095071006
5004AX	10lb Square Rammer	5011198090198
PHAUG	Post Hole Auger	5012095072782
PHR5	Post Rammer	5012095072768

Catalogue
Number

Description

Barcode

CONTRACTORS & LANDSCAPING

3825NB	Turfing Iron - MYD handle	5011198040155
SFC32	Self Cleaning Rake (32 teeth) - wood	5012095074694
SF32-HD	Self Cleaning Rake - Head only	5012095074717
SFC48	Self Cleaning Rake (48 teeth) - wood	5012095074700
SF48-HD	Self Cleaning Rake - Head only	5012095074724
8206AH	Alloy Rake - Wood handle	5012095015475

AGRICULTURAL TOOLS

1636DE	Manure Drag - PY handle	5011198080250
1636AY	Manure Drag - PT handle	5011198080243
1609CS	Manure Drag - LK handle	5011198080045
1636CU	Manure Fork - LK handle	5011198080274
1600HS	Hay Fork - LK handle	5011198080076
91159-SJ	Manure Fork - T handle	4002408911595
1600FD	Hay Fork - T handle	5011198080083
1602BA	Hay Fork - LK handle	5011198080090
8206AH	Alloy Hay Rake - Wood handle	5012095015475
8207WH	Wooden Hay Rake - Wood handle	5012095015468
2750AG	Grain Shovel - PY handle	5012095015536
4604BY	Heavy Duty Double Brush Hook	5011198080496
4601BT	Heavy Duty Single Brush Hook	5011198080472
4655BM	Staff Brushing Hook	5011198080618
4605BU	Irish Slasher	5011198080502
4607CE	Heavy Duty Brushing Slasher	5011198080533
4550AP	Stafford Bill Hook	5011198080434
4501BZ	Newton Bill Hook	5011198080397
4516AZ	Southern Counties Bill Hook	5011198080427
4700BU	Fussel Bristol Reap	5011198080397
4717BT	John Riley Irish Hook	5011198080731

PLANTATION TOOLS

2050AV	Fox Shovel - PY Handle	5011198020294
2050DB	Fox Shovel - LK Handle	5011198020324
2521EC	12½" Shovel - PY Handle	5011198020508
2521LY	12¾" Shovel - PY Handle	5011198020614
2521QT	14½" Shovel - PY Handle	5011198020652
3677BA	Yam Spade	5011198050345
3678AV	Tonga Field Hoe	5011198050352
4680AU	Fern Hooks - Single Edge	5011198080625
4681AV	Fern Hooks - Double Edge	5011198080632
4782AB	Oil Palm Knives	5011198080816
4774BM	Cocoa Pruners	5011198080809
SJ144821	21" Machete	5012095056584
SJ270220	20" Machete	5012095056614
SJ270222	22" Machete	5012095056607
SJ23220	20" Machete	5012095056638
SJ23222	22" Machete	5012095065111
SJ23016	16" Machete	5012095057277
SJ23018	18" Machete	5012095057284
SJ23020	20" Machete	5012095057291
SJ23022	22" Machete	5012095057307
SJ5180718	18" Machete	5012095056577
SJ141019	19" Machete	5012095057314
SJ120219	19" Machete	5012095056519
SJ2100615	15" Machete	5012095061182
SJ233514	14" Machete	5012095059806
SJ233518	18" Machete	5012095056621

Please see our website for further details on all of our ranges.



www.neilltools.com

CELEBRATING
OVER
250
YEARS
OF EXPERIENCE

Neill Tools Ltd,
A Spear & Jackson Group Company
Atlas Way, Atlas North,
Sheffield S4 7QQ England.

Telephone: 0114 281 4242
Fax: 0114 281 4252

e-mail: sales@neill-tools.co.uk

www.neilltools.com

Due to continuous product development and improvement, Spear & Jackson reserves the right to modify product design, specifications and materials without prior notice.



These products are guaranteed against defects in manufacturing, subject to normal wear and tear and the provision of reasonable care and maintenance. This does not affect your statutory rights.



SPEAR & JACKSON