



HAND TOOL

CONTRACTORS' TOOL

GARDEN TOOL

PRODUCT GUIDE 2012/13



Your complete guide to tools that sell



SPEAR & JACKSON

Contents



| HAND TOOLS | 3 |
|------------------------|---------|
| Woodworking Tools | 4 - 7 |
| Builders Tools | 8 - 23 |
| Hammers | 24 - 26 |
| Chisels | 27 - 29 |
| Power Tool Accessories | 30 - 33 |
| Screwdrivers | 34 - 36 |
| | |





















PRODUCT GUIDE 2012/13



WOODWORKING
BUILDERS
HAMMERS
CHISELS
POWER TOOL
ACCESSORIES
SCREWDRIVERS



SPEAR & JACKSON



WOODWORKING TOOLS professional woodsaws

PREDATOR'

Universal

20" x 8pts Medium Medium 22" x 8pts

First Fix

| ck Ity | Part No | Description | Size | Finish |
|-----------|---------|-------------|------------|--------|
| 10 | B98FF | First Fix | 22" x 7pts | Rough |

Second Fix

| Pack Qty | Part No | Description | Size | Finish | Pack Qty |
|-------------|---------|-------------|-------------|--------|-------------|
| 10 | B98SF | Second Fix | 22" x 10pts | Fine | 10 |







- A general purpose saw for use along and across the grain
- Fast cut rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration
- Ideal for timber, hardwood, chipboard and MDF
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- A fast cutting saw for use along and across the grain
- Fast cut rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration
- Use with all rough sawn timber
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- A fine cutting saw for use along and across the grain
 Fast cut - rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration
- Ideal for planed wood, skirting, architraves and dado rails
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide

UPVC

B98UPVC UPVC 20" x 14pts

Laminate

B98LAMINATE Laminate Extra Fine 20" x 14pts

Predator X

Finish **B98X** Medium 10 22" x 8pts







- A hardpoint saw for cutting UPVC and hard plastics
- Fast cut rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration Ideal for cutting sills, trims and plastic pipes
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- A hardpoint saw delivering a fine cut
- Fast cut rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration For use on laminate flooring, formica and beading
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- Fleam teeth for the fastest cut along and across the grain on both the forward and reverse stroke
- Fast cut rapid, clean cutting action Rigid blade minimises 'whip' and vibration
- Ideal for use on timber, hardwood, chipboard and
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide

WOODWORKING TOOLS professional woodsaws

Tenon Saws

| | S South Pilot. | 0.20 | |
|-------|----------------|-------------|------|
| | Predator Tenon | 10" x 15pts | Fine |
| B9812 | Predator Tenon | 12" x 15pts | Fine |

Toolbox Saw

| Pack Qty | Part No | Description | Size | Finish |
|-------------|---------|------------------|-------------|--------|
| 10 10 | B9814 | Predator Toolbox | 14" x 14pts | Fine |

Floorboard Saw

| Pack Qty | Part No | Description | Size | Finish | Pack Qty |
|-------------|----------|-------------|------------|--------|-------------|
| 10 | B98FLOOR | Fleam Tooth | 11" x 8pts | Medium | 10 |







- A fine cut for a smooth, clean cutting action
- Solid steel back for maximum rigidity
- Ideal for cutting out a tenon and cutting pelmets, moulding, dowelling, coving, architraves and skirting
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy.
- A fine cut for smooth cutting with push/pull action
- Rigid blade minimises 'whip' and vibration
- Ideal for cutting pelmets, moulding, dowelling, coving, architraves and skirting
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide
- · Specifically designed for cutting flooring and featuring a curved end for ease of starting a cut
- Hand set and sharpened teeth for precision
- High carbon steel blade
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide

Triplefast

| Part NO | Description | Size | FIIIISII |
|-----------|-------------|-------------|----------|
| B98TRIPLE | Triplefast | 22" x 10pts | Medium |

Universal Suregrip Handle

22" x 8p

| | OHIVE | Julia | oui egrip | i iai iui |
|---|---------|-------------|------------|-----------|
| 1 | Part No | Description | Size | Finish |
|) | B9520 | Universal | 20" x 8pts | Medium |

Universal

10

B9522

| | HIIIOH |
|----|--------|
| ts | Medium |
| ts | Medium |

10 B9420

10 B9422

Universal Hard Feel Handle Part No Description

20" x 8pts

22" x 8pts

Medium

Medium

Universal

Universal

Qtv

10







- A fine cutting saw for cutting along and across the grain
- Triple ground tooth configuration
- Fast cut rapid, clean cutting action
- Rigid blade minimises 'whip' and vibration
- Ideal for a smooth finish on soft woods
- Comfortable handle Suregrip® soft-feel ergonomic grip and finger guide for accuracy, also incorporating a useful 45/90° angle guide

For general use cutting along and across the grain with a standard finish.

- Finger rest for both left and right handed users
- Tough 'Suregrip' moulded handle incorporating useful 45/90° angle guide
- Precision cross ground teeth for extra sharpness

For general use cutting along and across the grain with a standard finish.

- Finger rest for both left and right handed users
- Tough hardfeel moulded handle incorporating useful 45/90° angle guide
- Precision cross ground teeth for extra sharpness

WOODWORKING TOOLS traditional woodsaws & accessories

Brass Back Tenon

| Part No | | Size | Finish |
|---------|------------------------|-------------|--------|
| 9540B | Traditional Brass Back | 10" x 15pts | Fine |
| | Traditional Brass Back | 12" x 15pts | Fine |

Skew Back

| ick Qty | Part No | Description | Size | Finish |
|------------|---------|-----------------------|-------------|--------|
| 5 | 9500R | Traditional Skew Back | 22" x 10pts | Medium |
| 5 | 9515K | Traditional Skew Back | 24" x 7pts | Rough |

Professional Tenon

| Pack Qty | Part No | Description | Size | Finish | Pack Qty |
|-------------|---------|--------------------|-------------|--------|-------------|
| 10 | 5410Y | Professional Tenon | 10" x 13pts | Fine | 5 |
| 10 | 5412K | Professional Tenon | 12" x 13pts | Fine | 5 |



- Universal teeth for general use cuts along and across the grain
- Brass back for maximum rigidity
- Teeth can be resharpened
- Used for joint cutting and sawing small pieces of wood and wood based materials
- Comfortable wooden handle securely fixed by rivet
- High carbon steel blade
- Precision ground teeth



- Universal teeth for general use cuts along and across the grain
- Precision cross ground teeth for extra sharpness
- Teeth can be resharpened
- Skew back for balance and reduced friction
- Cuts timber chipboard, plywood and other wood based materials
- Comfortable wooden handle securely fixed by rivet
- High carbon steel blade

2



- Universal teeth for general use cuts along and across the grain
- Precision cross ground teeth for extra sharpness
- Teeth can be resharpened
- Solid brass back for maximum rigidity
- Used for joint cutting and sawing small pieces of wood
- Comfortable wooden handle secured with solid brass screws

Saw Horse

Part No Description Size SAWHORSE Plastic Foldable 810mm (H) x 692mm (W) Saw Horse Saw Horse

Honing Guide

| Part No | Description | Length | Height |
|---------|--------------|------------|------------|
| 94-360R | Honing Guide | 85mm (3%") | 35mm (1½") |

Saw Tooth Setter

| Part No | Description | Length | Height | Paci Qt |
|---------|------------------|-------------|------------|------------|
| 4-370R | Saw Tooth Setter | 180mm (7½") | 90mm (3½") | 10 |



- 350kg stated load capacity
- Folding shelf support
- Cable tidy
- Rubberised feet to prevent slipping



For holding wood chisels and plane irons in position for sharpening



Used for setting teeth on most types of woodsaws

Fluted Dowels

| Part No | Description | Size | No. in a bag (approx) | Pack Qty |
|---------|---------------|-------------|--------------------------|-------------|
| 5412 | Fluted Dowels | 6mm (¼") | 70 | 10 |
| 5426 | Fluted Dowels | 6mm (¼") | 150 | 10 |
| 5414 | Fluted Dowels | 8mm (5/16") | 60 | 10 |
| 5428 | Fluted Dowels | 8mm (5/16") | 125 | 10 |
| 5416 | Fluted Dowels | 10mm (¾") | 45 | 10 |
| 5430 | Fluted Dowels | 10mm (¾") | 100 | 10 |

Hinge Boring Bits

| | _ | | _ | | |
|---------|------------------|------|------------------|------------|-------------|
| Part No | Description | Size | Material | Max RPM | Pack Qty |
| 1235 | Hinge Boring Bit | 35mm | High Speed Steel | 1800 | 10 |
| 1335 | Hinge Boring Bit | 35mm | Tungsten Carbide | 1800 | 10 |
| | | | | | |



Used for jointing wood or boards together



- For boring out holes when making hinges (not to be used in plane routing machines)
- High speed steel models for hard and soft woods
- Tungsten carbide models for harder man-made boards









CRAFTSMAN-MADE QUALITY FOR OVER TWO HUNDRED YEARS

One of the oldest builders tool brands is **TYZACK**, started in 1837 by Joseph Tyzack & Sons. The familiar logo showing the 3 legs of a man originated when Joseph Tyzack supplied products to the Isle of Man Steam Packet Company. Their "legs of man" trademark was later adopted and registered for **TYZACK** trowels.

By expertly bringing together advanced technology, the best design and a genuine commitment to total quality, **TYZACK** offers a comprehensive range of superb pointing and brickwork trowels.

Each of our trowels is crafted from the finest carbon steel with a solid forged blade and through tang for supreme strength. Handles are available in both traditional wooden or the latest soft feel ergonomic design. **TYZACK** is the first choice for ultimate comfort and performance.





BUILDERS' TOOLS Drickwork tools

Broad Heel Short Wood, Capped

| , | |
|--------------|------|
| | Size |
| | 10" |
| Brick Trowel | 11" |

| | 5126 | Handle |
|---------------------|------|--------------------|
| | 10" | Short Wood, Capped |
| Brick Trowel | 11" | Short Wood, Capped |
| Brick Trowel | 12" | Short Wood, Capped |
| | | |

Broad Heel Long Wood, Capped

| Part No | Туре | Size | Handle |
|---------|--------------|------|-------------------|
| 20212V | Brick Trowel | 12" | Long Wood, Capped |

Broad Heel Soft Feel, Capped

| k ty | Part No | Туре | Size | Handle | Pack Qty |
|---------|---------|--------------|------|-----------|-------------|
| 5 | 10110SF | Brick Trowel | 10" | Soft Feel | 5 |
| | 10111SF | Brick Trowel | 11" | Soft Feel | 5 |



- Solid forged blade
- Broad blade allows extra capacity for mortar
- Plastic end cap for tapping down
- Taper ground for progressive flexibility



- Solid forged blade
- Broad blade allows extra capacity for mortar
- Plastic end cap for tapping down
- Taper ground for progressive flexibility



- Solid forged blade
- Broad blade allows extra capacity for mortarSoft feel handle with integral finger guard
- Plastic end cap for tapping down
- Taper ground for progressive flexibility

Philadelphia

Soft Feel, Capped

| Part No | Туре | Size | Handle |
|---------|--------------|------|-----------|
| 10710SF | Brick Trowel | 10" | Soft Feel |
| 10811SF | Brick Trowel | 11" | Soft Feel |
| 10712SF | Brick Trowel | 12" | Soft Feel |

Canadian

Leather Handle, Capped

| Part No | Туре | Size | Handle |
|---------|--------------|------|-----------------|
| 10811V | Brick Trowel | 11" | Leather, Capped |
| | | | |



Solid forged blade

Qty

10

10

10

- Philadelphia blade for added balance
- Wood handle with leather insert for comfort
- Plastic end cap for tapping down
- Taper ground for progressive flexibility

Pointing Trowels Short Wood Handle

| k ty | Part No | Туре | Size | Handle | Pack Qty |
|---------|---------|----------|------|------------|-------------|
| 5 | 11105N | Pointing | 5" | Short Wood | 10 |
| | 11106Q | Pointing | 6" | Short Wood | 10 |
| | | | | 1 | |



Soft Feel

10

- Solid forged blade
- High tang for good knuckle clearance

Pointing Trowels Soft Feel Handle

Philadelphia blade for added balance

• Taper ground for progressive flexibility

Plastic end cap for tapping down

• Soft feel handle with integral finger guard

Solid forged blade

| Part No | Туре | Size | Handle |
|-------------------------------|----------------------------------|----------------|-------------------------------------|
| 11104SF 11105SF 11106SF | Pointing Pointing Pointing | 4" 5" 6" | Soft Feel Soft Feel Soft Feel |
| | | d | |

WHS Archaeology

Pointing Trowel - Short Wood Handle

| Part No | Туре | Size | Handle |
|--------------------------|----------------------------|-----------|--------------------------|
| 11107CMARCH 11104ARCH | Archaeology Archaeology | 2¾" 4" | Short Wood Short Wood |
| | | | |

WHS Archaeology Pointing Trowel - Soft Feel Handle Qty

10

10

11104SFARCH Archaeology




- Solid forged blade
- Soft feel handle with integral finger guard
- High tang for good knuckle clearance
- Solid forged blade
- High tang for good knuckle clearance
- Thicker, more rigid blade for extra strength
- Solid forged blade
- Soft feel handle with integral finger guard
 High tang for good knuckle clearance
- Thicker, more rigid blade for extra strength

BUILDERS' TOOLS plastering tools

A HISTORY OF QUALITY IN PLASTERING

Ever since Joseph Tyzack introduced steel blades to replace traditional wooden trowels in the late 19th century, the TYZACK name has set the standard for quality plastering tools. Another innovation was a patented design enabling the blade to be attached to the tang without the need for the rivets to go right through the blade thereby ensuring a totally smooth finish. Importantly, all TYZACK trowels are hand 'dished' by time served craftsmen to create a convex blade, solving the problem of 'drag lines' when finishing.

Additional features such as hardened and spring tempered blades also ensure that **TYZACK** tools are strong, durable and give outstanding performance. Available in both carbon and stainless steel with a variety of blade sizes and ergonomic handle options, **TYZACK** is the ultimate in comfort and performance.






BUILDERS' TOOLS plastering tools

'READY TO GO' FINISHING TROWELS

Pre-worn to professional standards, our revolutionary trowel is READY TO GO right from the start! Featuring 'rounded' front corners to prevent 'drag-lines' and a pre-worn 'fine edge' on both sides for ultimate control in the finish.



Ready To Go Trowels Rounded Corners

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|----------|-----------|----------|--------|-----------------|------------|--------|------------------|-------------|
| 11458BIN | Finishing | 11 x 4%" | Beech | Stainless Steel | 024 | Single | 10 | 5 |
| 13458BIN | Finishing | 13 x 4%" | Beech | Stainless Steel | 024 | Single | 10 | 5 |
| 14458BIN | Finishing | 14 x 4%" | Beech | Stainless Steel | 024 | Single | 12 | 5 |



- Individually craftsman set blade for optimum performance
- Rolled tension blade ensures consistent blade shape and even distribution
- Rounded corners to prevent digging in
- Pre worn edges to eliminate line and ripple marks in the work
- Cross ground for easy material flow and reduced drag

Ready To Go Trowels Rounded Corners

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|-----------|-----------|----------|-----------|-----------------|------------|--------|------------------|-------------|
| 11458BISF | Finishing | 11 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 10 | 5 |
| 13458BISF | Finishing | 13 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 10 | 5 |
| 14458BISF | Finishing | 14 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 12 | 5 |
| | | | | | | | | |



- Individually craftsman set blade for optimum performance
- Rolled tension blade ensures consistent blade shape and even distribution
- · Rounded corners to prevent digging in
- Pre worn edges to eliminate line and ripple marks in the work
- Cross ground for easy material flow and reduced drag
- Soft feel handle for comfort

BUILDERS' TOOLS plastering tools

Wooden Handle, Banana

| | Size | Mandle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|-----------|----------|---------------|-----------------|------------|--------|------------------|-------------|
| | 11 x 4%" | Beech, Banana | Carbon Steel | 024 | Single | 10 | 5 |
| | 11 x 4%" | Beech, Banana | Stainless Steel | 024 | Single | 10 | 5 |
| Finishing | 13 x 4%" | Beech, Banana | Stainless Steel | 024 | Single | 10 | 5 |



- Individually craftsman set blade
- Rolled tension blade ensures consistent blade shape and even application
- Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength

Cementing Trowels Wooden Handle, Banana

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Qty | |
|---------|-----------|----------|---------------|----------------|---------------|--------|------------------|-----|--|
| 13858N | Cementing | 16 x 4%" | Beech, Banana | Carbon Steel | 032 | Single | 14 | 5 | |



- Individually craftsman set blade
- Extra long blade
- Rolled tension blade ensures consistent blade shape and even application

- Thicker blade for added rigidity
 Lightweight, strong diecast aluminium tang
 Stainless steel rivets for longer life and added strength

Finishing Trowels Wooden Handle, Banana

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|---------|-----------|----------|------------------|-----------------|------------|--------|------------------|-------------|
| 13100R | Finishing | 11 x 4%" | Mahogany, Banana | Carbon Steel | | Single | 10 | 5 |
| 21600W | Finishing | 11 x 4%" | Mahogany, Banana | Stainless Steel | | Single | 10 | 5 |



- Individually craftsman set blade
- Rolled tension blade ensures consistent blade shape and even application
- Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength

Cementing Trowels - Double Hang Wooden Handle, Straight

| Part No | Туре | Size | Handle | Blade Material | ness | Hang | Weldings | Qty |
|---------|-----------|----------|--------------------|----------------|------|--------|----------|-----|
| 13300K | Cementing | 11 x 4%" | Mahogany, Straight | Carbon Steel | 032 | Double | 6 | 5 |



- Individually craftsman set blade Rolled tension blade ensures consistent blade shape and even application
- Thicker blade for added rigidity
- Lightweight, strong diecast aluminium tang with back stay for added rigidity
- Stainless steel rivets for longer life and added strength

Finishing Trowels Soft Feel Handle

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|----------|-----------|----------|-----------|-----------------|------------|--------|------------------|-------------|
| 13100RSF | Finishing | 11 x 4%" | Soft Feel | Carbon Steel | 024 | Single | 10 | 5 |
| 21600WSF | Finishing | 11 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 10 | 5 |
| 13113FSF | Finishing | 13 x 4%" | Soft Feel | Carbon Steel | 024 | Single | 10 | 5 |
| 13458SSF | Finishing | 13 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 10 | 5 |
| 13514SSF | Finishing | 14 x 4%" | Soft Feel | Stainless Steel | 024 | Single | 12 | 5 |



- Individually craftsman set bladeRolled tension blade ensures consistent blade shape and even application
- · Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength
- Soft feel handle for comfort

Cementing Trowels

Soft Feel Handles

| Part No | Туре | Size | Handle | Blade Material | ness | Hang | Weldings | Qty |
|----------|-----------|----------|-----------|----------------|------|--------|----------|-----|
| 13858NSF | Cementing | 16 x 4%" | Soft Feel | Carbon Steel | 032 | Single | 14 | 5 |
| 18458RSF | Cementing | 18 x 4%" | Soft Feel | Carbon Steel | 032 | Single | 16 | 5 |



- Individually craftsman set blade
 Extra long blade
- Rolled tension blade ensures consistent blade shape and even application
- Thicker blade for added rigidity
- Lightweight, strong diecast aluminium tang
- Stainless steel rivets for longer life and added strength
 Soft feel handle for comfort

BUILDERS' TOOLS Specialist trowels

Wooden Handle, Straight

| | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|--|--------------------|----------------|------------|--------|------------------|-------------|
| | Mahogany, Straight | Carbon Steel | 056 | Double | 7 | 5 |
| | Mahogany, Straight | Carbon Steel | 056 | Double | 8 | 5 |



Used for applying and finishing mortar on floors

- Rolled tension blade ensures consistant blade shape and even application
- Lightweight, strong diecast aluminium tang with back stay for added rigidity
- Stainless steel rivets for longer life and added strength

Edging Trowel Wooden Handle, Straight

| Part No | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty | |
|---------|----------|--------------------|----------------|------------|--------|------------------|-------------|--|
| 15200W | 11 x 4½" | Mahogany, Straight | Carbon Steel | 056 | Double | 3 | 5 | |



Radius edge designed to produce a rounded edge finish on freshly laid cement

- Specially profiled bladeDouble thick blade for maximised strength and rigidity
- Double hang tang for enhanced strength

Laying On Trowels Soft Feel & Wooden Handle

| Part No | Size | Handle | Blade Material | ness | Hang | Weldings | Qty |
|---------|------------|------------------|----------------|------|--------|----------|-----|
| 13000U | 10½ x 45%" | Mahogany, Banana | Carbon Steel | 032 | Single | 6 | 5 |



Used for initial application of plaster

- Individually craftsman set blade
- Rolled tension blade ensures consistant blade shape and even application
- Lightweight, strong diecast aluminium tangThicker blade for added rigidity
- Stainless steel rivets for longer life

Adhesive Trowels Wooden Handle, Straight

| Part No | Size | Handle | Blade Material | Thick ness | Hang | Pack Qty |
|----------------------|---|--------------------|----------------|------------|--------|-------------|
| 14500X [†] | 11 x 4%" | Mahogany, Straight | Carbon Steel | 032 | Double | 5 |
| 14600Y* | 11 x 4%" | Mahogany, Straight | Carbon Steel | 032 | Double | 5 |
| 14510Y | 11 x 4%" | Spare Blade | Carbon Steel | 032 | N/A | 10 |
| †Notches 1.5mm deep. | tNotches 1.5mm deep. 5mm oitch "2mm deep. 6mm oitch | | | | | |



For carpet and vinyl flooring adhesive

• Easy replacement blades

Drywall Trowels Soft Feel Handle

| Part No | Туре | Size | Handle | Blade Material | Thick ness | Hang | Stud Weldings | Pack Qty |
|---------|-----------|----------|-----------|-------------------------|------------|--------|------------------|-------------|
| 90911B | Finishing | 11 x 4%" | Soft Feel | Carbon Steel, Curved | 024 | Single | 10 | 5 |
| 91911S | Finishing | 11 x 4%" | Soft Feel | Stainless Steel, Curved | 024 | Single | 10 | 5 |
| 90914A | Finishing | 14 x 4%" | Soft Feel | Carbon Steel, Curved | 024 | Single | 12 | 5 |



Used for feathering drywall joints

- Individually craftsman set blade
- Extra deep dish
- · Soft feel handle for comfort

Gauging Trowels Soft Feel & Wooden Handle

| Part No | Туре | Size | Handle | Pack Qty |
|---------|---------|------|-----------|-------------|
| 11507N | Gauging | 7" | Beech | 10 |
| 11507SF | Gauging | 7" | Soft Feel | 10 |
| 11508H | Gauging | 8" | Beech | 10 |



For mixing small amounts of plaster and filling in gaps. Handy for getting into awkward places


- Solid forged blade
- Soft feel handle with integral finger guard

BUILDERS' TOOLS Specialist trowels

Bucket Trowel

Soft Feel Carbon Steel





Cropped blade profile for easy reach right to the bottom of the bucket

- Extra high tang for increased knuckle clearance
- Soft feel handle for extra comfort

Small Tools

| Part No | Туре | Size | Handle | Pack Qty |
|---------|-----------------|------|--------|-------------|
| 12312D | Trowel & Square | 1/2" | N/A | 5 |
| 12012N | Leaf & Square | 1/2" | N/A | 5 |



Trowel & Square - used for pointing or cementing any small scale brickwork

Leaf & Square - used for delicate work when care and precision need to be taken

• Flexible blades for extra control

External Corner Trowel

Internal Corner Trowel

Harling Trowel









Used to produce a tight, bubble free external corner joint

- Stainless blade for longer life
- Offset blade allows you to work right up to ceiling / down to the floor or skirting
- Soft feel handle for extra comfort

Used to produce a tight, bubble free internal corner joint

- Stainless blade for longer life
- Offset blade allows you to work right up to ceiling / down to the floor or skirting
- Soft feel handle for extra comfort
- Used when pebble dashing, to throw pebbles onto the mortar
- Chemical blacked blade for rust resistance

Plastic Floats

Sponge Float

Wooden Float

Part No Qty Qty 702S Small Plastic Float 10 704N 700Z Plastic Sponge Float Wooden Float 702L Large Plastic Float Plastic 10







lightweight and easy to clean

- Non-absorbent patterned face
- Can be nailed for scoring
- For use on concrete flooring, this float is For finishing grainy surfaces such as sand For scrubbing and giving a sandy surface to and cement mix
 - A firm rubber strongly bonded to an aluminium base plate for long life
- rendered concrete and plaster
- Robust solid wooden float with comfortable grained effect handle

BUILDERS' TOOLS Specialist trowels

| Aluminiun | n with plastic soft fee | el handle | | PI- |
|-----------|--------------------------|-----------|-----------|-------------|
| | Туре | Size | Handle | Pack Qty |
| | Aluminium - Professional | 12" x 12" | Soft Feel | 5 |
| | Aluminium Professional | 14" x 14" | Soft Feel | 5 |





- Made from rolled aluminium with smooth, straight edges and rounded corners
- Detachable soft feel handle



Hawk -

| Aluminiu | m with wooden handl | е | | |
|----------|--------------------------|-----------|--------|-------------|
| Part No | Туре | Size | Handle | Pack Qty |
| 12712H | Aluminium - Professional | 12" x 12" | Beech | 5 |



For holding mixed plaster at working height prior to application

- Made from rolled aluminium with smooth, straight edges and rounded
- Detachable wooden handle

Hawk -

| Polyure | ethane (fully) | Size | Handle | Pack Qty |
|---------|----------------|-----------|---------|-------------|
| 708T | Polyurethane | 13" x 13" | Plastic | 6 |
| | | | | |



For holding mixed plaster at working height prior to application

• Made from lightweight moulded polyurethane with a smooth surface finish

Margin Trowel & Tuck Pointers

| | | | | ~-, |
|---------|--------------|-------------------|-----------|---------|
| 15602MT | Margin | 6 x 2" | Soft Feel | 10 |
| 15634TP | Tuck Pointer | 6 x 3/4" | Soft Feel | 10 |
| 15612TP | Tuck Pointer | 6 x 1/2" | Soft Feel | 10 |
| | | | | |
| | | | | |
| | | | | |
| | | The second second | | |
| | 48 | | | A COLOR |
| | | | | |
| | - 1 | 100 | | |
| | | | | |
| | - | | 19 | |
| | 1 | | | |
| C CON | 1 | | | |
| | | | | |

Flat, rectangular blades are ideal for finishing around windows and great for working in confined spaces.

- Solid forged, taper ground blades, for progressive flexibility
 Soft feel handle for added comfort and grip
- High lift for extra knuckle clearance

Tilina Trowel

| _ | | | | |
|---------|--------|------|---|-------------|
| Part No | Туре | Size | Handle | Pack Qty |
| 15800C | Tiling | 6½" | Beech | 10 |
| | | | | |
| | | | | , |
| | | | | |
| | | | | |
| | | | | |
| | | 133 | 200000000000000000000000000000000000000 | |

Used for applying mortar to walls before tiling

- Solid forged blade
- Weatherproofed hardwood handle

BUILDERS' TOOLS drylining & plastering accessories

Drywall Saw

Part No Description
74-PBSR Drywall Saw (3)

Hand Sander

Part No Description Size

709W Hand Sander 239mm (9%") x 84mm (3%")

Pole Sander

| Pack Qty | Part No | Description | Head Size | Pack Qty |
|-------------|---------|------------------|-----------------------------|-------------|
| 5 | 720H | Tel. Pole Sander | 260mm (101/4") x 85mm (3%") | 5 |







Designed to drive through plasterboard

- Suregrip® handle
- Teeth cut on forward and reverse stroke
- Pointed to drive through plasterboard
- Ideal for use on timber, hardwood, chipboard & MDF

For smoothing off jointing materials

- Smooth contour handle
- Aluminium base
- Neoprene pad prevents sandpaper slipping

84mm

Uses standard sand paper - cut to size

Allows finishing of joints to ceilings

- Lightweight aluminium handle
- Fully pivoting head
- Extends to 1.5m/51"
- Uses standard sand paper cut to size

Board Lifter (12 Boards)

Support Prop

Part No Description
713A Support Prop



Provides an extra support on site by holding in position plasterboard to ceilings


- Pistol grip extending action
- Extends from 1.15m to 2.90m
- Universally jointed feet
- Recommended load capacity 30kg

Mixing Paddle

Dia

724M

| 710X 10mm 100mm 725N 10mm 134mm |
|------------------------------------|
| |
| |
| |



- Anti-rust chrome finish
- Small, Medium or Large Diameter Head

Board Lifter

Part No

712Z

| • | |
|---|--|
| 3 | |

Strong one-piece aluminium construction, for the easy positioning of plasterboard and doors

 Tapered front end slides easily under boards and holds firmly in place

BUILDERS' TOOLS drylining & plastering accessories



Lath Hammer

Description 721J Lath Hammer



Jointing Knives

| Pack Qty | Part No | Description | Size | Pack Qty |
|-------------|---------|----------------|------|-------------|
| 5 | 718F | Jointing Knife | 4" | 5 |
| | 719G | Jointing Knife | 6" | 5 |
| | | | | |



Jointing knives with handle ends designed to enable the knocking back of protruding

- Suregrip® handles
- Flexible stainless steel blades Metal end cap for protruding nails

Taping Knives

| Part No | Description | Size | Qty |
|---------|--------------|------|-----|
| 716D | Taping Knife | 10" | 5 |
| 717E | Taping Knife | 12" | 5 |
| T | | | |
| | | | |

Enables the user to easily carry large sheets of material around site

- Steel construction
- Anti rust powder coating
- Allows sheet material to be carried easily

Lath hammer with an axe shaped head at one end - used for trimming laths

- Strong one piece forged head Cushion grip for comfort and control
- Chequered face reduces marks on plasterboard
- Nail removing notch

Spreads initial coats of compound over plaster joints and 'beds' the tape in it

- Suregrip® handles
- Flexible stainless steel blades
- · Welded back plate for extra strength

Long Handled **Broad Knife**

Long Handled Broad Knife

Scarifier

Part No Description 722K Scarifier 71/2"

Feather Edges

Part No FE6 Feather Edge **ENDCAP** Feather Edge End Cap (2) N/A



For flattening joint tape and removing excess joint cement

- Tough, light long-reach aluminium handle
- 0.5mm spring steel blade for increased flexibility



For preparation of drywall surfaces to help keying of plaster

- 3" long tines to form even grooves in plaster undercoat
- Hardened, yet flexible spring steel tines
- Lacquered tines for rust resistance Reinforced carbon steel back plate for extra strength
- Suregrip® handle



For ruling off backing plaster to ensure that the surface is flat and even. Can also be used for checking the level and flatness of joists

- Manufactured from lightweight, extruded
- Finely tapered edge for maximum accuracy
- Thumb and finger groove down full length of section

BUILDERS' TOOLS ancillary tools

SPEAR & JACKSON's range of brickwork ancillary tools features several high quality tools specifically designed for use by the professional tradesman working on site. These include blocks, brick lines, pins, jointers and rakers, all of which are designed to match the exacting standards expected of SPEAR & JACKSON tools.

Rubber Line Blocks

Part No Description

llocks (1 pair) & Line



- Line 8 strand braided nylon brick line that produces a straight line under tension Blocks - are angled at 87.5° so that, when under
- tension, they square up into the corner of the brick for a better grip and a more stable line. Rubber surface and grooves prevent slippage whilst in use. Lightweight and easy to use. Highly visible fluorescent colours - easy to see, not so easy to lose. Each block is individually barcoded

Rubber Line Block

Merchandiser

Part No Description SJ-RLB-OY 5 Rubber Line Blocks Merchandiser



- 24 fluorescent pieces 6 pairs orange and 6
- pairs yellow, each block is individually barcoded Blocks are angled at 87.5° so that, when under tension, they square up into the corner of the brick for a better grip and a more stable line
- Rubber surface and grooves prevent slippage whilst in use
- Lightweight and easy to use

Bricklayer's Line Merchandisers

Part No SJUK-50M-8W SJUK-50M-OY

Description Merchandiser 12 x 50m lines (White) Merchandiser 6 x 50m lines (Orange), 6 x 50m (Yellow)





- Strong, braided nylon bricklayer's lines which produce a straight line under tension,unlike twisted lines, will not fray when cut Easy-to-unwind 50m spools which prevent the
- lines from becoming entangled with other tools when stored, individually barcoded
- High visibility orange and fluorescent yellow lines are easy to see on site

Line & Pins

Part No Description 10505Z 1 x line & 2 x pins



- Cast metal pins for extended life
- 30m High visibility line

Line Pins

Heavy Duty

Pack Qty Part No PROFLP2PK Line Pins - Heavy Duty (pack of 2) 10 **PROFLPBOX** Countertop merchandiser (30 pins)



- · Made from drop forged and hardened steel for maximum strength - resists bending under pressure
- Chrome plated to prevent rusting
- Tapered end ensures that the line pin inserts easily into the surface material
- Extra large head means that the line is less likely to become detached whilst in use



Convex Brick

| Part No | Size |
|---------|-------------|
| 21258B | 1/2" x 5/8" |
| 21238C | 1/2" x 3/8" |

Joint Raker

Pack Qty Pack Qty Part No Description 707S 10 Joint Raker 10



• For smooth finishing between bricks



- Removes green mortar from joint by using a pin adjustable for different depths
- Robust metal wheels
- Comfortable fitted handle

BUILDERS' TOOLS - S&J brickwork & plastering

This range is designed for hard wearing performance, comfort and ease of use when carrying out tasks such as brickwork, plastering, flooring & cement work.

Broad Heel Trowels

Philadelphia Trowel

Plastering Trowels



| Pack Qty | Part No | Туре | Size | Handle |
|-------------|----------|--------------|------|-----------|
| 10 | 11611PSF | Philadelphia | 11" | Soft Feel |



Pack Qty Plastering 10 10611CSF 11" Soft Feel Carbon 10 11" 10611SF Plastering Soft Feel Stainless 10 10613P Plastering 13" Soft Feel Stainless 10




- Fabricated blade
- Soft feel handle with integrated finger guard
- Lightweight strong diecast aluminium tang
- Stainless rivets for longer life and added strength

- Fabricated blade
- Soft feel handle with integrated finger guard

Hawk

| Part No | Туре | Size | Handle | Blade Material |
|---------|------|----------|---------|----------------|
| 10606U | Hawk | 12 x 12" | Plastic | Aluminium |



· Lightweight but strong aluminium blade

Tiling Trowel

| ack Qty | Part No | Туре | Size | Handle |
|------------|---------|----------------------------|------|-----------|
| 10 | TILT6MM | Tiling Trowel 6mm sq notch | 11" | Soft Feel |



- · Lightweight but strong aluminium tang
- Soft feel handle for extra comfort

Mastic Trowel

10

Pack Qty 10

| Part No | Туре | Size | Handle | Pac Qt |
|-------------------|---------------|------|-----------|-----------|
| 106MAS | Mastic† | 11" | Soft Feel | 10 |
| Notches 1.5mm dee | ep, 5mm pitch | | | |



- · Lightweight but strong aluminium tang
- Soft feel handle for extra comfort

Pointing Trowels

| Part No | Туре | Size | Handle |
|----------|----------|------|-----------|
| 11606PSF | Pointing | 6" | Soft Fool |

| Pack Qty | Part No | Туре | Size | Handle | Blade Material |
|-------------|----------|---------|------|-----------|----------------|
| 10 | 11607GSF | Gauging | 7" | Soft Feel | Carbon |



- **Gauging Trowel**



- Fabricated blade
- Soft feel handle with integrated finger guard

Mini Finishing

| Part No | Туре | Size | Handle | Blade Material | Pack Qty |
|---------|----------------|------|-----------|----------------|-------------|
| 10608SF | Mini Finishina | 8" | Soft Feel | Stainless | 10 |



- Fabricated blade
- Soft feel handle with integrated finger guard

- Ideal for working in confined spaces
- Stainless blade for longer life
- Soft feel handle for extra comfort

BUILDERS' TOOLS - S&J brickwork & plastering

This entry level range of tools is ideal for the price conscious professional, jobbing builder or DIYer.

Broad Heel Trowels

| Part No | Туре | Size | Handle |
|---------|------------|------|--------|
| | Broad Heel | 10" | Wood |



Plastering Tools

| Pack Qty | Part No | Туре | Size | Handle | Blade Material | Pack Qty |
|-------------|---------|------------|------|--------|----------------|-------------|
| 10 | 10611W | Plastering | 11" | Wood | Carbon | 10 |
| | 10614W | Plastering | 14" | Wood | Carbon | 10 |



- Fabricated blade • Lightweight strong diecast aluminium tang
 - Stainless rivets for longer life and added strength

- Weatherproofed hardwood handle

Philadelphia Trowel Mortar Master

| Part No | Type | Size | Handle |
|---------|--------------|------|--------|
| 10511P | Philadelphia | 11" | Wood |



- Fabricated blade
- Weatherproofed hardwood handle

Bucket Trowel

Mortar Master

10

| Part No | Туре | Size | Handle | Qty |
|---------|----------------------|------|--------|-----|
| 10565B | Bucket Trowel | 6½" | Wood | 10 |



- Fabricated blade
- Cropped blade profile to allow easy reach to bottom of bucket
- High tang for knuckle clearance

Pointing Trowels

Mortar Master

| Part No | Туре | Size | Handle | Pai Q |
|---------|----------|------|--------|----------|
| 10505P | Pointing | 5" | Wood | 1 |
| 10506P | Pointing | 6" | Wood | |




- Fabricated blade
- Weatherproofed hardwood handle



BUILDERS' TOOLS - S&J tapes & chalklines







Pack Qty

12

Cosmos

Part No COSMOSABS Cosmos

Cosmos Suregrip

COSMOSDCA Cosmos Sure grip

Mini Road Line

MINIRL Mini Road Line



- Durable ABS plastic case
- 30m double twisted poly cotton line
- Rapid 4 to 1 rewind for extra fast line storage
 Nickle steel handle (lockable in one position)
- Capacity 100gm



- Die cast aluminium case complete with suregrip finger lugs
- 30m double twisted poly cotton line
 Rapid 4 to 1 rewind for extra fast line storage
- Nickle steel handle (lockable in one position)
- Capacity 100gm



- High capacity 200gm chamber
- Unique quick change refill facility with no spillage
- · Hi-visibility yellow plastic case
- Nickled steel handle (lockable in one position)
- 2.5mm braided cotton line



Chalk Refills

| Part No | Туре | Size | Pack Qty |
|-------------|-------------------|-------|-------------|
| CHALK224 | Blue Chalk Refill | 224gm | 12 |
| CHALK224RED | Red Chalk Refill | 224gm | 12 |



- 30m line
- High capacity 200gm chamber
- Unique quick change refill facility with no spillage
- Hi-visibility yellow plastic case
- Nickled steel handle (lockable in one position)
- 2.5mm braided cotton line

BUILDERS' TOOLS - S& J tackers, knives & blades



- Nickel finish to resist rusting and corrosion
- Durable all-steel construction
- Anti-slip handle
- · Bottom loading system for easy loading and jam clearing
- Interchangeable with: Arrow T50 or Rapid 140/6-14mm staples
 Rapid 8 & Arrow 18 brads

Heavy Duty Staples

STAPLESHD6 6mm 1/4" STAPLESHD8 8mm 5/16" STAPLESHD10 10mm 3/8" STAPLESHD12 1/2" 12mm STAPLESHD14 9/16 14mm



Flat wire profile staples that create fairly large sized holes at the point of staple entry to maximise grip. Ideal for heavier duty stapling

Brads

Size mm **BRADS16MM** 16mm 18



Slender wire nails that give a neat finish and help to avoid splitting the grain of softwood.

Utility Knife Standard



Standard retractable utility knife with a zinc alloy body. Supplied with one blade


Utility Knife Heavy Duty




Heavy duty retractable utility knife designed to fit the hand and maintain a strong grip. Ideal for cutting tough materials such as carpets, roofing felt and vinyl. Hinged body assists quick blade change. Supplied with one blade

Utility Blades

Description



Supplied in a handy dispenser which allows easy access to one blade at a time and minimises contact with the blade





Carpenters' Claw

| Part No Des | cription | Weight | Handle |
|--------------|-------------|--------------|-------------|
| SJ-CAH16 Ad | ze Eye Claw | 454gm (16oz) | Hickory |
| | ze Eye Claw | 567gm (20oz) | Hickory |
| SJ-CSS20 Cla | W | 567gm (20oz) | Solid Steel |
| SJ-CTS16 Cla | W | 454gm (16oz) | Steel |

Joiners' Warrington

| Part No | Weight | Handle |
|---------------------|-----------------------------|--------------------|
| SJ-JWA8 SJ-JWA12 | 227gm (8oz) 340gm (12oz) | Hickory Hickory |
| SJ-JWA16 | 454gm (16oz) | Hickory |

Bricklayers'

| k ty | Part No | Description | Weight | Handle | Pack Qty |
|---------|----------|----------------------------|--------|------------|-------------|
| 5 | SJ-BSH25 | Bricklayers' Short Pattern | 250z | Hickory | 5 |
| 5 | SJ-BSF25 | Bricklayers' Pattern | 240z | Fibreglass | 5 |







Used by carpenters for fixing and removing nails. Should never be used for striking implements such as cold chisels

- Polished striking face and back of claw
- High quality forged head

SJ-OSH

SJ-SSCF

- Choice of hickory, tubular steel or solid forged steel shafts
- Solid forging provides a shaft integral with the head for superior strength

Hickory

Steel

A general purpose hammer used for driving nails and pins. The cross pein is used to start the pin then the hammer is reversed and driven home by the flat end

- High quality forged headPolished striking face and pein edges
- Hickory handle

Used by bricklayers for cutting and fitting bricks and stonework

- Square end for tapping bricks into place. Chisel end for cutting bricks Choice of hickory or fibreglass shaft
- Polished head
- Fibreglass shafts provide oil, chemical and water resistance 10 times stronger than timber and 8 times stronger than steel

Slaters' Hammer

Slaters' Ripper & Axe

| ty Part No Description | |
|------------------------------|----------|
| 5 SJ-SLR Slaters' Ripper | |
| 5 SJ-SARH Slaters' Axe - Rig | ght Hand |

Scutch

| ck Ity | Part No | Description | Weight | Handle | Pack Qty |
|-----------|----------|----------------|--------|---------|-------------|
| 1 | SJ-SSH28 | Single End | 20oz | Hickory | 5 |
| 5 | SJ-SDH22 | Double End | 220z | Hickory | 5 |
| | SJ-CC1 | 1" Scutch Comb | - | - | 100 |



Used by slaters for fixing and removing slates

- Pointed end for piercing slates prior to fixing
- Striking face for counter-sinking slate lath fixing nails
- Chequered striking face helps reduce overstrike
- Side claw for removal of old nails from slates
- Choice of hickory or steel shaft

RIPPER - Used by slaters for the removal of old roofing slates

- Hardened and spring tempered blade to allow access between slates
- Specially designed ground hook enables easy contact with nails and provides easier withdrawal
- Slight incline on handle to allow easier access of the hand

AXE - Used for cutting and dressing slates and tiles prior to fixing

- Fine, honed blade ensures accurate cutting
- Spiked hook used for piercing slates to make



Similar in shape to a brick hammer but with a single or double ended grooved end for taking scutch combs.

Replaceable bits used for cutting stone, brickwork, or for removing mortar prior to repointing

- Single ended with one striking face and one grooved end
- Double ended with both ends grooved
- Hickory handle

HAMMERS

Club

| Part No | Weight | Handle | Pack Qty |
|-------------|--------|----------------|-------------|
| SJ-MCH40 | 2½lb | Hickory | 4 |
| SJ-MCH64 | 4lb | Hickory | 4 |
| SJ-MCH40FG | 2½lb | Fibreglass | 4 |
| SJ-MCH64FG | 4lb | Fibreglass | 4 |
| SJ-AVCLUB40 | 2½lb | Anti Vibration | 4 |
| SJ-AVCLUB64 | 4lb | Anti Vibration | 4 |

Boiler Scaling

| Part No | Weight | Handle |
|----------|-------------|---------|
| SJ-SBH16 | 454gm (1lb) | Hickory |
| | | |

Engineers' Ball Pein

| 1 | Part No | Weight | Handle | Pack Qty |
|---|----------|---------------|---------|-------------|
| i | SJ-BPH4 | 113gm (1/4lb) | Hickory | 5 |
| | SJ-BPH8 | 227gm (1/2lb) | Hickory | 5 |
| | SJ-BPH12 | 340gm (3/4lb) | Hickory | 5 |
| | SJ-BPH16 | 454gm (1lb) | Hickory | 5 |
| | SJ-BPH24 | 680gm (1½lb) | Hickory | 5 |
| | SJ-BPH32 | 908gm (2lb) | Hickory | 5 |
| | SJ-BPH40 | 1134gm (2½lb) | Hickory | 5 |
| | SJ-BPH48 | 1361gm (3lb) | Hickory | 5 |
| | | | | |







Used in the building and construction industry for delivering short heavy blows, eg. with cold chisels and brick bolsters

- Polished striking face
- Hickory handle, fibreglass or anti vibration handle

Used by maintenance fitters and welders for the removal of scale from boiler plates

- Hardened and ground cutting edges
- Horizontal and vertical chisel ends
- Hickory handle

A universal hammer with one flat and one ball pein end. Used for striking metal objects

- Polished and chamfered striking face to avoid chipping
- Polished and hardened ball end
- Hickory handle

Ball Pein Pin / Telephone

| Part No | Weight | Handle |
|---------|-------------|---------|
| SJ-CPP4 | 113gm (4oz) | Hickory |
| | | |
| | | |

Mortar Picks

| Part No | Head Type | Handle |
|----------------------|--------------------------------|--------------------|
| SJ-MPHCP SJ-MPHDP | Chisel & Point Double Point | Hickory Hickory |
| | | |

Double Faced Sledge









Lightweight hammer with a long shaft used by fitters for assembly work

- · Polished striking face and pein edges
- Hickory handle

Used by bricklayers for cleaning worn and broken debris from brick and stonework prior to re-pointing

- Chisel and point or double point end available which are hardened for strength
- Hickory shaft

Used in all industries for heavy work such as demolition or where a strong blow has to be given, eg. driving home stakes

- Longer handle allows for a greater striking forcePolished striking face with chamfered edges to
- avoid chipping
- Choice of hickory or fibreglass shaft



Specifically designed for cutting brick, concrete, paving slabs and metal, the **ECLIPSE** range of top quality cold chisels and bolsters is manufactured to British Standard specifications using the latest production methods and equipment. To resist 'mushrooming', every chisel shank head is specially shaped and the cutting edges are hardened for durability. As well as brick bolsters, the range includes flat, floorboard, crosscut, plugging and concrete point chisels.

The blades of the **ECLIPSE** range of wood chisels are made from one piece of chrome vanadium steel for maximum strength. The heat treated blades, which are sharpened and ready for use, can be re-sharpened up to a depth of 25mm for a longer working life.



CHISELS & bolsters

Cold chisels and bolsters have been upgraded to chrome vanadium. This is both better quality and harder wearing, so needs re-sharping less often, and is also even more resistant to mushrooming after prolonged use

Flat Chisels

For general cutting and chipping of metals, and for shaping, facing and cutting of stonework



Plugging Chisel

For cutting out mortar from between bricks





| Length | Blade Width | Hexagon Dia. | Pack Qty |
|-------------|---|---|--|
| | | | |
| | , , | , , | 10 |
| 150mm (6") | 6.35mm (1/4") | 6.35mm (1/4") | 10 |
| 125mm (5") | 9.5mm (3/8") | 9.5mm (3/8") | 10 |
| 150mm (6") | 9.5mm (3/8") | 9.5mm (3/8") | 10 |
| 150mm (6") | 12.7mm (1/2") | 12.7mm (1/2") | 10 |
| 205mm (8") | 12.7mm (1/2") | 12.7mm (1/2") | 10 |
| 250mm (10") | 12.7mm (1/2") | 12.7mm (1/2") | 10 |
| 300mm (12") | 12.7mm (1/2") | 12.7mm (1/2") | 10 |
| 150mm (6") | 15.9mm (5/8") | 12.7mm (1/2") | 10 |
| 180mm (7") | 15.9mm (5/8") | 12.7mm (1/2") | 10 |
| 205mm (8") | 15.9mm (5/8") | 12.7mm (1/2") | 10 |
| 250mm (10") | 15.9mm (5/8") | 12.7mm (1/2") | 10 |
| 150mm (6") | 19mm (3/4") | 15.9mm (5/8") | 10 |
| 205mm (8") | 19mm (3/4") | 15.9mm (5/8") | 10 |
| 230mm (9") | 19mm (3/4") | 15.9mm (5/8") | 10 |
| 250mm (10") | 19mm (3/4") | 15.9mm (5/8") | 10 |
| 300mm (12") | 19mm (3/4") | 15.9mm (5/8") | 10 |
| 450mm (18") | 19mm (3/4") | 15.9mm (5/8") | 5 |
| 205mm (8") | 25.4mm (1") | 22.2mm (7/8") | 5 |
| 230mm (9") | 25.4mm (1") | 22.2mm (7/8") | 5 |
| | | | 5 |
| 300mm (12") | 25.4mm (1") | 22.2mm (7/8") | 5 |
| 450mm (18") | 25.4mm (1") | 22.2mm (7/8") | 5 |
| | 100mm (4") 150mm (6") 125mm (6") 150mm (6") 150mm (6") 205mm (8") 250mm (10") 300mm (12") 150mm (6") 205mm (8") 250mm (8") 250mm (10") 150mm (6") 205mm (8") 230mm (9") 250mm (10") 300mm (12") 450mm (18") 205mm (8") 230mm (9") 250mm (10") 300mm (12") 450mm (10") 300mm (10") 300mm (10") | 100mm (4") 6.35mm (1/4") 150mm (6") 6.35mm (1/4") 125mm (5") 9.5mm (3/8") 150mm (6") 9.5mm (3/8") 150mm (6") 12.7mm (1/2") 205mm (8") 12.7mm (1/2") 250mm (10") 12.7mm (1/2") 150mm (6") 12.7mm (1/2") 150mm (6") 15.9mm (5/8") 180mm (7") 15.9mm (5/8") 205mm (8") 15.9mm (5/8") 250mm (10") 15.9mm (5/8") 150mm (6") 19mm (3/4") 205mm (8") 19mm (3/4") 230mm (9") 19mm (3/4") 300mm (12") 19mm (3/4") 450mm (18") 19mm (3/4") 205mm (8") 25.4mm (1") 230mm (9") 25.4mm (1") 230mm (9") 25.4mm (1") | 100mm (4") 6.35mm (1/4") 6.35mm (1/4") 150mm (6") 6.35mm (1/4") 6.35mm (1/4") 125mm (5") 9.5mm (3/8") 9.5mm (3/8") 9.5mm (3/8") 150mm (6") 12.7mm (1/2") 12.7mm (1/2") 12.7mm (1/2") 205mm (8") 12.7mm (1/2") 150mm (6") 15.9mm (5/8") 12.7mm (1/2") 12.7mm (1/2") 150mm (6") 15.9mm (5/8") 12.7mm (1/2") 12.7mm (1/2") 150mm (6") 15.9mm (5/8") 15 |



Concrete Point Chisels

For breaking up concrete





Brick Bolsters

For cutting bricks



| Fait No | Lengui | Didue Wiuli | nexagon bia. | Qty |
|-----------------------|------------|-------------|--------------|-----|
| CB730K/07 | 230mm (9") | 75mm (3") | 19mm (3/4") | 5 |
| CB740K/07 | 230mm (9") | 100mm (4") | 25mm (1") | 5 |
| 100V with rubber grip | 230mm (9") | 100mm (4") | 25mm (1") | 5 |
| | () | . , | , | |

Part No Length Blade Width Hexagon Dia. Pack Qty CB292R/07 250mm (10") 4mm (5/32") 15.9mm (5/8") 10 CB313P/07 300mm (12") 4.8mm (3/16") 19mm (3/4") 10 CB353G/07 300mm (12") 6.35mm (1/4") 25mm (1") 5

Guarded Chisels

Hand guarded cold chisels fitted with strong guard designed to with stand the heaviest hammer blow and so protect the user's hand from injury



Floorboard Chisel

For cutting floorboard tongues before lifting



| Lang | |
|------|--|
| | |

| Part No | Length | Blade Width | Hexagon Dia. |
|-----------|------------|-------------|---------------|
| CB770K/07 | 230mm (9") | 56mm (2½") | 17.5mm (¹½s") |

| Part No | Туре | Length | Blade Width | Hexagon Dia. | Pack Qty |
|------------|---------------|-------------|---------------|-----------------|-------------|
| 22-410R/07 | Grooving | 250mm (10") | 6.35mm (1/4") | 15.9mm (5/8") | 5 |
| 22-208R/07 | Flat | 205mm (8") | 19mm (3/4") | 15.9mm (5/8") | 5 |
| 22-210R/07 | Flat | 250mm (10") | 25.4mm (1") | 22.2mm (7/8") | 5 |
| 22-639R/07 | Brick Cutting | 230mm (9") | 75mm (3") | 19mm (3/4") | 5 |
| 22-649R/07 | Brick Cutting | 230mm (9") | 100mm (4") | 25mm (1") | 5 |
| 22-509R/07 | Floorboard | 230mm (9") | 63.5mm (2½") | 17.5mm (11/16") | 5 |

STATEMENT OF CONFORMITY

Cold Chisels - in general compliance with British Standard BS 3066: 1995 - Specification for engineers' cold chisels and allied tools.

CHISELS wrecking bars & wood chisels

Wrecking Bars







3 Piece Set Contains: 14" (360mm) Crowbar 24" (610mm) Crowbar 36" (910mm) Crowbar






Made from heat treated, solid forged steel for maximum strength. 30" and 36" are for demolishing large timber structures and dismantling concrete and metal constructions. 18" and 24" size are ideal for demolishing plasterboard, dismantling timber frames and pulling up floorboards. The light duty 14" is designed to pull large nails and prise or dismantle constructed items.

Wood Chisels

| Part No | Length | Pac Q |
|-----------|--|----------|
| BEWC3/8E | 3/8" (9mm) Bevel Edge | |
| BEWC1/4E | 1/4" (6mm) Bevel Edge | |
| BEWC5/8E | 5/8" (15mm) Bevel Edge | |
| BEWC3/4E | 3/4" (19mm) Bevel Edge | |
| BEWC1/2E | 1/2" (12mm) Bevel Edge | |
| BEWC1E | 1" (25mm) Bevel Edge | |
| BEWC11/4E | 1.1/4" (32mm) Bevel Edge | |
| BEWC11/2E | 1.1/2" (38mm) Bevel Edge | |
| BEWC2E | 2" (50mm) Bevel Edge | |
| BEWC3BCE | 3pc Set: 1/2", 3/4", 1" - blister packed | |
| BEWC4BCE | 4pc Set: 1/4", 1/2", 3/4", 1" - blister packed | |
| BEWC6BCE | 6pc Set: 1/4", 3/8", 1/2", 3/4", 1", 1.1/4" - blister packed | |
| BEWC3PSE | 3pc Set: 1/2", 3/4", 1" - wallet | |
| BEWC6PSE | 6pc Set: 1/4", 3/8", 1/2", 3/4", 1", 1.1/4" - boxed | |
| | | |



Chrome vanadium steel





BOXED SETS

WALLET



POWER TOOL ACCESSORIES

PREMIUM SDS PLUS HAMMER DRILLS



Fast, efficient and accurate

Flute geometry design ensures maximum amount of spoil removal. Multi-carbide tip increases penetration rate, cutting accuracy, and life. Optimum core width and flute geometry provides the perfect balance between speed and strength. Copper brazing between body and tip for ultimate strength.



CUTTING-EDGE 'FAST-FIT' BIT-CHANGE TECHNOLOGY



The widened entry profile of the 'Fast-Fit' Eclipse SDS drive-groove rapidly guides the shank into the locked position. Reduces down-time and minimises chuck wear.

Compatible with all SDS/SDS Plus machines

Enables drill bit to be easily located in SDS Plus chuck

Widened entry profile of SDS drive-groove for 'Fast Fix'

Ease of location reduces wear on machine chuck

Significantly faster to load an Eclipse bit compared with a standard SDS Plus

Metric

| Part No | Size Ø x Length | Working Length | Pack Qty |
|--------------|--------------------|-------------------|-------------|
| EC-SDS040011 | 4.0 x 110mm | 50mm | 10 |
| EC-SDS050011 | 5.0 x 110mm | 50mm | 10 |
| EC-SDS055011 | 5.5 x 110mm | 50mm | 10 |
| EC-SDS060011 | 6.0 x 110mm | 50mm | 10 |
| EC-SDS070011 | 7.0 x 110mm | 50mm | 10 |
| EC-SDS080011 | 8.0 x 110mm | 50mm | 10 |
| EC-SDS100011 | 10.0 x 110mm | 50mm | 10 |
| EC-SDS040016 | 4.0 x 160mm | 100mm | 10 |
| EC-SDS050016 | 5.0 x 160mm | 100mm | 10 |
| EC-SDS055016 | 5.5 x 160mm | 100mm | 10 |
| EC-SDS060016 | 6.0 x 160mm | 100mm | 10 |
| EC-SDS065016 | 6.5 x 160mm | 100mm | 10 |
| EC-SDS070016 | 7.0 x 160mm | 100mm | 10 |
| EC-SDS080016 | 8.0 x 160mm | 100mm | 10 |
| EC-SDS090016 | 9.0 x 160mm | 100mm | 10 |
| EC-SDS100016 | 10.0 x 160mm | 100mm | 10 |
| EC-SDS110016 | 11.0 x 160mm | 100mm | 10 |
| EC-SDS120016 | 12.0 x 160mm | 100mm | 10 |
| EC-SDS130015 | 13.0 x 150mm | 100mm | 10 |
| EC-SDS140015 | 14.0 x 150mm | 100mm | 10 |
| EC-SDS150015 | 15.0 x 150mm | 100mm | 10 |
| EC-SDS160015 | 16.0 x 150mm | 100mm | 10 |
| EC-SDS050021 | 5.0 x 210mm | 150mm | 10 |
| EC-SDS055021 | 5.5 x 210mm | 150mm | 10 |
| EC-SDS060021 | 6.0 x 210mm | 150mm | 10 |
| EC-SDS065021 | 6.5 x 210mm | 150mm | 10 |
| EC-SDS070021 | 7.0 x 210mm | 150mm | 10 |
| EC-SDS080021 | 8.0 x 210mm | 150mm | 10 |
| EC-SDS090021 | 9.0 x 210mm | 150mm | 10 |
| EC-SDS100021 | 10.0 x 210mm | 150mm | 10 |
| EC-SDS120021 | 12.0 x 210mm | 150mm | 10 |
| EC-SDS140020 | 14.0 x 200mm | 150mm | 10 |
| EC-SDS160020 | 16.0 x 200mm | 150mm | 10 |
| EC-SDS180020 | 18.0 x 200mm | 150mm | 10 |
| EC-SDS200020 | 20.0 x 200mm | 150mm | 10 |
| EC-SDS055026 | 5.5 x 260mm | 200mm | 10 |
| EC-SDS060026 | 6.0 x 260mm | 200mm | 10 |
| EC-SDS065025 | 6.5 x 250mm | 200mm | 10 |
| EC-SDS080026 | 8.0 x 260mm | 200mm | 10 |

| rait NO | Ø x Length | Length | Qty |
|--------------|--------------|--------|-----|
| EC-SDS100026 | 10.0 x 260mm | 200mm | 10 |
| EC-SDS110026 | 11.0 x 260mm | 200mm | 10 |
| EC-SDS120025 | 12.0 x 250mm | 200mm | 10 |
| EC-SDS130025 | 13.0 x 250mm | 200mm | 10 |
| EC-SDS140025 | 14.0 x 250mm | 200mm | 10 |
| EC-SDS150025 | 15.0 x 250mm | 200mm | 10 |
| EC-SDS160025 | 16.0 x 250mm | 200mm | 10 |
| EC-SDS180025 | 18.0 x 250mm | 200mm | 10 |
| EC-SDS220025 | 22.0 x 250mm | 200mm | 10 |
| EC-SDS240025 | 24.0 x 250mm | 200mm | 1 |
| EC-SDS250025 | 25.0 x 250mm | 200mm | 1 |
| EC-SDS260025 | 26.0 x 250mm | 200mm | 1 |
| EC-SDS100031 | 10.0 x 310mm | 250mm | 10 |
| EC-SDS110031 | 11.0 x 310mm | 250mm | 10 |
| EC-SDS120030 | 12.0 x 300mm | 250mm | 10 |
| EC-SDS130030 | 13.0 x 300mm | 250mm | 10 |
| EC-SDS140030 | 14.0 x 300mm | 250mm | 10 |
| EC-SDS160030 | 16.0 x 300mm | 250mm | 10 |
| EC-SDS180030 | 18.0 x 300mm | 250mm | 10 |
| EC-SDS200030 | 20.0 x 300mm | 250mm | 10 |
| EC-SDS100036 | 10.0 x 360mm | 300mm | 10 |
| EC-SDS060045 | 6.0 x 450mm | 400mm | 1 |
| EC-SDS080045 | 8.0 x 450mm | 400mm | 1 |
| EC-SDS100045 | 10.0 x 450mm | 400mm | 1 |
| EC-SDS120045 | 12.0 x 450mm | 400mm | 1 |
| EC-SDS130045 | 13.0 x 450mm | 400mm | 1 |
| EC-SDS140045 | 14.0 x 450mm | 400mm | 1 |
| EC-SDS150045 | 15.0 x 450mm | 400mm | 1 |
| EC-SDS160045 | 16.0 x 450mm | 400mm | 1 |
| EC-SDS180045 | 18.0 x 450mm | 400mm | 1 |
| EC-SDS200045 | 20.0 x 450mm | 400mm | 1 |
| EC-SDS220045 | 22.0 x 450mm | 400mm | 1 |
| EC-SDS240045 | 24.0 x 450mm | 400mm | 1 |
| EC-SDS250045 | 25.0 x 450mm | 400mm | 1 |
| EC-SDS260045 | 26.0 x 450mm | 400mm | 1 |
| EC-SDS280045 | 28.0 x 450mm | 400mm | 1 |
| EC-SDS300045 | 30.0 x 450mm | 400mm | 1 |
| | | | |

| | Ø x Length | Length | Qty |
|--------------|---------------|--------|-----|
| EC-SDS080060 | 8.0 x 600mm | 550mm | 1 |
| EC-SDS100060 | 10.0 x 600mm | 550mm | 1 |
| EC-SDS120060 | 12.0 x 600mm | 550mm | 1 |
| EC-SDS140060 | 14.0 x 600mm | 550mm | 1 |
| EC-SDS160060 | 16.0 x 600mm | 550mm | 1 |
| EC-SDS180060 | 18.0 x 600mm | 550mm | 1 |
| EC-SDS200060 | 20.0 x 600mm | 550mm | 1 |
| EC-SDS220060 | 22.0 x 600mm | 550mm | 1 |
| EC-SDS250060 | 25.0 x 600mm | 550mm | 1 |
| EC-SDS160080 | 16.0 x 800mm | 750mm | 1 |
| EC-SDS120100 | 12.0 x 1000mm | 950mm | 1 |
| EC-SDS140100 | 14.0 x 1000mm | 950mm | 1 |
| EC-SDS180100 | 18.0 x 1000mm | 950mm | 1 |
| EC-SDS200100 | 20.0 x 1000mm | 950mm | 1 |
| EC-SDS220100 | 22.0 x 1000mm | 950mm | 1 |
| EC-SDS250100 | 25.0 x 1000mm | 950mm | 1 |
| | | | |

POWER TOOL ACCESSORIES

PREMIUM SDS PLUS HAMMER DRILLS



Fast, efficient and accurate

Flute geometry design ensures maximum amount of spoil removal. Multi-carbide tip increases penetration rate, cutting accuracy, and life. Optimum core width and flute geometry provides the perfect balance between speed and strength. Copper brazing between body and tip for ultimate strength.

Imperial

| Part No | Size Ø x Length | Working Length | Pack Qty | Part No | Size Ø x Length | Working Length | Pack Qty | Part No | Size Ø x Length | Working Length | Pack Qty |
|--------------|--------------------|-------------------|-------------|--------------|--------------------|-------------------|-------------|--------------|--------------------|-------------------|-------------|
| EC-SDS031604 | 3/16 x 4" | 2" | 10 | EC-SDS031608 | 3/16 x 8" | 6" | 10 | EC-SDS058012 | 5/8 x 12" | 10" | 10 |
| EC-SDS014004 | 1/4 x 4" | 2" | 10 | EC-SDS073208 | 7/32 x 8" | 6" | 10 | EC-SDS034012 | 3/4 x 12" | 10" | 10 |
| EC-SDS093294 | 9/32 x 4" | 2" | 10 | EC-SDS014008 | 1/4 x 8" | 6" | 10 | EC-SDS078012 | 7/8 x 12" | 10" | 10 |
| EC-SDS051604 | 5/16 x 4" | 2" | 10 | EC-SDS051608 | 5/16 x 8" | 6" | 10 | EC-SDS100012 | 1x12" | 10" | 1 |
| | | | | EC-SDS038008 | 3/8 x 8" | 6" | 10 | EC-SDS038018 | 3/8 x 18" | 16" | 1 |
| EC-SDS031606 | 3/16 x 6" | 4" | 10 | EC-SDS058008 | 5/8 x 8" | 6" | 10 | EC-SDS012018 | 1/2 x 18" | 16" | 1 |
| EC-SDS073206 | 7/32 x 6" | 4" | 10 | EC-SDS034008 | 3/4 x 8" | 6" | 10 | EC-SDS091618 | 9/16 x 18" | 16" | 1 |
| EC-SDS014006 | 1/4 x 6" | 4" | 10 | | | | | EC-SDS058018 | 5/8 x 18" | 16" | 1 |
| EC-SDS093206 | 9/32 x 6" | 4" | 10 | EC-SDS012010 | 1/2 x 10" | 8" | 10 | EC-SDS034018 | 3/4 x 18" | 16" | 1 |
| EC-SDS051606 | 5/16 x 6" | 4" | 10 | EC-SDS058010 | 5/8 x 10" | 8" | 10 | EC-SDS078018 | 7/8 x 18" | 16" | 1 |
| EC-SDS038006 | 3/8 x 6" | 4" | 10 | | 7/00 10" | 40" | | EC-SDS100018 | 1 x 18" | 16" | 1 |
| EC-SDS071606 | 7/16 x 6" | 4" | 10 | EC-SDS073212 | 7/32 x 12" | 10" | 10 | EC-3D3100016 | 1 X 10 | 10 | |
| EC-SDS012006 | 1/2 x 6" | 4" | 10 | EC-SDS051612 | 5/16 x 12" | 10" | 10 | EC-SDS058024 | 5/8 x 24" | 22" | 1 |
| EC-SDS091606 | 9/16 x 6" | 4" | 10 | EC-SDS071612 | 7/16 x 12" | 10" | 10 | | | | |
| EC-SDS058006 | 5/8 x 6" | 4" | 10 | EC-SDS012012 | 1/2 x 12" | 10" | 10 | EC-SDS100024 | 1x 24" | 22" | 1 |
| EC-SDS034006 | 3/4 x 6" | 4" | 10 | EC-SDS091612 | 9/16 x 12" | 10" | 10 | | | | |

Non-standard sizes are available subject to lead-time, minimum order quantity and pricing agreement.

MASONRY DRILL BITS



Fast, efficient and accurate

Straight shank bits for use in percussion drilling in concrete, brick, stonework and cement.



Metric

| Part No | Size Ø x Length | Working Length | Pack Qty | Part No | Size Ø x Length | Working Length | Pack Qty | Part No | Size Ø x Length | Working Length | Pack Qty |
|-----------|--------------------|-------------------|-------------|-----------|--------------------|-------------------|-------------|-----------|--------------------|-------------------|-------------|
| EMD30X60 | 3 x 60mm | 30mm | 1 | EMD16X150 | 16 x 150mm | 100mm | 1 | EMD18X400 | 18 x 400mm | 350mm | 1 |
| EMPORYZO | 0.570 | 40 | | EMD18X150 | 18 x 150mm | 100mm | 1 | EMD20X400 | 20 x 400mm | 350mm | 1 |
| EMD35X70 | 3.5 x 70mm | 40mm | <u> </u> | EMD20X160 | 20 x 160mm | 100mm | 1 | EMD22X400 | 22 x 400mm | 350mm | 1 |
| EMD40X70 | 4 x 70mm | 50mm | 1 | EMD22X160 | 22 x 160mm | 100mm | 1 | EMD25X400 | 25 x 400mm | 350mm | 1 |
| EMD45X75 | 4.5 x 75mm | 50mm | 1 | EMD25X160 | 25 x 160mm | 100mm | 1 | EMD60X600 | 6 x 600mm | 550mm | 1 |
| EMD50X85 | 5 x 85mm | 50mm | 1 | EMD50X200 | 5 x 200mm | 112mm | 1 | EMD80X600 | 8 x 600mm | 550mm | 1 |
| | | | | | | | 1 | | | | 1 |
| EMD55X85 | 5.5 x 85mm | 60mm | 1 | EMD55X200 | 5.5 x 200mm | 112mm | 1 | EMD10X600 | 10 x 600mm | 550mm | 1 |
| EMD60X100 | 6 x 100mm | 60mm | 1 | EMD60X200 | 6 x 200mm | 112mm | 1 | EMD12X600 | 12 x 600mm | 550mm | 1 |
| EMD65X100 | 6.5 x 100mm | 60mm | 1 | EMD65X200 | 6.5 x 200mm | 112mm | 1 | EMD14X600 | 14 x 600mm | 550mm | 1 |
| | | | | EMD70X200 | 7 x 200mm | 112mm | 1 | EMD16X600 | 16 x 600mm | 550mm | 1 |
| EMD70X100 | 7 x 100mm | 80mm | 1 | EMD80X200 | 8 x 200mm | 112mm | 1 | EMD18X600 | 18 x 600mm | 550mm | 1 |
| EMD80X120 | 8 x 120mm | 80mm | 1 | EMD10X200 | 10 x 200mm | 112mm | 1 | EMD20X600 | 20 x 600mm | 550mm | 1 |
| EMD90X120 | 9 x 120mm | 80mm | 1 | EMD12X200 | 12 x 200mm | 112mm | 1 | EMD22X600 | 22 x 600mm | 550mm | 1 |
| EMD10X120 | 10 x 120mm | 90mm | 1 | EMD60X400 | 6 x 400mm | 350mm | 1 | EMD25X600 | 25 x 600mm | 550mm | 1 |
| EMD11X150 | 11 x 150mm | 90mm | 1 | EMD80X400 | 8 x 400mm | 350mm | 1 | | | | |
| EMD12X150 | 12 x 150mm | 90mm | 1 | EMD10X400 | 10 x 400mm | | 1 | | | | |
| EMD13X150 | 13 x 150mm | 90mm | 1 | | | 350mm | 1 | | | | |
| | | | 1 | EMD12X400 | 12 x 400mm | 350mm | 1 | | | | |
| EMD14X140 | 14 x 140mm | 90mm | I . | EMD14X400 | 14 x 400mm | 350mm | 1 | | | | |
| EMD15X160 | 15 x 160mm | 90mm | 1 | EMD16X400 | 16 x 400mm | 350mm | 1 | | | | |

POWER TOOL ACCESSORIES drill bits & diamond wheels

HSS DRILL BITS



Fast, efficient and accurate

Manufactured to DIN 338 standards with an 118 degree point angle that is suitable for drilling into a wide range of materials, including steel, cast iron, copper, brass, iron and plastic. Flute geometry designed for rapid removal of the drilled material.



Metric

| Part No | Size Ø x Length | Pack Qty | Part No | Size Ø x Length | Pack Qty |
|---------|--------------------|--------------|---------|--|-----------------|
| EHSS10 | 1.00mm | 1 tube of 10 | EHSS60 | 6.00mm | 1 tube of 10 |
| EHSS15 | 1.50mm | 1 tube of 10 | EHSS65 | 6.50mm | 1 tube of 10 |
| EHSS20 | 2.00mm | 1 tube of 10 | EHSS70 | 7.00mm | 1 tube of 10 |
| EHSS21 | 2.10mm | 1 tube of 10 | EHSS75 | 7.50mm | 1 tube of 10 |
| EHSS22 | 2.20mm | 1 tube of 10 | EHSS80 | 8.00mm | 1 tube of 5 |
| EHSS25 | 2.50mm | 1 tube of 10 | EHSS85 | 8.50mm | 1 tube of 5 |
| EHSS30 | 3.00mm | 1 tube of 10 | EHSS90 | 9.00mm | 1 tube of 5 |
| EHSS31 | 3.10mm | 1 tube of 10 | EHSS95 | 9.50mm | 1 tube of 5 |
| EHSS32 | 3.20mm | 1 tube of 10 | EHSS100 | 10.00mm | 1 tube of 5 |
| EHSS35 | 3.50mm | 1 tube of 10 | EHSS105 | 10.50mm | 1 tube of 5 |
| EHSS40 | 4.00mm | 1 tube of 10 | EHSS110 | 11.00mm | 1 tube of 5 |
| EHSS41 | 4.10mm | 1 tube of 10 | EHSS115 | 11.50mm | 1 tube of 5 |
| EHSS42 | 4.20mm | 1 tube of 10 | EHSS120 | 12.00mm | 1 tube of 5 |
| EHSS43 | 4.30mm | 1 tube of 10 | EHSS125 | 12.50mm | 1 tube of 5 |
| EHSS45 | 4.50mm | 1 tube of 10 | EHSS130 | 13.00mm | 1 tube of 5 |
| EHSS50 | 5.00mm | 1 tube of 10 | | | |
| EHSS55 | 5.50mm | 1 tube of 10 | EHSS6PC | HSS Drill Bits Set - 6pc Contains: 2, 3, 4, 5, 6, 8mm - F | 1 PVC Wallet |

| Part No | Description | Pack Qty |
|----------|---|-------------|
| EHSS19PC | HSS Drill Bits Set - 19pc Contains: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm - Metal C | |
| EHSS25PC | HSS Drill Bits Set - 25pc Contains: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13mm - Metal Case | 1 |





DIAMOND WHEELS



General Purpose/Dry Stone Cutting

Ideal for cutting bricks, clay, roof tiles, concrete pipes and concrete roof tiles

| Description | Part Ref | Dia. Inch | Dia. Metric | Bore | Box Qty |
|-------------|----------|--------------|----------------|------|------------|
| Flat | DW11522 | 4.5 | 115 | 22.2 | 1 |
| Flat | DW12522 | 5 | 125 | 22.2 | 1 |
| Flat | DW18022 | 7 | 180 | 22.2 | 1 |
| Flat | DW23022 | 9 | 230 | 22.2 | 1 |
| Flat | DW30020 | 12 | 300 | 20 | 1 |
| Flat | DW35025 | 14 | 350 | 25.4 | 1 |








All **SPEAR & JACKSON** screwdriver blades are made from chrome vanadium steel and are hardened and tempered for strength and longer life. There is a choice of bead blast and lacquered blades with polypropylene handles or trilobular handles with tapered necks for an ergonomic fit.

Choosing the right screwdriver for the job is made easy by the SPEAR & JACKSON range of screwdrivers, with a quality screwdriver to suit virtually every preference and task. Slotted - is the most common type of screw head, whilst Phillips tips have a positive location, reducing the danger of the screwdriver slipping. Pozidriv tips also reduce the risk of slippage. Torx is generally used for engineering and automotive applications, since very high torque levels can be applied without the danger of slipping and the close tolerances provide longer tool and screw life and rounded edges



SCREWDRIVERS suregrip

Slotted Parallel Tip

◆ Slotted Flared Tip ◆



Phillips •





















- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque
- · Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque
- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque

Pozidriv O

PO2CH

PO75X0

PO75X1

PO100X2

PO150X3

PO250X2

| _ | 1 | Pack Qty |
|-------------------|----------|-------------|
| Chubby 40mm (1½") | No2 | 6 |
| 75mm (3") | No0 | 6 |
| 75mm (3") | No1 | 6 |
| 100mm (4") | No2 | 6 |
| 150mm (6") | No3 | 6 |
| 250mm (10") | No2 | 6 |
| | | |

8 Piece Set

Part No Contents

SD8SET

PA75X3 Parallel PA150X5 Parallel FL6CH Flared Chubby FL75X5 Flared FL100X5 Flared PH1CH Philips Chubby P075X1 Pozi P0100X2 Pozi

Size

75mm x 3mm 150mm x 5mm 40mm x 6mm 75mm x 5mm 100mm x 5mm 40mm x No1 75mm x No1 100mm x No2

10 Piece Set

in Zipper Wallet





P0100X2 Pozi

75mm x 3mm 100mm x 3mm 150mm x 5mm 40mm x 6mm 75mm x 5mm 100mm x 6mm 150mm x 8mm 40mm x No2 75mm x No1 100mm x No2

00000000

Size



- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance Trilobular handle with tapered neck for
- ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque



- Bright chrome vanadium steel bars for strength and rust protection
- Black oxidised tip for increased wear resistance
- Trilobular handle with tapered neck for ergonomic fit
- Dual material handle for comfort in use
- Integral moulded finger grips around neck to allow increased torque

SCREWDRIVERS fluted polypropylene & specialised

Slotted Parallel Tip



Slotted Flared Tip



Slotted - Sleeved



| Part No | : : | # | Thickness | Qty |
|---------|------------|-------------|------------------|-----|
| | | 3mm (1/8") | (penclip) 0.58mm | 6 |
| | | 3mm (1/8") | 0.58mm | 6 |
| | 100mm (4") | 3mm (1/8") | 0.58mm | 6 |
| | 150mm (6") | 3mm (1/8") | 0.58mm | 6 |
| | 75mm (3") | 5mm (3/16") | 0.79mm | 6 |
| | 100mm (4") | 5mm (3/16") | 0.79mm | 6 |
| 31-6 | 150mm (6") | 5mm (3/16") | 0.79mm | 6 |
| | | | | |



| ack Qty | Part No | _ | 1 | Tip Thickness | Pack Qty |
|------------|---------|-------------|-------------|------------------|-------------|
| 6 | 32-3 | 75mm (3") | 5mm (3/16") | 0.79mm | 6 |
| 6 | 32-6 | 150mm (6") | 5mm (3/16") | 0.79mm | 6 |
| 6 | 32-8 | 200mm (8") | 5mm (3/16") | 0.79mm | 6 |
| 6 | 32-10 | 250mm (10") | 5mm (3/16") | 0.79mm | 6 |
| 6 | | | | | |
| • | | | | | |







- Chrome vanadium steel bars for strength and rust protection
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque
- Chrome vanadium steel bars for strength and rust protection
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque
- Chrome vanadium steel bars for strength and rust protection
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque

Phillips



| Part No | | Tip Thickness | P |
|---------|-------------------|------------------|---|
| 34-CH1 | Chubby 40mm (1½") | No1 | |
| 34-CH2 | Chubby 40mm (1½") | No2 | |
| 34-0-2 | 50mm (2") | (Penclip) No0 | |
| 34-1 | 75mm (3") | No1 | |
| 34-2 | 100mm (4") | No2 | |
| 34-3 | 150mm (6") | No3 | |
| | | | |

Pozidriv

Part No 36-CH1 36-2 36-4 36-2-10




| | Tip Thickness | Pack Qty |
|-------------------|------------------|-------------|
| Chubby 40mm (1½") | No1 | 6 |
| 100mm (4") | No2 | 6 |
| 200mm (8") | No4 | 6 |
| 250mm (10") | No2 | 6 |
| | | |

Torx



| Part No | | Tip Thickness | Pack Qty |
|---------|------------|------------------|-------------|
| 39-T10 | 60mm (2%") | T10 | 6 |
| 39-T15 | 100mm (4") | T15 | 6 |
| 39-T20 | 100mm (4") | T20 | 6 |
| | | | |





- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque



- Chrome vanadium steel bars for strength and rust protection
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque
- Chrome vanadium steel bars for strength and
- rust protection

 Fluted handles ideal for engineering and
- Fluted handles ideal for engineering and automotive environments giving maximum grip in greasy conditions
- Integral moulded finger grips around neck to allow increased torque
- Torx® screws are generally used for engineering and automotive applications. This type of screw enables very high torque levels to be applied without danger of slipping

Terminal -



Ratchet





Octodriver (Ratchet)

Extra Light Duty

P18/2-NEW 6 P18/4-NEW 1 P18/0-NEW 6





















- Chrome vanadium steel bars for strength and rust protection
- Fluted handles designed for maximised grip
- Three position ratchet screwdriversErgonomically designed hardwood handles
- Blades are machined from high quality chrome vanadium steel, fully hardened, bead blasted and lacquered
- Especially attractive to carpenters and other discerning tradesman
- As its name suggests the ratchet 'Octodriver' comes with 8 blade options and is designed for the professional and general tradesman alike
- Comfortable ergonomic grip with twice the torque of conventional handles
 High torque ratchet with 3 settings - forward,
- High torque ratchet with 3 settings forward, reverse and static
- Quick action selector
- 6 screwdriver points supplied on 3 bits
- Easily accessible square bits housed inside the handle
- Double ended bar acting as a Nut Spinner for 1/4" & 5/16"



SPEAR & JACKSON CONTRACTORS

PRODUCT GUIDE 2012/13



OPEN SOCKET
SOLID SOCKET
TUBULAR STEEL
STRAPPED
FORKS
POLYFIBRE
FIBRELITE
INSULATED
CONTRACTOR &
ANDSCAPER TOOLS

CONTRACTOR

A RANGE OF CONTRACTOR TOOLS AS TOUGH AS BRITAIN'S CONTRACTORS

No one demands more from their tools than the professionals who work in environments where performance is a must. At Spear & Jackson we have been supplying contractors with reliable professional quality hand and groundwork tools for over 250 years. Britain's contractors choose Spear & Jackson because they know the tools can be trusted to give outstanding performance in rigorous on-site conditions, day after day, year after year.

It's not just because our professional tools are designed to the very highest international quality standards - BS EN ISO 9001:2000. It's also because our products are developed through unique insights into what the trade really needs. We've done extensive research to make sure our specialist tools look right, feel right and work right every time. So, when a tradesman reaches for a Spear & Jackson shovel, fork or rake, they know that they have a tool they can trust.

No wonder that thousands of contractors, groundworkers, Local Authorities and National Utilities around the UK rely on Spear & Jackson professional hand and groundwork tools to get the job done. Your customers demand the best, offer them the best – Spear & Jackson.

Choice & Value

Our products are designed to deliver superior performance and long-term durability. That adds up to great value for money. In addition our wide range means that customers can choose exactly the right tool for the job. In shovels alone, we offer 8 specialist ranges with a wide range of different handle and head types. There's an equally impressive choice of forks and rakes. Overall, a comprehensive range of professional tools for heavy-duty ground, preparation work, agricultural, fencing and plantation work.

Quality & Craftsmanship

We've been hand-crafting high quality hand tools for centuries, so we understand the needs of Britain's contractors. We design our tools to be extremely robust and test them to destruction to ensure outstanding performance in the most demanding conditions. Professional users know this because they can't afford down-time if the tool fails. All of our tools are manufactured to exacting BS ISO 9001:2008 standards and they're guaranteed to last. Our products are BS3388 compliant where relevant and our insulated range also passes the stringent requirements of BS8020:2011 giving the highest possible protection in live wire environments.

Heritage & Pride

Spear & Jackson is a brand name renowned around the world. We are very proud of our heritage and reputation. For over 250 years, we have successfully integrated traditional craftsmen's skills with leading-edge technology. This forward-thinking inventive spirit has helped to drive product innovation.

CONTRACTOR TOOLS tool specifications

ALL OUR SHOVELS ARE TESTED TO BRITISH STANDARDS

Handle types

metal MYD



Fixed with waterproof adhesive and steel pins to withstand 47Nm² torque

polypropylene PYD



UV stabilised to UK climate conditions

crutch



Fixed with waterproof adhesive and a wooden peg to withstand 47Nm2 torque.

long knob



Contoured shaft available in 48" and 54' lengths. Lacquered for weatherproofing.

Newton Metre Pressures (Nm²)

The ability to withstand an applied pressure before the seal between the surfaces is broken, causing rotation.

Shaft types

strapped



Strapped for power and extra strength. Double riveted for added strength.

tubular



Unique streamlined shaft contoured to comfortably fit the hand. Automatically rotary welded to ensure perfect alignment of weld for maximum strength.

wood



Hardwood shaft for maximum strength and comfort in use.

polyfibre



A strong, lightweight and durable material which is oil, chemical and water

fibrelite



The shaft has a shorter socket length making it easier to avoid touching metal whilst in use, thereby increasing safety.

insulated



Polyfibre shaft with integral D-Grip handle with a 112mm openina. Two layers of insulating material when white material shows through the orange outer sheath, it warns the user that the tool needs replacing. Oil, chemical and water resistant. Complies with BS8020:2011.

Head types some ranges feature treaded heads for more comfortable digging.

square mouth



Available in five sizes: 000. 0, 2, 4 & 6. General purpose contractors' shovel designed for shovelling out and refilling trenches, mixing concrete and moving tarmac.

taper mouth



General purpose shovel with tapered blade, traditionally popular in the Midlands. Designed for shoveling tarmac, mixing concrete and clearing and refilling trenches.

round mouth



An ideal tool for shoveling gravel and other loose materials. The pointed blade gives easier

trenching



A general trenching shovel ideal for narrow work such as pipe and cable laying

cable laying



Specially designed for digging trenches for cables. Generally used in conjunction with the trenching shovel.

grafting



Specially designed for clay digging or heavy work (grafting). With dished blade and rounded point suitable for removal of heavy materials.

newcastle draining



Available in 14" or 16". Traditionally recognised as the finest draining tool available. The long narrow blade makes it perfect for extending trenches in terms of width and particularly depth. Lugs provide greater foot hold.

draining



A long narrow blade makes this tool ideal for digging trenches in terms of width and depth. Useful for digging cable, pipe and drain channels.

general service



Treaded general service purpose shovel, traditionally popular in Scotland.

west country



A long handled shovel for general use in sand, shingle or gravel. Head is hardened and tempered to enable use as a digging tool. Originally designed for the West Country and Wales.

irish round



A long handled general purpose shovel for loose materials. Head is hardened and tempered to enable use as a digging tool. Originally designed for

trenching fork



Heavy duty contractors or trenching fork. Extra strong square prongs with chisel points make it ideal for . heavy clay or stony ground. Lightweight version also available

CONTRACTORS TOOLS open socket shovels

A traditional style and a popular range. The solid hardwood shaft offers a natural, comfortable grip with a responsive lightweight 'feel'. A variety of handle and head types are available to suit individual preferences.



Hardwood Ash Shaft For strength and comfort

Aluminium rivet secures the handle in the socket and provides maximum stability

square mouth No6 2521NC



Handle Type: *T* Blade Size: 370mm (14½") x 305mm (12") Handle Length: 711mm (28")

High quality carbon steel for a longer life

Clear polyester powder coat varnish protects against rusting

Rounded corners reduce the risk of damage to pipes and cables

All easily exceed BS3388 load test

CONTRACTORS TOOLS open socket shovels

square mouth No2

2521AU



Handle Type: *T* Blade Size: 302mm (12") x 250mm (10") Handle Length: 711mm (28")

square mouth No2

2521UA



Handle Type: PYD Blade Size: 302mm (12") x 250mm (10") Handle Length: 711mm (28")

square mouth No2

2531UH



Handle Type: LK Blade Size: 302mm (12") x 250mm (10") Handle Length: 1220mm (48")

square mouth No4

2521HT



Handle Type: *T*Blade Size: 345mm (13½") x
280mm (11")
Handle Length: 711mm (28")

square mouth No4

2521VC



Handle Type: PYD Blade Size: 345mm (13½") x 280mm (11") Handle Length: 711mm (28")

square mouth No6

2521WE



Handle Type: PYD Blade Size: 370mm (14½") x 305mm (12") Handle Length: 711mm (28")

west country 54"

2530BW



Handle Type: *LK*Blade Size: 305mm (12") x
255mm (10")
Handle Length: 1372mm (54")

irish round 54"

2540HU



Handle Type: *LK*Blade Size: 355mm (14") x
240mm (91/2")
Handle Length: 1372mm (54")

irish round 60"

2540JV



Handle Type: *LK* Blade Size: 355mm (14") x 240mm (9½") Handle Length: 1524mm (60")

irish digging

IRISHDS




Handle Type: Parallel Blade Size: 330mm (13") x 240mm (9½") Handle Length: 1200mm (47")

CONTRACTORS TOOLS Solid Socket shovels



A solid hardwood shaft is fitted into an extra long socket to give this range added strength where it's needed most. So even the toughest task can be tackled with confidence. Like all of our products, the solid socket range is manufactured to the highest standards.



Trials using this timber produce an average 138kg breaking strain which is over double the requirement of BS3388

(BS3388 - British Standard covering the manufacture of Spades, Forks & Shovels)

Extra long sockets

give added strength at the tool's potentially



heavy duty spade

1307HDS



Made from carbon/manganese steel for maximum strength

Heat treated and tempered to give quality, performance and long life

Epoxy coated heads for reduced soil adhesion



Handle Type: MYD Socket Size: 305mm (12") Blade Size: 305mm (12¹/₄")x 200mm (8") Handle Length: 711mm (28")

CONTRACTORS TOOLS

square mouth No000

2029AV

trenching



Handle Type: T Socket Size: 305mm (12") Blade Size: 265mm (101/2") x 205mm (8") Handle Length: 711mm (28")

square mouth No0

2064GH



Handle Type: TSocket Size: 305mm (12") Blade Size: 290mm (1111/2") x 245mm (91/2") Handle Length: 711mm (28")

square mouth No2



Handle Type: T Socket Size: 305mm (12") Blade Size: 302mm (12") x Handle Length: 711mm (28")

2029RW

square

mouth No2



Handle Type: MYD Socket Size: 305mm (12") Blade Size: 320mm (12") x 250mm (10") Handle Length: 711mm (28")

2026AG



Handle Type: MYD Socket Size: 305mm (12") Blade Size: 280mm (11") x 190mm (7½") Handle Length: 711mm (28")

taper mouth No2

2028AZ



Handle Type: TSocket Size: 305mm (12") Blade Size: 315mm (121/2") x 218mm (83/4") Handle Length: 711mm (28")

taper mouth No2

2028RS



Handle Type: MYD Socket Size: 305mm (12") Blade Size: 315mm (121/2") x Handle Length: 711mm (28")

round mouth

2050AV



Handle Type: PYD Socket Size: 305mm (12") Blade Size: 305mm (121/4") x Handle Length: 705mm (271/2")

rabbiting spade

1047MY



Handle Type: MYD Socket Size: 325mm (123/4") Blade Size: 276mm (11") x 133mm (51/8") Handle Length: 711mm (28")

cable laying 2027AC



Handle Type: MYD Socket Size: 305mm (12") Blade Size: 280mm (11") x 115mm (41/2") Handle Length: 711mm (28")

CONTRACTORS TOOLS tubular steel shovels

A tough, reliable no nonsense range of professional shovels, designed to give great performance in all conditions. The unique method of manufacture ensures a strong, comfortable tool that's lightweight and easy to use.



Unique streamlined shaft contoured to comfortably fit the hand

Automatically rotary welded to ensure perfect alignment of weld for maximum strength



2131GZ



Made from carbon /manganese steel for maximum performance. Heat treated and tempered to give quality, performance and long life

Epoxy coated heads for reduced soil adhesion



Handle Type: MYD Blade Size: 320mm (13") x 165mm (6½") Handle Length: 711mm (28")

All easily exceed BS3388 load test

CONTRACTORS TOOLS tubular steel shovels

square mouth No2

2002AR



Handle Type: MYD Blade Size: 302mm (12") x 250mm (10") Handle Length: 711mm (28")

taper mouth No2

2000AC



Handle Type: *MYD*Blade Size: 318mm (12½") x
222mm (8¾")
Handle Length: 711mm (28")

round mouth No2

2001AD



Handle Type: *MYD*Blade Size: 305mm (12¼") x
240mm (9½")
Handle Length: 711mm (28")

trenching

2006AP



Handle Type: MYD Blade Size: 276mm (11") x 172mm (7") Handle Length: 711mm (28")

cable laying

2007AP



Handle Type: MYD Blade Size: 276mm (11") x 119mm (43/4") Handle Length: 711mm (28")

newcastle 14"

2153AA



Handle Type: MYD Blade Size: 355mm (14") x 105mm (4") Handle Length: 711mm (28")

newcastle 16"

2153AE



Handle Type: MYD Blade Size: 405mm (16") x 105mm (4") Handle Length: 711mm (28")

draining 16"

2154HK



Handle Type: MYD Blade Size: 405mm (16") x 105mm (4") Handle Length: 711mm (28")

tubular fork

1700AV



Handle Type: MYD Head Size: 325mm (13") x 215mm (8½") Handle Length: 760mm (30")

tubular lightweight fork

1710AW



Handle Type: *MYD* Head Size: 325mm (13") x 210mm (81/4") Handle Length: 760mm (30")

CONTRACTORS TOOLS strapped tools

Combines the extra strength of steel strapping with the comfort of a shaft such as ash. Quality materials and a superb, handcrafted finish ensure a well-balanced, highly durable shovel well suited to the demands of site work.

Steel strapped shaft provides superior strength

Double riveted A minimum of two rivets for maximum strength and

durability

Made from high-strength carbon/manganese steel

Heat treated tempered steel for a longer life

Epoxy coated for reduced soil adhesion and rust

Fully forged heads for added strength



All easily exceed BS3388 load test



general service treaded

2136NM



Handle Type: *T*Blade Size: 255mm (10") x
205mm (8")
Strap Size: 255mm (10")
Handle Length: 711mm (28")
• 2 Rivets

irish spade

1072AY



Handle Type: *T*Blade Size: 330mm (13") x
165mm (6½") x 140mm (5½")
Strap Size: 255mm (10")
Handle Length: 762mm (36")
• 3 Rivets

shallow dish fork

1702FLW



Handle Type: Wood R.E.H. Head Size: 340mm (131/4") x 230mm (9") Strap Size: 530mm (21") Handle Length: 787mm (31") • 5 Rivets

CONTRACTORS TOOLS contractors forks

tubular fork

1700AV



tubular lightweight fork



insulated fork

1712PF/INS



Handle Type: YD Insulated Head Size: 325mm (13") x 215mm (8½") Handle Length: 711mm (28")

polyfibre fork

1712PF/C



Handle Type: YD Head Size: 325mm (13") x 215mm (81/2") Handle Length: 711mm (28")

fibrelite fork

2741TFL

215mm (81/2")

Handle Length: 760mm (30")



Head Size: 325mm (13") x

Handle Length: 711mm (28")

215mm (8½")

Heavy duty trenching forks

Handle Length: 760mm (30")

- ideal for use in clay or stoney ground
- Extra strong square prongs with chisel points

shallow dish fork

1702FLW



Handle Type: Wood R.E.H. Head Size: 340mm (131/4") x 230mm (9") Strap Size: 530mm (21") Handle Length: 787mm (31") • 5 Rivets

CONTRACTORS TOOLS polyfibre range

A range of lightweight professional shovels combining polyfibre shafts and extra long sockets for added strength and resistance to oil, chemicals and water.

Hilt size: 112mm opening

Polyfibre Shaft Construction

A strong, lightweight and durable material which is oil, chemical and water resistant



Extra long sockets to give added strength

> Strong carbon/manganese forged steel heads for maximum strength

Epoxy coated for reduced soil adhesion and maximum durability. Heat treated and tempered to give quality, performance and long life

All easily exceed BS3388 load test

CONTRACTORS TOOLS polyfibre range

trenching

cable

square mouth

2026PF/C





taper mouth

2029PF/C



Handle Type: YD Blade Size: 276mm (11") x 172mm (7") Handle Length: 711mm (28")



Handle Type: YD Blade Size: 276mm (11") x 119mm (4³/₄") Handle Length: 711mm (28")



Handle Type: YD Head Size: 315mm (12½") x 218mm (8¾") Handle Length: 711mm (28")



Handle Type: YD Blade Size: 302mm (12") x 250mm (10") Handle Length: 711mm (28")

newcastle drainer

2159PF/C

fork





Handle Type: YD Blade Size: 405mm (161/4") x 105mm (4") Handle Length: 711mm (28")





Handle Type: YD Head Size: 325mm (13") x 215mm (8½") Handle Length: 711mm (28")



CONTRACTORS TOOLS

A range of lightweight professional shovels designed to reduce the risk of personal injury when working near live cables.

The Fibrelite shaft is not only lightweight and extremely strong, but also fire and water resistant. The shorter socket length makes it easier to avoid touching metal whilst in use, thereby increasing safety





One piece heads forged from manganese steel for maximum strength

Round bar treaded heads for more comfortable digging

Heat treated and tempered to give quality, performance and long life

Rounded corners reduce the risk of damage to pipes and cables

CONTRACTORS TOOLS

square mouth

2731TFL

Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 302mm (12") x 250mm (10") Handle Length: 711mm (28")

trenching shovel

2701TFL



Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 276mm (11") x 172mm (7") Handle Length: 711mm (28")

round mouth

2721TFL



Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 305mm (12¼") x 240mm (9½") Handle Length: 711mm (28")

taper mouth

2702TFL



Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 315mm (12½") x 218mm (8¾") Handle Length: 711mm (28")

cable layer

2711TFL



Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 276mm (11") x 119mm (4¾") Handle Length: 711mm (28")

newcastle drainer

2753TFL



Handle Type: MYD Socket Size: 190mm (7½") Blade Size: 405mm (16¼") x 105mm (4") Handle Length: 711mm (28")

trenching fork

2741TFL



Handle Type: MYD Socket Size: 190mm (7½") Head Size: 325mm (13") x 215mm (8½") Handle Length: 711mm (28")



CONTRACTORS TOOLS insulated range

A comprehensive range of high quality insulated shovels for working on or near live cables.

-ONE PIECE

Polyfibre shaft with integral D-Grip 112mm opening

ULTIMATE STRENGTH & DURABILITY

Oil, chemical and water resistant polyfibre shafts

- SAFETY

Two layers of insulating material
- when white material shows
through, it warns the user
that the tool needs replacing.
Exceptionally high resistance
to abrasion

- SAFETY

Integrated hand stop to help prevent the hand slipping onto forged head

— COMFORT

All shovels have round bar treads

- SAFETY

Rounded corners reduce risk of damage to pipes and cables

HEADS

Solid forged from carbon/manganese steel for maximum strength. Heat treated and tempered to give quality, performance and a long life







Certificate of Conformity



CONTRACTORS TOOLS insulated range

All of the Spear & Jackson range of Neverbend Insulated tools are manufactured and supplied in accordance with British Standard number BS8020:2011.

This exacting standard was introduced to ensure the best possible protection from potential harm when working in close exacting to live conductor cables.

To comply with this standard we need to demonstrate full conformity to exacting detailed manufacturing and testing procedures:

- Insulation is provided by two layers of polypropylene sheathing
- The inner white sheath consists of an environmentally friendly, flexible, flame retardant polypropylene
- The orange outer sheath (also referred to as the abrasive guard) has excellent high voltage protection, is environment sealed and resistant to impact and abrasion
- Our shovels and contractors fork also incorporate the added safety feature of an integrated collar / hand stop designed to minimise the risk of the user's hand slipping on to the metal component of the tools
- When the outer orange sheath abrades to the extent that the inner white sleeve is visible, the tool should be removed from use around live working conditions
- Testing consists of submerging every product for 24 hours in a vat of water and wiping it dry. Two electrodes are then attached and a voltage of 10KV A.C. applied continuously for 3 minutes.

The product is considered to comply with the British Standard only if no electric breakdown occurred and the leakage current did not exceed 1mA specified.

Each tool is marked with the BS8020:2011 mark, a unique reference number for traceability and certified, guaranteeing full conformity to live-working specifications.

• Rated working voltages at 1,000 Volts A.C. and 1,500 Volts D.C.

Blade Size: 270mm (125/8") x

Handle Length: 733mm (287/8")

204mm (8")

• Tested to 10 Kva. Issued with a Certificate of Conformity

Blade Size: 302mm (12") x

Handle Length: 733mm (287/8")

250mm (10")



Blade Size: 315mm (121/2") x

Handle Length: 733mm (287/8")

218mm (83/4")

Blade Size: 305mm (121/4") x

Handle Length: 733mm (287/8")

240mm (91/2")

Blade Size: 276mm (11") x

Handle Length: 733mm (287/8")

172mm (7")

Easily exceeds BS3388 load test

cable

2027PF/INS

grafting spade

CONTRACTORS TOOLS Insulated range

2861PF/INS

newcastle drainer

2159PF/INS

general service

2036PF/INS

digging spade

1180PF/INS



Handle Type: YD Insulated Blade Size: 276mm (11") x 119mm (43/4") Handle Length: 733mm (287/8")



Handle Type: YD Insulated Blade Size: 320mm (12%") x 160mm (61/4") Handle Length: 733mm (287/8")

short tine

1706PF/INS

fork*



Handle Type: YD Insulated Blade Size: 405mm (161/4") x 105mm (4") Handle Length: 733mm (287/8")



Handle Type: YD Insulated Blade Size: 240mm (91/2") x 195mm (73/4") Handle Length: 733mm (287/8")



Handle Type: YD Insulated Head Size: 289mm (11%") x 190mm (71/2") Handle Length: 733mm (287/8")

trenching fork

1712PF/INS



Head Size: 325mm (13") x 215mm (8½")

Handle Type: YD Insulated Handle Length: 711mm (28") Handle Type: YD Insulated Head Size: 190mm (71/2") x Handle Length: 733mm (287/8")

2 prong fork*

2PF/INS



Handle Type: YD Insulated Head Size: 195mm (73/4") x 76mm (3") Handle Length: 730mm (283/4")

gravel fork*

GF/INS



Handle Type: YD Insulated Head Size: 400mm (153/4") x 310mm (121/4") Handle Length: 730mm (283/4")

grafting rabbiting spade*

LHGS/INS



Handle Type: YD Insulated Head Size: 270mm (105/8") x 135mm (51/4") Handle Length: 67mm (671/4")

CONTRACTORS TOOLS Insulated range

crowbar point & blunt

CBPB114/INS

crowbar chisel & blunt

CBCB114/INS

crowbar chisel & point

CBCP114/INS

crowbar bent chisel & point

CBHP114/INS







Handle Type: Insulated Blade Width: 43mm (15/8") Overall Length: 1840mm (72")

INSULATED CROWBARS

- Standard chisel end for general prying and breaking of heavy objects
- · Bent chisel end for heavy levering tasks
 - Pointed ends for breaking up stone and concrete
- Heat treated and hardened ends for maximum strength, quality and long life Strong yet
- lightweight fibreglass shaft has excellent insulating properties

Handle Type: Insulated Blade Width: 43mm (15/8") Overall Length: 1840mm (72")

Handle Type: Insulated

Blade Width: 43mm (15/8") Overall Length: 1840mm (72")

Handle Type: Insulated Blade Width: 43mm (15/8") Overall Length: 1840mm (72")

double pipe shovel holer breaker

DSH/INS



Handle Type: Insulated Handles: 32mm (11/4") Dia Blade Length: 355mm (14") Max Open Width: 370mm (141/2") Overall Length: 1710mm (671/4")

Weight: 7.7kgs

PBRKR/INS



Handle Type: Insulated Head Size: 91mm (31/2") to 61mm (23/8") x 355mm (14") Overall Length: 1305mm (51") Weight: 9.5kgs

10lb rammer

RAM10LB/INS



Handle Type: Insulated Head Size: 130mm (5") x Overall Length: 1235mm (481/2") Weight: 10lb

INSULATED PIPE BREAKER

 For breaking up cast iron pipes Strong yet lightweight

fibrealass shaft has

- excellent insulating properties Non-slip rubber

end cap

INSULATED RAMMER

- For tamping flat areas when working near live cables, e.g. when preparing road surfaces
- Strong yet lightweight fibreglass shaft has excellent insulating properties
 - Non-slip rubber end cap

CONTRACTORS TOOLS Insulated range

21/2lb club hammer MCH40FG/INS

4lb club hammer MCH64FG/INS



DSH160FG/INS

10lb

7lb

DSH112FG/INS











Handle Type: Insulated Head Size: 90mm (31/2") x 48mm (13/4") Overall Length: 250mm (10")

- Pinned shaft prevents the grip slipping during use
- Strong Polyfibre shaft has excellent insulating and shock properties

Handle Type: Insulated Head Size: 106mm (4") x 52mm (2") Overall Length: 250mm (10")

- Pinned shaft prevents the grip slipping during use
- Strong Polyfibre shaft has excellent insulating and shock properties

Handle Type: Insulated Head Size: 193mm (71/2") x 68mm (25/8") Overall Length: 850mm (33")

- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties

Handle Type: Insulated Head Size: 178mm (7") x 64mm (21/2") Overall Length: 850mm (33")

- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties

Handle Type: Insulated Head Size: 158mm (6") x 54mm (2") Overall Length: 850mm (33")

- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties

7lb pick chisel & point

5000/INS



5020/INS





Handle Type: Insulated Head Size: 158mm (6") x 54mm (2") Overall Length: 910mm (36")

- Integrated hand stop to help prevent the hand slipping onto the metal head
- Strong Polyfibre shaft has excellent insulating and shock properties



Handle Type: Insulated Overall Length: 910mm (36")



CONTRACTORS TOOLS

asphalt rake



- Specially designed for raking and topping tarmac and asphalt
- Tubular steel & wooden handled options available
- Flat & round teeth options available

asphalt rake

3886BC



Handle Type: Tubular Head Size: 90mm (3½") x 380mm (15") Handle Length: 1750mm (69") No of Teeth: 16 Flat tarmac rake

3887AE





Handle Type: Wood Head Size: 90mm (3½") x 380mm (15") Handle Length: 1750mm (69") No of Teeth: 16 Round

Handle Type: *Tubular* Head Size: 90mm (3½") x 380mm (15") Handle Length: 1750mm (69") No of Teeth: 16 Round

Handle Type: Wood Head Size: 90mm (31/2") x 380mm (15") Handle Length: 1750mm (69") No of Teeth: 16 Flat

101ь square tamper

5005AX



Weight: 4.5kg (10lbs) Handle Length: 1345mm (53") Head Size: 125mm (5") square

- Drop forged steel head
- Tubular steel handle • Non-slip rubber grip

2216 asphalt tamper

5006AX



Weight: 10.2kg (22lbs) Handle Length: 1380mm Head Size: 310mm (12") x 125mm (5")

- Drop forged steel head
- Tubular steel handle
- Non-slip rubber grip



CONTRACTORS & LANDSCAPING TOOL

floor scraper

* 3421AW -Spare blade only

Handle Type: Tubular Blade Size: 75mm (3") x 205mm (8") Handle Length: 1220mm (48") heavy duty scraper 7"

3422HD7



Handle Type: Wood Blade Size: 175mm (7") x 360mm (14") Overall Length: 1620mm (63")

heavy duty scraper 4"

3422HD4



Handle Type: Wood Blade Size: 100mm (4") x 360mm (14") Handle Length: 1620mm (63")

24oz rubber rubber mallet

MALLET24



maul

RMAUL

RMAUL-HD (head only) RMAUL-HANDLE

Handle Length: 275mm (103/4") Handle Length: 1066mm (42") Head Size: 110mm (41/4") x 63mm (2½")

- High grade rubber head Handle & head available
- separately

fencing

bar

FB72

Head Size: 329mm (13") x 129mm (5")

- High grade rubber head
- Extra long handle
- Handle & head available separately

grubbing mattock

5002AE



5000BT



5020AP



- Heat treated carbon steel
- For use with 5020AP or

navvy pick hardwood chisel & point pick handle



Diameter: 25mm (1") Length: 1830mm (72") Blade Width: 65mm (21/2")

chisel & point crowbar

CBCP1125 (11/8") CBCP114 (11/4")



Length: 1540mm (60") Bar Width: 28mm (11/8") Chisel Width: 28mm (11/8") & 31mm (11/4")

 Hardened and tempered to BS standards

Weight: 2.3kg (5lbs)

- Heat treated carbon steel
- For use with 5020AP or
- Ideal for breaking up heavy ground

Weight: 3.2kg (7lbs)

5020/ins

Length: 910mm (36")

 Hardwood for use with 5000BT and 5002AE

CONTRACTORS & LANDSCAPING TOOL

post hole digger

PHD-WH (wood)



Handle Length: 1219mm (48") Head Length: 245mm (9½") Blade Size: 230mm (9") x 120mm (4")

Max open width: 140mm (51/2")

- Hardened steel blades
- Wooden handle

post hole digger

EPHD (ergo)



Handle Length: 1725mm (68") Blade Size: 230mm (9") Max open width: 128mm (5")

- Long, non slip handle grips
- Tough tubular metal handles
- Ergonomic action

double shovel holer

DSH/WH (wood)



Handle Length: 1690mm (66") Blade Size: 355mm (14") x 220mm (8½") Max open width: 280mm (11")

- Hardened and tempered carbon steel blades
- Ash handle

double shovel holer



Handle Length: 1725mm (68") Blade Size: 355mm (14") x 220mm (81/2") Max open width: 280mm (11")

- Hardened and tempered carbon steel blades
- Tubular steel handles



cable grafter

FG-HD54



Handle Length: 1380mm (54") Blade Size: 276mm (11") x 119mm (4^{3/4}")

- Hardened and tempered carbon steel blades
- Tubular steel handle

101b square rammer

5004AX



Weight: 4.5kg (10lbs) Handle Length: 1372mm (54") Head Size: 125mm (5") square

- Forged steel head
- Ash handle



CONTRACTORS & LANDSCAPING TOOLS

heavy duty lawn rake

3872HD - 487 3872HDLH - 54"



- Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the likelihood of them becoming detached during use
- Weatherproofed hardwood shaft for greater durability
- Available in two handle sizes 48" & 54"

post hole auger

PHAUG



Weight: 4kg (8.5lbs) Length: 1105mm (431/2") Depth: 230mm (9") Width: 155mm (6")

- Hardwood 'T' handle
- Steel shaft & corkscrew blade
- Hardened tip

post rammer

PHR5



- Solid metal end cap
- 530mm (207/8") long steel handles

CONTRACTORS & LANDSCAPING TOOLS

A specially designed tool for cutting and paring off turf

 Solid forged carbon steel head and socket, heat treated and tempered to give quality, performance

and long life

extra strength

MYD handle

· Lipped socket, riveted for

 Hammer finish, epoxy coated head for improved resistance to rust, scratches and humility
 Weatherproofed hardwood shaft for greater durability

others

turfing iron

3825NE





Handle Type: MYD Blade Size: 280mm (11") x 220mm (81/2") Overall Length: 1270mm (50") self cleaning rake (32 teeth)

SFC32-HD (Head only)

self cleaning rake (48 teeth)

SFC48 SFC48-HD (Head only)



Handle Type: Wood Head Width: 647mm (25½") Handle Length: 1610mm (63½") No of Teeth: 32 Handle Type: Wood Head Width: 966mm (38") Handle Length: 1610mm (63½") No of Teeth: 48

agricultural rake

8209FG



Handle Type: Aluminium Head Size: 700mm (27½") Overall Length: 1555mm (61") Tooth Length: 87mm (3%") No of Teeth: 18

landscaping rake

8208ST



Handle Type: Wood Head Size: 630mm (241/2") Overall Length: 155mm (61") Tooth Length: 118mm (45%") No of Teeth: 18

alloy rake

8206AH



Handle Type: Wood Head Size: 700mm (27½") Handle Length: 1778mm (70") Tooth Length: 85mm (3¾") No of Teeth: 18



 Ideal for levelling surfaces and sand bunkers



MISC SHOVELS Show & micro shovels

snow shovel



Overall Length: 1295mm (51") Blade Width: 460mm (18")

- Non slip PVC dip sleeve
- Aluminium edge stripLarge plastic hilt ideal for
- gloved hands
 Strong but light tubular aluminium handle
- Hard wearing plastic blades

snow shovel telescopic





Overall Length Open: 1220mm (48") Overall Length Closed: 910mm (36") Blade Width: 310mm (12")

- Large plastic hilt ideal for gloved hands
- Strong but light tubular aluminium handle
- Hard wearing plastic blades



OPEN

micro shovel square

MICROSQUARE



Overall Length: 710mm (28") Blade Size: 210mm (81/4") x 160mm (61/4")

- High quality carbon steel head for longer life
- Clear polyester powder coat varnish helps protect against rusting
 • Treaded blades
- Tough fibreglass shaft Soft feel ergonomic hilt

micro shovel round

MICROROUND



Overall Length: 695mm (271/2") Blade Size: 210mm (81/4") x 150mm (6")

- High quality carbon steel head for longer life
- Clear polyester powder coat varnish helps protect against rusting
- Treaded blades
- Tough fibreglass shaft Soft feel ergonomic hilt







PRODUCT GUIDE 2012/13





RAZORSHARP
TRADITIONAL
NEVERBEND
ELEMENTS
SELECT
E-SERIES
LITEWORK
GIFT SETS
GARDEN TIDY
RAINFOREST
BRASS
LANDSCAPING
AGRICULTURAL
PLANTATION



SPEAR & JACKSON

RAZORSHARP range

The new Spear & Jackson Razorsharp® cutting tool range introduces a number of innovative new products designed to complement our existing lines, resulting in a totally comprehensive range of cutting tools with a logical price and quality hierarchy.

Range Hierarchy

ADVANCE

Innovation in technology has improved almost every aspect of our daily life. Now, the Razorsharp® Advance collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials to make gardening so much easier and enjoyable.

ADVANTAGE

The Razorsharp® Advantage collection features the finest precision-cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful performance.

STEEL

A super tough range - the Razorsharp® Steel collection is designed to meet the most demanding standards, with tubular steel handles for extra strength and durability.

ACTIVE

Our Razorsharp® Active collection combines quality with excellent value for money to appeal to the next generation of gardeners.

To maximise the impact and appeal of the new ranges, we have also introduced new, eye-catching product livery and packaging designed to enable the consumer to make the right choice of product. The result, we believe, is the best cutting tool range currently available on the market.



RAZORSHARP - Advance

Innovation in technology has improved almost every aspect of our daily life. Now, the Razorsharp® Advance collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials to make gardening so much easier and enjoyable.

heavy duty



- SK5 blades
- Forged aluminium handle
- · Sap groove & riveted lower blade
- Notched blade for thicker stems

ergo twist bypass

6259BS



(5/8")

Auto-rotating lower handle helps

· Stepped locking catch for either

PTFE coated for smooth cutting

Lightweight cast aluminium body

wide or narrow cutting width

minimise strain and fatigue

SK5 blades

premium bypass



- SK5 blades
- Ergonomic lightweight aluminium
- · Adjustable hand-opening for individual user comfort
- PTFE coated for smooth cutting and rust resistance

geared ānvil

6758GS



- Geared action for easier cutting
- SK5 steel blade for lasting sharpness
- Lightweight cast aluminium body
- PTFE coated for smooth cutting and rust resistance
- Comfort arip
- Ambidextrous locking catch

- construction
- Rubber shock absorber

ratchet anvil



- Ratchet action means easy
- pruning in 4 short stepsHigh carbon steel blade, PTFE coated for smooth cutting
- Lightweight cast aluminium body
- Metal locking catch



ratchet twist anvil



- Ratchet action means easy pruning in 4 short steps
- Auto-rotating lower handle helps minimise strain and fatigue
- High carbon steel blade, PTFE coated for smooth cutting
- Lightweight cast aluminium body





PTFE coated blades for easier cutting



Ratchet action means easy pruning in 4 easy steps

Loop handle for protection of fingers during use



snips

anvil secateurs



Snips long blades make cutting delicate flowers and fruits easy

(3/8")

- PTFE coated blade for smooth
- Easy, ambidextrous locking catchSoft feel grips
- Ergonomic blade leverage provides more cutting with less effort

Anvil action minimises stem twisting on woody branches

- PTFE coated blade for smooth
- Easy, ambidextrous locking catchSoft feel grips
- Ergonomic blade leverage provides more cutting with less effort



bypass secateurs







Bypass action minimises stem bruising on green stems

- PTFE coated blade for smooth
- Easy, ambidextrous locking catch
- Soft feel grips
- Ergonomic blade leverage provides more cutting with less effort

Flower snips are ideal for dead heading flowers and shrubs

- PTFE coated blade for smooth
- Easy, ambidextrous locking catch
- Soft feel grips
- Ergonomic blade leverage provides more cutting with less effort

RAZORSHARP - Advantage secateurs



The Razorsharp® Advantage collection features the finest precision cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful performance.

small bypass



- Small handle suitable for smaller hands
- SK5 carbon steel blades
- Bi-material non-slip comfort grips
- PTFE coated blades for rust resistance and smooth cutting
- Drop nose blades for easier pruning
- Contoured ergonomic handles
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher

medium bypass



- Medium sized handle
- SK5 carbon steel blades
- Bi-material non-slip comfort grips
- PTFE coated blades for rust
- resistance and smooth cutting Drop nose blades for easier pruning
- Contoured ergonomic handles
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher
- Also available as part of a twin pack - 6070TP

large bypass



- Large handle suitable for larger hands
- SK5 carbon steel blades
- Bi-material non-slip comfort grips
- PTFE coated blades for rust resistance and smooth cutting
- Drop nose blades for easier pruning
- Contoured ergonomic handles
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher

medium anvil



- Medium sized handle
- SK5 carbon steel blades
- Bi-material non-slip comfort grips
- PTFE coated blades for rust resistance and smooth cutting
- Drop nose blades for easier pruning
- Contoured ergonomic handles
- Ambidextrous locking catch
- Sap groove in blade
- Shock absorber
- Stem crusher
- Also available as part of a twin pack - 6070TP

adjustable anvil



75mm

114mm

(41/2")

adjustable bypass



75mm (3")

- Two adjustable widths
- Smaller handle width ideal for ladies
- SK5 carbon steel blades
- PTFE coated blades for rust resistance and smooth cutting
- Ergonomic soft-grip handles



- Two adjustable widths
- Smaller handle width ideal for ladies
- SK5 carbon steel blades
- PTFE coated blades for rust resistance and smooth cutting
- Ergonomic soft-grip handles

anvil secateurs



bypass secateurs





Anvil action minimises stem twisting on woody branches

- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated upper blade for rust resistance · Hard chromed lower blade for
- rust resistance Ergonomic handles with soft feel
- grip for increased comfort Ambidextrous locking catch

Bypass action minimises stem bruising on green stems

- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated upper blade for rust resistance
- Hard chromed lower blade for rust resistance
- Ergonomic handles with soft feel grip for increased comfort
- Ambidextrous locking catch

RAZORSHARP - Active secateurs





Our Razorsharp® Active collection combines quality with excellent value for money to appeal to the next generation of gardeners.

medium

anvil

medium bypass 5959RSA

5958RSA

15mm
(5/8")



Bypass action minimises stem bruising on green stems

- Extra large safety thumb catchHardened carbon steel blade for
- Hardened carbon steel blade for a positive cutting action
- PTFE coated blade for rust resistance and smooth cutting
- Contoured ergonomic handles

Anvil action minimises stem twisting on woody branches

- Extra large safety thumb catch
- Hardened carbon steel blade for a positive cutting action
- PTFE coated blade for rust resistance and smooth cutting
- Contoured ergonomic handles

Bypass action minimises stem bruising on green stems

- Extra large safety thumb catch
- Hardened carbon steel blade for a positive cutting action
- PTFE coated blade for rust resistance and smooth cutting
- Contoured ergonomic handles

RAZORSHARP - Advance advance

10 YEAR GUARANTEE

advance wishbone hand shears

With these ergonomic 'wishbone' shears, trimming shrubs and bushes will become a lot easier, giving you a precise, clean cut every time. Featuring shock absorbing bumpers, adjustable tensioning nut, ergonomic grips and a notched blade for cutting thicker stems.

Adjustable tensioning

Blade length 230mm (9")

Handle 290mm

(111/2")

Ergonomically designed wishbone shaped, plastic handles

Ergonomic soft-grip handles for comfort

during use

Shock

absorbers

Chrome plated C50 carbon steel blade for strength and durability

RAZORSHARP - Advance Shears





- Innovative ergonomic design
 Ergonomically designed long handles for comfortable use
- Reduces required arm movement by 50%
- 8"/200mm PTFE coated blades for rust resistance
- High performance carbon steel cutting edge



Encourages the user to adopt a more upright stance, resulting in reduced back strain













- C50 carbon steel blades rotate 180° so can operate as both lawn shears or edging shears
- Adjustable head angle can also operate as straight, long reach shears
- Extendable hand grip
 Adjustable setting of blade angle and head angle allows user to achieve neater, tidier cutting and edge finishing





advance hand shears

length 200mm



- PTFE coated upper blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort

advance geared shears



8260RS

advance

single handed

grass shears



- · Geared action for easier cutting
- SK5 steel blade for lasting sharpness
- PTFE coated upper blade for smoother cutting
- Lightweight but strong nylon / fibreglass handles
- Non slip grips

- · Carbon steel blades for lasting sharpness
- Coated blades for rust resistance and smooth cutting
- 360° rotating head allows you to
- cut at any angle

 Adjustable height feature for when cutting parallel to ground
- Single handle operation

RAZORSHARP - Advantage

lawn shears



 C50 carbon steel blades, hardened and tempered for durability

230mm (9")

- PTFE coated blades for rust resistance and smooth cutting
- Longer handles to enable a more comfortable, upright position
- Non-slip comfort grips

edging shears

4870RS



- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blades for rust resistance and smooth cutting
- Longer handles to enable a more comfortable, upright position
- Non-slip comfort grips



hedge shears

8110RS Blade length 230mm (9") Handle 305mm (12")

- Chrome plated blades for rust
- Notched for cutting thicker stems
- Shock absorber
- Soft-feel grips

The Razorsharp® Advantage collection features the finest precision cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful performance.

telescopic shears



- Adjustable blade tension nut
- Lightweight aluminium
- telescopic handles
- Twist and lock mechanism
- Shock absorber
- Soft-feel grips

long reach shears

8240RS/11 Blade length 200mm (8") Handle 415mm (16")

- S50C carbon steel blades for lasting sharpness
- Light, but strong, tubular aluminium handles
- Shock absorbers
- Soft feel, non slip grips for comfort

wooden handle



- Notched for cutting thicker stems
- Chrome plated for rust resistance
 Ergonomically designed wishbone shaped, weatherproofed hardwood handles

topiary shears



- High carbon steel blades
- Soft-feel handles for extra
- comfort
- Safety lock catch

single-handed grass shears



- Cuts at any angle
- Twist to required position
- Bi-material non-slip comfort grips
- Single handed operation
- PTFE coated blades for rust resistance and smooth cutting

RAZORSHARP - Steel

lawn shears



• Tubular steel handles for

Blade length 230mm (9")

- maximum strength
 Hollow ground C50 carbon steel blades for lasting sharpness
- Soft-feel grips
- Polished and lacquered blades for rust resistance

edging shears

4900RSS








- Tubular steel handles for
- maximum strength
 Hollow ground C50 carbon steel blades for lasting sharpness
- Soft-feel grips
- Polished and lacquered blades for rust resistance



telescopic shears



- Telescopic tubular steel handles for maximum strength

 • Blade notched for cutting thicker
- stems
- C50 carbon steel blades for lasting sharpness
- Polished and lacquered blades for rust resistance
- Soft-feel grips

A super tough range the Razorsharp® Steel collection is designed to meet the most demanding standards, with tubular steel handles for extra strength and durability.

wood handle shears



- Blade notched for cutting thicker
- Hollow ground C50 carbon steel blades for lasting sharpness
- Solid hardwood handles
- Chrome plated blades for rust resistance

Active shears

soft-grip hand shears

4862RSA

- Hardened carbon steel blades, chrome plated for rust resistance
- Notched for cutting thicker stems
- Tubular steel handles, vinyl coated for rust resistance
- Non-slip grips







RAZORSHARP - Advance

28" geared bypass lopper 8210RS/11 Total Length 715mm (28")

Innovation in technology has improved almost every aspect of our daily lives. The Razorsharp® Advance collection incorporates innovations such as geared and ratchet mechanisms, ergonomic design and new materials, to make gardening so much easier and enjoyable.

Geared action adds extra power for effortless cutting

Ratchet action gives easy cutting in short steps - ideal for cutting thicker, harder branches



- S50C carbon steel blades for lasting sharpness
- PTFE coated upper blade for rust resistance
- Light, but strong, tubular aluminium handlesSoft feel, non slip grips for comfort



Bypass action minimises stem bruising on green stems

Anvil action minimises stem twisting on woody branches





28" geared anvil lopper 171/2"geared mini bypass lopper 8270RS 8230RS/11



- S50C carbon steel blades for lasting sharpness
- PTFE coated upper blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort
- S50C carbon steel blades for lasting sharpness
- PTFE coated upper blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort

201/2" geared anvil loppers

8275RS 40mm (1%6") Total length 515mm (201/2")

- Lightweight but strong nylon / fibreglass handles

 • PTFE coated upper blade for
- smoother cutting
- SK5 steel blade for lasting sharpness
- Non slip grips

21" geared bypass loppers



- Lightweight but strong nylon / fibreglass handles
- PTFE coated upper blade for smoother cutting
- Hard chromed lower blade for rust resistance
- SK5 steel blade for lasting sharpness
- Non slip grips

heavy duty telescopic ratchet anvil lopper



- Ratchet action gives easy cutting in short steps ideal for cutting thicker, harder branches
- SK5 carbon steel upper blade for lasting
- PTFE coated blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort
- Locking catch for safe storage

advanced anvil 26"



 PTFE coated anvil for rust resistance and smooth cutting

- Non-slip comfort grips
- Lightweight aluminium handles
- Serrated anvil for extra grip when cutting, minimising twisting action

Advanced heavy duty anvil lopping jaw action offers more power with less effort.




26" bypass with 2R blade



- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated blade for rust resistance
- Light, but strong, tubular aluminium handles
- Soft feel, non slip grips for comfort
- 2R double radious blade which allows a more ergonomic cutting action

RAZORSHARP - Advance

telescopio tree pruner & saw blade



long reach cutter



- · Adjustable head allows different cutting angles
- High carbon SK5 steel upper bladeNon stick PTFE coated blade
- Lightweight but strong aluminium handle
- Dual action handle
- Soft feel grip
- Blade locking device for safe storage

length 1810mm (711/2")

Overall

RAZORSHARP - Advantage loppers

Saw Blade

330mm (13")

> Extends up to . 2340mm (92")

telescopic tree pruner

• SK5 carbon steel upper blade for

blade for cutting larger branches

Interchangeable head system

• Extends up to 2480mm (97")

lasting sharpness
• PTFE coated blade for rust resistance

• 14" (350mm) Triple ground hooked saw




- SK5 carbon steel upper blade stays sharp
- for longer

 Variable length telescopic handle extends up to 2340mm (92")
- · Lopper for cutting branches up to 30mm
- 33cm (13") saw for cutting larger branches

long reach cutter

- Blade locking device for safe storage




22" bypass lopper



- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

22" anvil lopper



- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

The Razorsharp® Advantage collection features the finest precision cutting range of tools and is the obvious choice for gardeners who demand and expect precise, powerful performance.





Bypass action minimises stem bruising on green stems



Anvil action minimises stem twisting on woody branches



27" bypass lopper



- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

27" anvil lopper



- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

RAZORSHARP - Advantage



telescopic bypass



- Twist and lock extendable mechanism
- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

telescopic anvil



- Twist and lock extendable mechanism
- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles





telescopic ratchet bypass



- Twist and lock extendable mechanism
- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

telescopic ratchet anvil



- Twist and lock extendable mechanism
- C50 carbon steel blades, hardened and tempered for durability
- PTFE coated blade for rust resistance and smooth cutting
- Non-slip comfort grips
- Lightweight aluminium handles

RAZORSHARP - Steel

telescopic bypass



- Polished and lacquered blades for rust resistance and smooth cutting
- Tubular steel handles for maximum strength
- PVC coated for rust resistance and durability
- Twist and lock telescopic mechanism
- Soft-feel grips

telescopic anvil



- Polished and lacquered blades for rust resistance and smooth
- Tubular steel handles for maximum strength
- PVC coated for rust resistance and durability
- Twist and lock telescopic mechanism
- Soft-feel grips

A super tough range - the Razorsharp® Steel collection is designed to meet the most demanding standards, with tubular steel handles for extra strength and durability.



Active loppers



Our Razorsharp® Active collection combines quality with excellent value for money to appeal to the next generation of gardeners.





- Hardened carbon steel blades
- PTFE coated blade for rust resistance and smooth
- cutting

 Tubular steel handles, vinyl coated for rust resistance
- Soft-feel grips
- Shock absorber



- Hardened carbon steel blades
- PTFE coated blade for rust resistance and smooth
- cutting

 Tubular steel handles, vinyl coated for rust resistance
- Soft-feel grips
- Shock absorber

RAZORSHARP - other cutting garden saws

fixed blade pruning saw



- 12¾" (325mm) high carbon steel blades, chrome plated for rust resistance
- Aggressive 6ppi tooth form for fast, smooth cutting performance
- Easy blade change system
- Soft feel ergonomic handle with blade lock

large folding pruning saw



- 12" (305mm) SK5 carbon steel blade for lasting sharpness
 Ultra sharp 7ppi precision ground
- Ultra sharp /ppi precision ground teeth
- Chrome plated blade for rust resistance
- Blade locks in open and closed position

retractable pruning saw



small folding pruning saw



- 6" (150mm) carbon steel blade
- 6ppi teeth are hardened and tempered for strength and durability
- Retractable blade can be stored safely inside handle when not in use
- Handy belt clip

- 7" (178mm) carbon steel blade
- Hollow ground blade for enhanced cutting performance
- Ultra sharp 7ppi precision ground teeth
- Folds for storage and blade protection
- Blade locks in open and closed position

bowsaw 21"

3621K

bowsaw 24"

3624Z



- Hardpoint blade which stays sharp up to 5 times longer than untreated blades
- Teeth designed for fast and free cutting on forward and backward strokes
- Lever tension device for simple blade changing
- 3ppi

Spare Blade: 3921W

garden saw

4943BE/12

the garden

7ppi

45/90° angle guide

A compact aggressive very fast cutting saw ideal for cutting green (wet) wood and a variety of garden cutting tasks



For a variety of cutting applications within

Comfortable handle - Suregrip® soft feel

ergonomic grip and finger guide for

accuracy, also incorporating a useful

- Hardpoint blade which stays sharp up to 5 times longer
- than untreated blades
 Teeth designed for fast and free cutting on forward and backward strokes
- Lever tension device for simple blade changing
- aas

Spare Blade: 3924C

RAZORSHARP - other cutting pruning & cutting

mini pruner set



- Carbon steel blade
- PTFE coated blade for rust resistance and smooth cutting
- Soft-grip handles
- Straight blade pruner for general pruning

multi-tool



- · Stainless steel blades for rust resistance Non-slip comfort grip
- Compact folding tool for a variety of gardening tasks
- Includes: Bypass secateurs, mini saw, 2 pruning knives, bottle opener and corkscrew

easy reach pruner





- Rotating body and cutting head
- Durable carbon steel bypass action blades for a clean cut on green stems up to 7.5mm thick Lightweight long handle design
- allows light pruning in awkward areas
- PTFE coated cutting blade for an easier, smooth cut
- Cut and hold mechanism for fruit / flowers

large garden knife



- Stainless steel blade with comfortable lightweight handle
- · Ideal for taking cuttings and general pruning tasks

 Chromed for rust resistance

floral clip with locking catch



- Stainless steel blades for rust resistance
- Locking catch for safer storage
- Ideal for cutting flowers or pruning small plants

all-purpose scissors



- Stainless steel blades for rust resistance
- · Ergonomic soft feel handles for comfort
- Locking catch for safer storage
- Suitable for both indoor and outdoor use

soft-feel scissors



- Durable carbon steel blades with
- chrome finish for lasting sharpness Ergonomic handles with soft non-slip grip
- Shock absorbing stopper for more comfortable pruning
- Durable and lightweight handle
- · Right or left handed use
- Suitable for green stems, indoors or outdoors

blade sharpener



- Durable tungsten carbide sharpening blade
- Removable oil-soaked sponge for extra rust protection
- Durable lightweight body with non-slip grip
- Finger guard safeguards fingers from harm when sharpening

6 in 1 blade sharpener



- 4 sharpening options to cover a wide range of different blade
- Cleaning sponge and lubricating/ anti-corrosion oil stored inside handle
- Soft-feel non-slip grip
- Built-in hand guard

patio knife 4153PK



- Stainless steel blade for rust resistance
- 2 cutting edges for hard to reach places
- Ergonomic soft-grip handle

patio knife long handled

5153PK Extends to 1220mm (40")

- Stainless steel blade for rust resistance
- Double riveted blade for extra strength
- Telescopic handle
- Non slip grip for easier use
- Hanging hook for easier storage

Blade

140mm (51/2")

RAZORSHARP - other cutting

axes



1.5lb hatchet

3715AB

2.5lb axe

3725CD

4.5lb axe

3745EF

Each axe

- is manufactured to the internationally recognised DIN standard
- has a drop forged carbon steel head, hardened and tempered for durability
- has a quality hickory shaft for strength
- has a blade guard for added safety when not in use











RAZORSHARP - other cutting paul & wood splitter




6.5lb log splitting maul 3765LM



wood splitter

SPLITTER





- All metal construction
- Angled contour to maximise the 4 way grain splitting action

other cutting scythetes

scythete



- 12" (305mm) blade
- Black replaceable bladeTubular steel handle
- PVC grip

Spare Blade: 4732SY

• 12" (305mm)

little giant grass hook



- 12" (305mm) blade
- Black, replaceable blade
 Weatherproofed hardwood
- Cranked hilt for ease of use

Spare Blade: 4732SY


• 12" (305mm)

brush hook

4770BH

Ideal for cutting through rough grass and weeds






TRADITIONAL STAINLESS







Tiny Traditions see page 90



digging spade



digging fork



oorder spade



border fork



Product Code: 4450DS

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

Product Code: 4550DF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

Product Code: 4454BS

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

Product Code: 4552BF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

dutch hoe



angled hoe







Product Code: 4581DH

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

Product Code: 4860SW

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

Product Code: 4850SR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

Product Code: 4812FR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

edging knife

Product Code: 4811EK

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

Product Code: 4856PC

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- Instant results without having to use harmful chemicals

* This product is not covered by the 10 year guarantee



TRADITIONAL STAINLESS







Product Code: 5030TR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

51/2" handle

Product Code: 5040WF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 5080TT

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 5060SS

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood
- handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap



Product Code: 5010TR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

2" handle

Product Code: 5110WF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap



Product Code: 5210PC

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
 • Weatherproofed hardwood
- handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 5070DG

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
 • Weatherproofed hardwood
- handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 5310TR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

Product Code: 5510WF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability



Product Code: 50500H

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap

Product Code: 5610DB

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability
- Leather wrist strap





Available from February 2013

digging spade



digging fork



oorder spade

head & socket up to 20% stronger than Stainess Steel



border for



Product Code: 2450DS

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle
- Treaded for more comfortable digging

Product Code: 2550DF

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

Product Code: 2454BS

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weather proofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle
- Treaded for more comfortable digging

Product Code: 2552BF

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- One-piece hardwood shaft, split to form a wishbone handle

TRADITIONAL Cultivating



angled hoe





Product Code: 2581DH

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 2860SW

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 2850SR

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 2812FR

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability



Product Code: 2811EK

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability



Available from February 2013







Product Code: 2030TR

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches,
- humidity and alkalis in the soil
 Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 2010TR

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches,
- humidity and alkalis in the soil
 Weatherproofed hardwood handle for greater durability

 Tanged for knuckle clearance
- Leather wrist strap

Product Code: 2310TR

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability



- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance

Leather wrist strap

Product Code: 2040WF

Product Code: 2110WF

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap



Product Code: 2510WF

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability

Available from February 2013

TRADITIONAL TOOLS







Product Code: 2080TT

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap

Product Code: 2060SS

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance
- Leather wrist strap

Product Code: 2070DG

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability



Product Code: 2210PC

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Leather wrist strap



Product Code: 20500H

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Leather wrist strap





Product Code: 2610DB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Leather wrist strap

TRADITIONAL shears & traditions



Product Code: 7945HS

- Weatherproofed hardwood handles
- for greater durability

 Durable hardened carbon steel blades

grass shear single handed



Product Code: 7946SH

- Weatherproofed hardwood handles
- for greater durability
 Durable hardened carbon steel blades

trowel & weed fork set



Product Code: 4035SET

- Mirror polished stainless steel heads for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Leather wrist strap

children's spade stainless steel



children's fork stainless steel







- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability
- Ōne-piece hardwood shaft, split to form a wishbone handle

Product Code: 4250CF

- · Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

 One-piece hardwood shaft, split to
- form a wishbone handle









ligging spade



digging fork







Product Code: 1180NB

- Solid forged carbon steel head and extra long socket for strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft
- for greater durability
 Supergrip® handle forward tilt gives the ideal digging angle
 Treaded for more comfortable
- digging

Product Code: 1680NB

- Solid forged carbon steel head and extra long socket for strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal digging angle

Product Code: 1184NB

- Solid forged carbon steel head and extra long socket for strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft
- for greater durability
 Supergrip® handle forward tilt gives the ideal digging angle
- Treaded for more comfortable digging

Product Code: 1684NB

- Solid forged carbon steel head and extra long socket for strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft
- for greater durability
 Supergrip® handle forward tilt gives the ideal digging angle

NEVERBEND CARBON CUltivating and lawn care



dutch hoe



draw hoe





Product Code: 3818NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, epoxy coated
- Polypropylene T grip

Product Code: 3580NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip

Product Code: 3588NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip

Product Code: 2581NB

- Square, open socket shovel
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Supergrip® handle forward tilt gives the ideal wrist angle

root breaker

Product Code: 2422NB

- 100mm (4") wide, heavy duty forged carbon steel
- Tubular steel shaft
- Tilted ergonomic hilt for easier use

A tough tool to tackle tough root problems





NEVERBEND

adjustable lawn rake



Product Code: 3882NB

- Fully adjustable 15 steel tined rake head
- Adjusts from 7" to 24" span to suit all raking applications
- Lightweight aluminium shaft
- PVC grip



Product Code: 3881NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip
- 20 spring steel tines

soil rake

Product Code: 3880NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip

Product Code: 3884NB

- Lightweight plastic head
- Tubular aluminium shaft, epoxy coated
- Long, soft-feel grip24" head, 24 plastic tines



Product Code: 3884WNB

- · Lightweight plastic head
- Hardwood shaft
- 24" head, 24 plastic tines



Product Code: 3883NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Extra long, weatherproofed hardwood shaft for greater durability
- 3 prongs

NEVERBEND hand tools

hand trowel



weed fork



transplanting trowel



Product Code: 4090NB

- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance

Product Code: 4094NB

- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance

Product Code: 4092NB

- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability
- Tanged for knuckle clearance

daisy grubber



Product Code: 4096NB

- Carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handle for greater durability







digging spade



digging fork



border spade







Product Code: 1160SP/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for added strength
- Weatherproofed hardwood shaft for greater durability
 Supergrip® handle - forward tilt
- Supergrip® handle forward ti gives the ideal digging angle

Product Code: 1560SF/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for added strength
- Weatherproofed hardwood shaft for greater durability
- for greater durability
 Supergrip® handle forward tilt gives the ideal digging angle

Product Code: 1161BS/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for added strength
- Weatherproofed hardwood shaft for greater durability
 Supergrip® handle - forward tilt
- Supergrip® handle forward till gives the ideal digging angle

Product Code: 1561BF/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Extra long socket for added strength
- Weatherproofed hardwood shaft for greater durability
 Supergrip® handle - forward tilt
- Supergrip® handle forward tilt gives the ideal digging angle

NEVERBEND STAINLESS Cultivating, lawn care & hand tools









Product Code: 3981EK/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood shaft for greater durability

 • Supergrip® handle - forward tilt
- gives the ideal edging angle

Product Code: 3983DH/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability

Product Code: 3980SR/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability
- 12 teeth

Product Code: 3982FR/09

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Long weatherproofed hardwood shaft for greater durability
- 16 stainless steel tines



weed fork



transplanting





- Handle length 127mm (5")
- Mirror polished stainless steel Mirror polished stainless steel head for rust resistance and head for rust resistance and minimal soil adhesion
 - Weatherproofed hardwood handle for greater durability

 • Stainless steel ferrule

 - Depth gauge

hand trowe


Product Code: 3010TR/09

- Handle length 127mm (5") Mirror polished stainless steel
- head for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handle for greater durability
- Stainless steel ferrule • Tanged for knuckle clearance

Product Code: 3060WF/09

- Handle length 127mm (5")
- minimal soil adhesion Weatherproofed hardwood
- handle for greater durability Stainless steel ferrule
- Tanged for knuckle clearance







Product Code: 1070AK

- MYD handle
- Solid forged carbon steel head and socket
- Long lipped socket, riveted for added strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability.



EVERBEND Dades

Lip socket double riveted for extra strength front and side



PROFESSIONAL

SOLID FORGED

Solid forged carbon steel

head and socket



Product Code: 1071AL

- MYD handle
- · Solid forged carbon steel head and socket
- Long lipped socket, riveted for added strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Treaded for more comfortable digging

Product Code: 1307HDS

- MYD handle
- Oversized solid forged carbon steel head and socket
- Part polished blade
- Weatherproofed hardwood shaft for greater durability

Product Code: 1072AY

- T handle
- · Solid forged carbon steel head and socket
- · Solid neck, three rivets and strapped for extra strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Treaded for more comfortable digging

ating & lawn care

Product Code: 1570AL

EVERBEND

- MYD handle
- Solid forged carbon steel head and socket
- · Long lipped socket, riveted for added strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis
- Weatherproofed hardwood shaft for greater durability



Product Code: 1650SN

- MYD handle
- Solid forged carbon steel head and socket
- Extra wide tines for lifting potatoes Hammer finish epoxy coated head for improved resistance to rust,
- scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability



Product Code: 3805AS

- T handle
- Solid forged carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability





Product Code: 3825NB

- MYD handle
- Solid forged carbon steel head
- Lipped socket, riveted for extra strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

dutch hoe



Product Code: 3540BT

- Long handle
- Carbon steel head and socket
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 3840EY

- Long handle
- Solid forged carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- 12 teeth



Product Code: 3872HD - 48" 3872HDLH - 54"

- Two handle sizes 48" & 54"
- · Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the likelihood of them becoming detached during use
- Weatherproofed hardwood shaft for greater durability



Product Code: 8208ST

- Carbon steel head for strength
- Metal brackets for increased rigidity
- Epoxy painted head for rust resistance
- Weatherproofed wood handle for extended life
- 18 teeth steel







ligging spade



digging fork



oorder spade



border fork



Product Code: 4190NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle
- ideal digging angle
 Polypropylene 'D' handle

Product Code: 4990NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle
- Polypropylene 'D' handle

Product Code: 4194NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle
- Polypropylene 'D' handle

Product Code: 4994NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Integral ergonomic forward tilted handle, for comfortable use at the ideal digging angle
- Polypropylene 'D' handle

ELEMENTS Cultivating

dutch hoe



angled hoe





draw hoe



Product Code: 4135NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip

Product Code: 4160NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weather proofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip

Product Code: 4175NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip

Product Code: 4145NB

- Heat treated (hardened) carbon steel head for strength and durability
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered)
 ash wood shaft for greater durability
- ash wood shaft for greater durability

 Soft-feel handle for comfortable use and extra grip

awn (flexo) rake

Product Code: 4155NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weather proofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip



Product Code: 4184NB

- Tough but flexible plastic rake head with 24 tines
- Weather proofed (clear lacquered) ash wood shaft for greater durability
- Soft-feel handle for comfortable use and extra grip







Product Code: 4164NB

- Heat treated (hardened) carbon
- steel head for strength and durability

 Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in
- Weatherproofed (clear lacquered)
- ash wood shaft for greater durability
 Soft-feel handle for comfortable use and extra grip





Product Code: 4063NB

- Hammer finish epoxy coated carbon steel frame for improved resistance to rust, scratches, humidity and alkalis in the soil
- Reduces compaction and improves soil drainage



Product Code: 4183NB

- Heat treated (hardened) carbon
- steel head for strength and durability
 Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in
- Weatherproofed (clear lacquered) ash wood shaft for greater durability

 • Soft-feel handle for comfortable use
- and extra grip



ELEMENTS hand tools





weed fork

transplanting transplanting



Product Code: 4058NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4053NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4054NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4055NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

trowel long handled



weed fork long handled





- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil.
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- durability

 Soft-feel handle for comfortable use and extra grip

Product Code: 4060NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- durability

 Soft-feel handle for comfortable use and extra grip



SPEAR & JACKSON hand tools











Product Code: 4059NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4057NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4052NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability
- Durable leather strap

Product Code: 4062NB

- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed (clear lacquered) ash wood handle for greater durability



SPEAR & JACKSON grow your own

COLDFRAMES

coldframe 900 x 460 x 450

COLDFRAME1

coldframe 900 x 830 x 590

COLDFRAME2

coldframe 750 x 500 x 1200

COLDFRAME3

- Made from timber, sourced from well managed forests
- Tanalised wood finish for higher degree of weatherproofing
- Durable plastic panes
- Fasteners and assembly instructions included



COLDFRAME1



COLDFRAME2



COLDFRAME3

RAISED BED KITS

raised bed 1200 (L) x 300 (H) mm

RAISEDBED1

raised bed 1250 (L) x 180 (H) mm

RAISEDBED2

- Made from timber, sourced from well managed forests
- Tanalised wood finish for higher degree of weatherproofing
- Fasteners and assembly instructions included







Polypropylene shaft with integral ergonomic forward tilting handle





Mirror polished stainless steel head for rust resistance and minimal soil adhesion

digging spade



digging fork



oorder spade



border fork



Product Code: 1190EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 1990EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 1194EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 1994EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Polypropylene shaft with integral ergonomic forward tilting extra wide handle
- Manufactured to exceed BS3388 British Standard load tests

dutch hoe



- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Lightweight aluminium shaft
- Long, soft-feel grip



soil rake

Product Code: 3145EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
 • Lightweight aluminium shaft
 • Long, soft-feel grip

edging knife

Product Code: 3155EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
 • Lightweight aluminium shaft
 • Long, soft-feel grip

Product Code: 3164EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
 • Treaded blade for comfort
- Lightweight aluminium shaft
 Plastic T handle

hand trowe



weed fork





- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle
- Tanged for knuckle clearance



Product Code: 3058EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle
- Tanged for knuckle clearance

soil scoop



Product Code: 3049EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle

weeder & fulcrum




Product Code: 3048EL

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Bi-material contoured handle
- Fulcrum provides extra leverage when removing deep rooted weeds

bulb planter





- Stainless steel body for rust resistance and minimal soil adhesion
- Spring loaded adjustable handle for faster and easier release of soil





Soft-grip, forward tilt gives the ideal digging angle

Epoxy coated, head for improved resistance to rust, scratches, humidity and alkalis in the soil



Carbon steel head and socket heat treated for strength

digging spade



digging fork







border fork



Product Code: 2190NS

- Carbon steel head and socket heat Carbon steel head and socket heat treated for strength
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Soft-grip forward tilt gives the ideal digging angle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 2990NS

- treated for strength
- Epoxy coated head for improved resistance to rust, scratches,
- humidity and alkalis in the soil
 Soft-grip forward tilt gives the ideal digging angle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 2194NS

- treated for strength
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Soft-grip forward tilt gives the ideal digging angle
- Manufactured to exceed BS3388 British Standard load tests

Product Code: 2994NS

- Carbon steel head and socket heat Carbon steel head and socket heat treated for strength
 - Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
 - Soft-grip forward tilt gives the ideal digging angle
 - Manufactured to exceed BS3388 British Standard load tests

SELECT CARBON CUltivating, lawn care & hand tools







Product Code: 2135NS

- Carbon steel head and socket heat treated for strength
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular steel shaft
- Long soft feel grip

Product Code: 2145NS

- Carbon steel head and socket heat treated for strength
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular steel shaft
- Long soft feel grip
- 12 teeth

Product Code: 2155NS

- Carbon steel head and socket heat treated for strength
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Tubular steel shaft
- · Long soft feel grip
- 16 spring steel tines

edging knife

Product Code: 2164NS

- Carbon steel head and socket heat treated for
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Treaded for more comfortable edging
- Tubular steel shaft


Product Code: 2058NS

- Carbon steel head and tang heat treated for strength
- Tanged for knuckle clearance
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Ergonomic soft-grip handle



Product Code: 2053NS

- Carbon steel head and tang heat treated for strength
- Tanged for knuckle clearance
- Epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Ergonomic soft-grip handle







ideal digging angle





- reduces slippage and unbalancing
- delivers more digging power with less muscle effort and strain

digging spade

digging fork

oorder spade

border fork

Product Code: 7301DS

- Heat treated (hardened) stainless steel head and stirrup for strength and durability
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Tubular stainless steel shaft for rust resistance
- Soft-feel lower shaft for comfortable safe use and extra grip
- Large soft-feel handle for a comfortable two-handed grip when digging in hard ground

Product Code: 7302DF

- Heat treated (hardened) stainless steel head and stirrup for strength and durability
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Tubular stainless steel shaft for rust resistance
- Soft-feel lower shaft for comfortable safe use and extra grip
- Large soft-feel handle for a comfortable two-handed grip when digging in hard ground

Product Code: 7303BS

- Heat treated (hardened) stainless steel head and stirrup for strength and durability
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Tubular stainless steel shaft for rust resistance
- Soft-feel lower shaft for comfortable safe use and extra grip
 Large soft-feel handle for a
- comfortable two-handed grip when digging in hard ground

Product Code: 7304BF

- Heat treated (hardened) stainless steel head and stirrup for strength and durability
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Tubular stainless steel shaft for rust resistance
- Soft-feel lower shaft for comfortable safe use and extra grip
- Large soft-feel handle for a comfortable two-handed grip when digging in hard ground

1C YEAR

E-SERIES border, cultivating & hand tools



dutch hoe

hand trowel

Product Code: 7308EK

- Heat treated (hardened) stainless steel head & stirrup for strength and durability
 Mirror polished stainless steel head for rust
- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Tubular stainless steel shaft for rust resistance
- Soft-feel lower shaft for comfortable safe use and extra grip
- Large soft-feel handle for a comfortable twohanded grip when digging in hard ground

Product Code: 7307DH

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Lightweight aluminium shaft with ergonomic bend
- Soft-feel handle for comfortable use and extra grip

Product Code: 7309HT

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Soft-feel handle for comfortable use and extra grip



Soil rake



Product Code: 7305LR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Lightweight aluminium shaft with ergonomic bend
- Soft-feel handle for comfortable use and extra grip

Product Code: 7306GR

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Lightweight aluminium shaft with ergonomic bend
- Soft-feel handle for comfortable use and extra grip

Product Code: 7310WF

- Mirror polished stainless steel head for rust resistance and minimal soil adhesion
- Soft-feel handle for comfortable use and extra grip





Ergonomic forward tilting handle

for comfortable use at the ideal digging angle



Mirror polished stainless

head for rust resistance and minimal soil adhesion



ligging spade



oorder spade





Product Code: 5190LW

- Up to 25% lighter than our standard patterns
- Complies to BS3388 standard load test
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- · Lightweight but strong aluminium
- Ergonomic tilted head
- Soft feel handle grip for comfort
- · Treaded for more comfortable digging

Product Code: 5990LW

- Up to 25% lighter than our standard patterns
- Complies to BS3388 standard load test
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- · Lightweight but strong aluminium
- Ergonomic tilted head
- Soft feel handle grip for comfort

Product Code: 5194LW

- Up to 25% lighter than our standard patterns
- Complies to BS3388 standard load test
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- · Lightweight but strong aluminium
- Ergonomic tilted head
- Treaded for more comfortable digging

Product Code: 5994LW

- Up to 25% lighter than our standard patterns
- Complies to BS3388 standard load test
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium
- Ergonomic tilted head
- Soft feel handle grip for comfort



dutch hoe



soil rake



flexo rake



Product Code: 5135LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium shaft
- Soft feel handle grip for comfort

Product Code: 5145LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium shaft
- Soft feel handle grip for comfort

Product Code: 5155LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium shaft
- Soft feel handle grip for comfort

Product Code: 5164LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium shaft
- Soft feel handle grip for comfort

weed fork long handled



nand trow









Product Code: 5060LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Lightweight but strong aluminium shaft
- Soft feel handle grip for comfort
- 40" handle

Product Code: 5058LW

- Up to 25% lighter than our standard patterns
- Mirror polished stainless head for rust resistance and minimal soil adhosion.
- Soft feel handle grip for comfort
- Tanged for knuckle clearance

Up to 25% lighter than our standard patterns

Product Code: 5053LW

- Mirror polished stainless head for rust resistance and minimal soil adhesion
- Soft feel handle grip for comfort
- Tanged for knuckle clearance

LITEWORK Cutting

LIGHTWEIGHT TOOLS





Product Code: 4958LW

- Up to 25% lighter than our standard patterns
- SK5 carbon steel upper blade for lasting sharpness
- lasting sharpness
 PTFE coated blade for rust resistance
- Hard chromed lower blade for rust resistance
- Ergonomic, durable plastic handles
- Ambidextrous locking catch



Product Code: 4959LW

- Up to 25% lighter than our standard patterns
- SK5 carbon steel upper blade for lasting sharpness
- PTFE coated blade for rust resistance
- Hard chromed lower blade for rust resistance
- Ergonomic, durable plastic handles
- Ambidextrous locking catch



Product Code: 5458LW

- Up to 25% lighter than our standard patterns
- Carbon steel blade
- PTFE coated blade for rust resistance
- Ergonomic, reinforced handles with soft grip for comfort



Product Code: 5110LW

- Up to 25% lighter than our standard patterns
- 200mm (8") wavy edge carbon steel blade for lasting sharpness
- PTFE coated blade for rust resistance
- Reinforced nylon / fibreglass handles
- Shock absorbers
- Soft feel, non slip grips for comfort

Total Length 560mm (22")

Product Code: 5020LW

- Up to 25% lighter than our standard patterns
- Carbon steel blades for lasting sharpness
- PTFE coated blade for rust resistance
- Reinforced nylon / fibreglass handles
- Shock absorbers
- Soft feel, non slip grips for comfort



Product Code: 5010LW

- Up to 25% lighter than our standard patterns
- Carbon steel blades for lasting sharpness
- PTFE coated blade for rust resistance
- Reinforced nylon / fibreglass handles
- Shock absorbers
- Soft feel, non slip grips for comfort



Product Code: 5025LW

- Up to 50% lighter than our standard patterns
- Carbon steel blades for lasting sharpness
- PTFE coated blade for rust resistance
- Reinforced nylon / fibreglass handles
- Soft feel, non slip grips for comfort

Locking catch for safe storage

Handle Length 900mm (35½") Blade Length 200mm (8")

Product Code: 5870LW

- Up to 25% lighter than our standard patterns
- 200mm (8") wavy edge carbon steel blade for lasting sharpness
 PTFE coated blade for rust
- PTFE coated blade for rust resistance
- Reinforced nylon / fibreglass handles
- Shock absorbers
- Soft feel, non slip grips for comfort



SPEAR & JACKSON

Transplante Contains: Hand ŏ Weed fork



Product Code: TRAD3PS

- Mirror polished stainless heads for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Durable leather wrist straps

Traditional stainless 2pc with gloves and twine

Twine Contains: Hand Trowel ర్థ Gloves Weed fork,

Product Code: TWINESET2

- Mirror polished stainless heads for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handles for greater durability
- Tanged for knuckle clearance
- Stainless steel ferrules
- Hard wearing "Rigger" style garden gloves

 100m of Jute garden twine

Select stainless 3pc





Product Code: SELECT3PS

- Mirror polished stainless heads for rust resistance and minimal soil adhesion
- Ergonomic soft feel handles
- Tanged for knuckle clearance

Select stainless 2pc with gloves and twine

Twine Contains: Hand Trowel ŏ oves <u>5</u> Weed fork,



Product Code: TWINESET3

- Mirror polished stainless heads for rust resistance and minimal soil adhesion
- Ergonomic soft feel handles
- Tanged for knuckle clearance
- Hard wearing "Rigger" style garden gloves
- 100m of Jute garden twine

neverbend stainless 3pc



neverbend carbon 3pc





elements carbon 3pc



Weed fork,

elements



- Mirror polished stainless heads for rust resistance and minimal soil adhesion
- Weatherproofed hardwood handles for greater durability
 Tanged for knuckle clearance
- Stainless steel ferrules

Contains: Hand Trowel, **Transplanter** ğ Weed fork

Product Code: NEVERBEND3PS

- Carbon steel heads for
- Hammer finish epoxy coated heads for improved resistance to rust, scratches, humidity and
- Weatherproofed hardwood handles for greater durability

Product Code: ELEMENTS3PS

- Carbon steel heads for maximised strength
- Hammer finish epoxy coated heads for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handles for greater durability
- Durable leather wrist strap

Product Code: TWINESET4

- Carbon steel heads for maximised strength
- Hammer finish epoxy coated heads for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood handles for greater durability
- Durable leather wrist strap Hard wearing "Rigger" style
- garden gloves
 100m of Jute garden twine

Product Code: 3056GS/10

SPEAR & JACKSON gift sets

secateurs & sharpener set

Contains: Ratchet Secateurs & Blade Sharpener

secateurs set

Contains: Bypass & Anvil Secateurs



secateurs set with gloves

Contains: Adjustable Width Secateurs & Gloves

secateurs & holster set

Contains: Bypass Secateurs & Holster



Product Code: CUTTINGSET1

- High carbon steel blade for lasting sharpness
- Ratchet action secateurs with lightweight cast aluminium body and metal locking catch
- Blade sharpener with 4 sharpening options to cover a wide range of different blade types
- Blade sharpener handle contains cleaning sponge and lubricating / anti corrosion oil
- Soft feel, non slip grips

Product Code: CUTTINGSET2

- SK5 carbon steel upper blades for lasting sharpness
- PTFE coated upper blades for rust resistance
- Hard chromed lower blades for rust resistance
- Ergonomic, soft feel handles for increased comfort
- Ambidextrous locking catch

Product Code: CUTTINGSET3

- SK5 carbon steel upper blades for lasting sharpness
- PTFE coated upper blades for rust resistance
- Two cutting widths
- Smaller handle width ideal for ladies
- Ergonomic, soft feel handles for increased comfort
- Ambidextrous locking catch

Product Code: CUTTINGSET4

- SK5 carbon steel blade for lasting sharpness
- Forged aluminium handle construction
- Sap groove and riveted lower blade
- Rubber shock absorber
- Notched blade for thicker stems
- Real leather holster
- Integral belt clip on holster

interchangeable hand tool set







mini pruner set

Contains: Mini Secateurs & Mini Snips

secateurs twin pack

Contains: Medium Bypass & Anvil Secateurs



Product Code: INTERSET1

- Mirror polished stainless steel heads for rust resistance and minimal soil adhesion
- Interchangeable handle with integral locking lever
- Soft feel, ergonomic handle with finger guard



Product Code: 4941MP/09

- Carbon steel blade for lasting sharpness
- PTFE coated blade for rust resistance and smooth cutting
- Soft feel handles
- Straight blade pruner for general pruning

Product Code: 6070TP/09

- Medium bypass secateurs6059BS
- Medium anvil secateurs
 6058AS



GARDEN TIDY range

plastic lear ral with replaceable tin



plastic leaf



Product Code: PLASTICRAKE

- 540mm (21") plastic lawn rake with 23 replaceable tines6 spare tines included
- Light, but strong, tubular aluminium handle
- Soft feel grip

Product Code: LEAFGRABBER

- 500mm (19½") wide collecting blades
 Overall length of 920mm (36") which allows user to collect up leaves without bending
- Non-slip grips

leaf collectors





Product Code: LEAFCOLLECT

- Durable, yet still light and easy to use, these leaf collectors can save hours of time and effort
- Non-slip grips

Product Code: LITTERPICKER

- 1070mm (42") long handle for extra reach
- Firm, clean claw action
- Locking catch for safer storage

GARDEN TIDY range

suid dn dod



pop up bins heavy duty



Product Code: PEBIN58 - 47 x 55mm PEBIN70 - 50 x 67mm

- Body made from 110 gauge PE sheet
 Coiled spring wire ribbing allows bin to retain shape
 Suitable for most light garden waste
- Toggle & loop fasteners for easy, flat storage

Product Code: POLYBIN58 - 47 x 55mm POLYBIN70 - 50 x 67mm

- Body made from tough, hardwearing, coated polyester
- Colled spring wire ribbing allows bin to retain shape
 Suitable for most garden waste
- Toggle & loop fasteners for easy, flat storage

garden kneeler



Product Code: KNEELER

- Dual purpose: garden stool or garden kneeler
- Tubular steel metal frame for increased strength
- Epoxy painted for rust resistance
- Cushion seat for comfort
- Fold away frame for easy storage

block paving cleaner



Product Code: 4859PC

- Hardwood head and handle
- Angled head for easy application
- Durable wire bristles
- Integral scraper blade



RAINFOREST Sprinklers



spike sprinkler twin pack



riser sprinkle



riser sprinkler 24"



Product Code: SJ107

Product Code: SJ207

Product Code: SJ112

Product Code: SJ124

riser sprinkler 36"



Product Code: SJ136

Product Code: SJ150

foot push sprinkler



Product Code: SJ137

metal base sprinkler



Product Code: SJ138

wheel base sprinkler



Product Code: SJ148

recycled spike sprinkler



recycled flat base sprinkler

Product Code: SJ151



Product Code: SJ600



Product Code: SJ601

BRASS water fittings

Strong, durable, rustproof, highly resistant to temperature change





1/2" female nose connector



1/2" male hose connector



1/2" female & 1/2 male hose connectors



Product Code: BWF1

Product Code: BWF2

Product Code: BWF3

%" female hose connector



34" male hose connector



hose connector & water stop

Product Code: BWF4

Product Code: BWF5

Product Code: BWF6

double male hose connector



triple male hose connector



½" female threaded tap connector



Product Code: BWF7

Product Code: BWF8

Product Code: BWF9

BRASS water fittings





Product Code: BWF10

3/4" female threaded tap connector



Product Code: BWF11





Product Code: BWF12

3/4" male threaded tap connector



3/4" two way tap connector



Product Code: BWF14

tap connector with hose clip



Product Code: BWF15

1/2" hose repairer



Product Code: BWF16

Product Code: BWF13

3/4" hose repairer



Product Code: BWF17



Product Code: BWF18

spray gun



oscillating sprinkler



spare ring o rings 20 pack



Product Code: BWF19 Product Code: BWF22 Product Code: BWF23



LANDSCAPING & FENCING Spades & Shovels



Product Code: 1070AK

- MYD handle
- Solid forged carbon steel head and socket
- Long lipped socket, riveted for added strengthHammer finish epoxy coated head for improved
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- 10 year guarantee



Product Code: 1071AL

- MYD handle
- Solid forged carbon steel head and socket
- Long lipped socket, riveted for added strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- Treaded for more comfortable digging
- 10 year guarantee



Product Code: 1570AL

- MYD handle
- Solid forged carbon steel head and socket
- Long lipped socket, riveted for added strength
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability
- 10 year guarantee

Handle Type: MYD Socket Size: 305mm (12") Blade Size: 320mm (12"/2") x 255mm (10") Handle Length: 711mm (28")

Product Code: 2029RW

- Extra long socket adds strength at the potentially weakest point
- Made from high strength carbon / manganese steel
- Heat treated tempered steel for a longer life
- Epoxy coated head for reduced soil adhesion and rust
- Fully forged head for added strength
- Weatherproofed hardwood shaft for greater durability

root breaker



Product Code: 2422NB*

- 100mm (4") wide, heavy duty forged carbon steel
- Tubular steel shaft
- Tilted ergonomic hilt for easier use

A tough tool to tackle tough root problems

Spades and forks are designed for tilling and cultivating soil. Yet they are commonly abused, and used for prising and levering out tough, often tangled roots. At best, that can seriously weaken a spade or fork. At worst, the spade or fork can break altogether, as the leverage applied is transferred to a trapped blade or single tine.



* Load test not applicable

LANDSCAPING & FENCING Cultivating & tencing mis



Product Code: 3540BT

- Long handle
- Carbon steel head and socket
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 3840EY

- Long handle
- Solid forged carbon steel head
- Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- · Weatherproofed hardwood shaft for greater durability
- 14 teeth

Product Code: 3805AS

- T handle
- Solid forged carbon steel head
- · Hammer finish epoxy coated head for improved resistance to rust, scratches, humidity and alkalis in the soil
- Weatherproofed hardwood shaft for greater durability

Product Code: 3872HD - 48" 3872HDLH - 54"

- Two handle sizes 48" & 54"Heat treated tines are designed to withstand the toughest use whilst maintaining their shape and flexibility
- The rake's 20 tines wrap around the rivets at the back of the plate to reduce the likelihood of them becoming detached during use
- Weatherproofed hardwood shaft for greater durability


chisel & point

mattock 5lb



oick handle





Product Code: 5000BT

- Heat treated carbon steel
- Weight 3.2kg (7lbs)
- For use with pick handle 5020AP

Product Code: 5002AE

- Heat treated carbon steel
- Weight 2.3kg (5lbs)
- For use with pick handle 5020AP
- · Ideal for breaking up heavy ground

Product Code: 5020AP

- Hardwood for use with 5000BT & 5002AE
- Length 910mm (36")

LANDSCAPING & FENGING Tencing misc



post hole auger



Product Code: 8208ST

- · Carbon steel head for strength
- Metal brackets for increased rigidity
- Epoxy painted head for rust resistance
- Weatherproofed wood handle for extended life
- 18 teeth steel

Product Code: PHAUG

- For easy, non-mechanical digging of fencing post holes up to 6" (150mm) in diameter
- Long durable yet lightweight tubular steel shaft for ease of use
- Hardened blade cuts through most types of soil and clay
- Overall length 44" (1105mm)
- Comfortable wooden handle provides a firm grip

Product Code: PHD-WH

- For producing deep, narrow, vertical holes minimising the need for backfill
- The steel oval shovel blades quickly and efficiently remove soil
- Hardened steel blades for maximum durability
- Comfortable ash wood handles provide a firm grip
- Weatherproofed hardwood handles for greater durability

post hole rammer

rubber maul



fencing grafte



Product Code: PHR5

- For driving fencing posts up to 6" (150mm) diameter into heavy ground
- Two large handles for ease of use
- Strong tubular steel body with solid metal end cap for maximum strength.

Product Code: RMAUL

- For laying and levelling paving stones
- Large cylindrical head made of high grade rubber
- Comfortable wooden handle provides a firm grip
- Weight 6kg

Product Code: FG-HD54

- For digging narrow, deep holes for fencing posts
- Heavy duty tubular steel handle for maximum strength and efficiency.
- strength and efficiency

 Extra thick shovel blade for durability



AGRICULTURAL





Product Code: 1636DE

- Handle Length: 810mm (32")
- Head Size: 330mm (13") x 230mm (9")
- For raking manureEpoxy coated square tines
- Tubular steel shaft

Product Code: 1636AY

- Handle Length: 810mm (32")
- Head Size: 330mm (13") x 230mm (9")
- For raking manure
 Epoxy coated square tines
- Tubular steel shaft

Product Code: 1609CS

- Handle Length: 1830mm (72")
- Head Size: 130mm (5") x 178mm (7") x 203mm (8")
- For raking manure
- Epoxy coated square tines
- Weatherproofed hardwood shaft

Product Code: 1636CU

- Handle Length: 1220mm (48")
- Head Size: 330mm (13") x 230mm (9")
- Lightweight for general use
 Epoxy coated oval tines
- Tubular steel shaft

Product Code: 1600HS

- Handle Length: 1220mm (48")Head Size: 330mm (13") x 240mm (9½")
- Epoxy coated oval tines
- Weatherproofed hardwood shaft
- Round shoulders for ease

Product Code: 91159-SJ

- Handle Length: 850mm (33½")Head Size: 310mm (12") x
- 225mm (8¾")
- Epoxy coated oval tines
- Weatherproofed hardwood shaft
- Round shoulders for ease



Product Code: 1600FD

- Handle Length: 810mm (32")Head Size: 330mm (13") x 240mm (9½")
- Traditional tool for moving straw bales & hay
- Epoxy coated oval tinesWeatherproofed hardwood shaft
- Round shoulders for ease



Product Code: 1602BA

- Handle Length: 1370mm (54")
 Head Size: 242mm (9½") x 140mm (5½")
- Traditional tool for moving straw bales & hay
- Epoxy coated oval tinesWeatherproofed hardwood shaft
- Round shoulders for ease

AGRICULTURAL



Product Code: 8206AH

- Head Size: 120mm (43/4") x
- 700mm (271/2") Handle Length: 1778mm (70")
- Tooth Length: 85mm (3%")
- 18 teeth
- Ideal for collecting straw, hay and grass cuttings
- · Lightweight for ease of use
- Extra long shaft



Product Code: 8207WH

- Head Size: 85mm (3%") x 700mm (27½")
- Handle Length: 1778mm (70")
- 16 teeth
- Ideal for collecting straw, hay and grass cuttings
- Lightweight for ease of use
- Extra long shaft



Product Code: 8209FG

- Head Size: 116mm (41/2") x 710mm (28")
- Handle Length: 1470mm (58")
- Tooth Length: 87mm (3%")
- 18 teeth
- Lightweight but strong fibreglass
- Ideal for collecting straw hay, and grass cuttings



Product Code: 2750AG

- Handle Length: 810mm (32")
- Head Size: 250mm (10") x 420mm (16½")
- Mainly used by farmers or the food industry for shovelling loose materials
- Square mouth
- Lightweight & rust proof
- Can be sterilised

double brush hook heavy duty

Product Code: 4604BY

- Handle Length: 910mm (36")Blade Size: 230mm (9")
- Ideal for thinning, trimming & clearing brush thickets
- Epoxy coated head
- Solid forged socket
- Weatherproofed hickory handle

heavy duty single brush hook

Product Code: 4601BT

- Handle Length: 910mm (36")Blade Size: 255mm (10")
- · Ideal for thinning, trimming & clearing brush thickets
- Epoxy coated head
- Solid forged socket
- Weatherproofed hickory handle

brushing hook

Product Code: 4655BM

- Handle Length: 910mm (36")
- Blade Size: 380mm (15")
- · Ideal for thinning, trimming & clearing brush thickets
- Epoxy coated head
- Solid forged socket
- Weatherproofed hickory handle

Product Code: 4605BU

- Handle Length: 760mm (30")Blade Size: 380mm (15")
- · Ideal for thinning, trimming & clearing brush thickets
- Epoxy coated head
- Solid forged socket
- Weatherproofed hickory handle

AGRICULTURAL

Product Code: 4700BU

- Handle Size: 150mm (6")
- Blade Size: 362mm (14")
- Handle: round grip
- Used to cut through rough grass and weeds

 Forged, flat blade with
- through tang
- Hardwood handle



Product Code: 4717BT

- Handle Size: 140mm (5½")
- Blade Size: 305mm (12")
- Handle: round grip
- Used to cut through rough grass and weeds

 Forged, flat blade with
- through tang
- Hardwood handle



heavy duty brushing slasher

Product Code: 4607CE

• Blade Size: 380mm (15")

Epoxy coated head

Solid forged socket

· Ideal for thinning, trimming

& clearing brush thickets

Weatherproofed hickory handle

• Handle Length: 910mm (36")

Staffordbill hook

- Handle Size: 150mm (6")
- Blade Size: 255mm (10")
- Handle: round grip
- For hedgerow maintenance & hedge layingDouble edged blade
- Epoxy coated head
- Solid socket
- Weatherproofed handle

newton bill hook

- Handle Size: 150mm (6")Blade Size: 255mm (10")
- Handle: pistol grip
 For hedgerow maintenance
 hedge laying
 Single edged blade
- Epoxy coated head
- Solid socket
- Weatherproofed handle

Product Code: 4516AZ

- Handle Size: 150mm (6")Blade Size: 255mm (10")
- Handle: pistol grip
- For hedgerow maintenance & hedge laying
- Single edged bladeEpoxy coated headSolid socket
- Weatherproofed handle

PLANTATION

fox shovel PYD

shovel LK

2050DB



Handle Type: LKHandle Length: 1220mm (48") Head Size: 310mm (121/4") x 230mm (9")

- Round mouth, solid socket
- Solid forged
- Weatherproofed hardwood shaft

shovel 121/2"

2521EC



Handle Type: *PYD* Handle Length: 810mm (32") Head Size: 320mm (12¹/₂") x 255mm (10")

- Open socket
- Square mouth
- Weatherproofed hardwood shaft

shovel 133/4"

2521LY



Handle Type: *PYD* Handle Length: 810mm (32") Head Size: 350mm (12¾") x 280mm (11")

- Open socket
- Square mouth
- Weatherproofed hardwood shaft

shovel 141/2"

2521QT



Handle Type: *PYD* Handle Length: 810mm (32") Head Size: 370mm (14¹/₂") x 305mm (12")

- Open socket
- Square mouth
- Weatherproofed hardwood shaft

yam spade

230mm (9")

Solid forged

Weatherproofed

hardwood shaft

Handle Type: *PYD* Handle Length: 711mm (28") Head Size: 310mm (12¹/₄") x

Round mouth, solid socket

3677BA



Blade Size: 203mm (8")

• Self tanged, self colour Heads only

tonga field hoe

3678AV



Blade Size: 178mm (7")

- Solid forged, epoxy coated
- Heads only

fern hook single edge

4680AU



Blade Size: 343mm (131/2")

- Single edge
- Heads only

fern hook oil palm double edge knife

4681AV



Blade Size: 343mm (131/2")

- Double edge
- Heads only



4782AB



- Blade Size: 295mm (111/2")
- Flat tang
- Heads only

PLANTATION TOOIS

cocoa pruner

4774RN



Blade Size: 83mm (31/4")

- Forged head, epoxy coated
- Heads only

machete 20/22"

SJ270220 SJ270222



Blade Size: 508mm (20") Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 20/22"

SJ23220 SJ23222



Blade Size: 508mm (20") Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 16/18/20/22"

SJ23016 SJ23018 SJ23020 SJ23022



Blade Size: 406mm (16") Blade Size: 457mm (18") Blade Size: 508mm (20") Blade Size: 559mm (22")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 18"

SJ5180718



Blade Size: 457mm (18")

- Made from Sheffield steel
- Edge sharpened and tempered2.5mm thick roll forged blade
- Hardened for strength and reliability

machete 19"

SJ120219



Blade Size: 482mm (19")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged bladeHardened for strength and reliability

machete 15"

SJ2100615



Blade Size: 381mm (15")

- Made from Sheffield steel
- Edge sharpened and tempered
- 2.5mm thick roll forged blade
- Hardened for strength and reliability



WOODWORKING tools

| Catalogue Number | Description | Barcode | Std Pack | Size | Fin | ish |
|---------------------|--|---------------|-------------|-----------------------|----------------------|------------|
| | WOODSAWS | | | | | |
| B9820 | Predator Universal | 5012095056447 | 10 | 20mm x 8pts | Med | lium |
| B9822 | Predator Universal | 5012095047858 | 10 | 22mm x 8pts | Med | lium |
| B98FF | Predator First Fix | 5012095049951 | 10 | 22mm x 7pts | Rou | ıgh |
| B98SF | Predator Second Fix | 5012095049968 | 10 | 22mm x 10pts | Fir | ne |
| B98UPVC | Predator UPVC | 5012095049982 | 10 | 20mm x 14pts | Fir | ne |
| B98LAMINATE | Predator Laminate | 5012095049975 | 10 | 20mm x 14pts | Extra | Fine |
| B98X | Predator X | 5012095061199 | 10 | 22mm x 8pts | Med | lium |
| B9810 | Predator Tenon | 5012095060529 | 10 | 10mm x 15pts | Fir | ne |
| B9812 | Predator Tenon | 5012095060536 | 10 | 12mm x 15pts | Fir | ne |
| B9814 | Predator Toolbox | 5012095060543 | 10 | 14mm x 14pts | Fir | ne |
| B98FLOOR | Predator Floorboard Saw | 5012095069638 | 10 | 11mm x 8pts | Med | lium |
| B98TRIPLE | Predator Triplefast | 5012095065784 | 10 | 22mm x 10pts | Med | lium |
| B9520 | Universal Hardpoint Woodsaw - Suregrip Handle | 5012095021070 | 10 | 20mm x 8pts | Med | lium |
| B9522 | Universal Hardpoint Woodsaw - Suregrip Handle | 5012095021063 | 10 | 22mm x 8pts | Medium | |
| B9420 | Universal Hardpoint Woodsaw - Hard Feel Handle | 5012095021094 | 10 | 20mm x 8pts | Medium | |
| B9422 | Universal Hardpoint Woodsaw - Hard Feel Handle | 5012095021087 | 10 | 22mm x 8pts | Medium | |
| 9540B | Traditional Brass Back Tenon | 5012095006060 | 5 | 10mm x 15pts | Fine | |
| 9550B | Traditional Brass Back Tenon | 5011198001491 | 5 | 12mm x 15pts | Fine | |
| 9500R | Traditional Skew Back | 5011198002290 | 10 | 22mm x 10pts | Medium | |
| 9515K | Traditional Skew Back | 5011198001057 | 10 | 24mm x 7pts | Rou | ıgh |
| 5410Y | Traditional Tenon | 5011198001415 | 5 | 10mm x 13pts | Fir | ne |
| 5412K | Traditional Tenon | 5011198001385 | 5 | 12mm x 13pts | Fir | ne |
| Catalogue Number | Description | Barcode | Std Pack | Size | No. in bag Approx | Max RRP |
| | WOODWORKING ACCESSORIES | | | | | |
| SAWHORSE | Plastic Foldable Saw Horse | 5012095078845 | 2 | 810mm (H) x 692mm (W) | - | - |
| 94-360R | Honing Guide | 5012095469100 | 5 | 35mm (H) x 85mm (L) | - | - |
| 94-370R | Saw Tooth Setter | 5012095469605 | 10 | 90mm (H) x 180mm (L) | - | - |
| 5412 | Fluted Dowels | 5013035020917 | 10 | 6mm | 70 | - |
| 5426 | Fluted Dowels | 5013035020924 | 10 | 6mm | 150 | - |
| 5414 | Fluted Dowels | 5013035020931 | 10 | 8mm | 60 | - |
| 5428 | Fluted Dowels | 5013035020948 | 10 | 8mm | 125 | - |
| 5416 | Fluted Dowels | 5013035020955 | 10 | 10mm | 45 | - |
| 5430 | Fluted Dowels | 5013035021044 | 10 | 10mm | 100 | - |
| 1235 | Hinge Boring Bit - HSS | 5013035021037 | 10 | 35mm | - | 1800 |
| 1335 | Hinge Boring Bit - Tungsten Carbide | 5013035003262 | 10 | 35mm | - | 1800 |

BUILDERS' tools

| Catalogue Number | Description | | | Barcode | Std Pack | Size | | - H | Handle |
|---------------------|------------------------------|---------------|-------------|---------------|-----------------|-------------|--------|------------------|--------------|
| | BRICKWORK TOOLS | | | | | | | | |
| 10110V | Broad Heel Brick Trowel | | | 5011198181681 | 5 | 10" | | Short W | Vood, Capped |
| 10111N | Broad Heel Brick Trowel | | | 5011198180134 | 5 | 11" | | Short W | lood, Capped |
| 10112Q | Broad Heel Brick Trowel | | | 5011198180202 | 5 | 12" | | Short W | lood, Capped |
| 20212V | Broad Heel Brick Trowel | | | 5011198180264 | 5 | 12" | | Long W | lood, Capped |
| 10110SF | Broad Heel Brick Trowel | | | 5012095048435 | 5 | 10" | | S | oft Feel |
| 10111SF | Broad Heel Brick Trowel | | | 5012095048442 | 5 | 11" | | S | oft Feel |
| 10710SF | Philadelphia Brick Trowel | | | 5012095048510 | 5 | 10" | | S | oft Feel |
| 10811SF | Philadelphia Brick Trowel | | | 5012095048534 | 5 | 11" | | Sc | oft Feel |
| 10712SF | Philadelphia Brick Trowel | | | 5012095048527 | 5 | 12" | | S | oft Feel |
| 10811V | Canadian Brick Trowel | | | 5011198181049 | 5 | 11" | | Leath | ner, Capped |
| 11105N | Pointing Trowel | | | 5011198180875 | 10 | 5" | | Sho | ort Wood |
| 11106Q | Pointing Trowel | | | 5011198180820 | 10 | 6" | | Sho | ort Wood |
| 11104SF | Pointing Trowel | | | 5012095048541 | 10 | 4" | | S | oft Feel |
| 11105SF | Pointing Trowel | | | 5012095048558 | 10 | 5" | | Sc | oft Feel |
| 11106SF | Pointing Trowel | | | 5012095048565 | 10 | 6" | | S | oft Feel |
| 11107CMARCH | Archaeology Trowel | | | 5012095079606 | 10 | 7cm | | Sho | ort Wood |
| 11104ARCH | Archaeology Trowel | | | 5012095060703 | 10 | 4" | | Sho | ort Wood |
| 11104SFARCH | Archaeology Trowel | | | 5012095060697 | 10 | 4" | | Sc | oft Feel |
| Catalogue Number | Description | Barcode | Std Pack | Size | Blade Material | Thickness H | lang , | Stud Weldings | Handle |
| | PLASTERING TOOLS | | <u></u> | | | | | | |
| 11458BIN | Ready to Go Finishing Trowel | 5012095079248 | 5 | 11 x 4.5/8" | Stainless Steel | 024 Si | ingle | 10 | Beech |

| Number | Description | Barcode | Pack | Size | Blade Material | Thickness | Hang | Weldings | Handle |
|-----------|------------------------------|---------------|------|-------------|-----------------|-----------|--------|----------|--------------------|
| | PLASTERING TOOLS | | | | | | | | |
| 11458BIN | Ready to Go Finishing Trowel | 5012095079248 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Beech |
| 13458BIN | Ready to Go Finishing Trowel | 5012095061021 | 5 | 13 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Beech |
| 14458BIN | Ready to Go Finishing Trowel | 5012095062639 | 5 | 14 x 4.5/8" | Stainless Steel | 024 | Single | 12 | Beech |
| 11458BISF | Ready to Go Finishing Trowel | 5012095079231 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Soft Feel |
| 13458BISF | Ready to Go Finishing Trowel | 5012095061007 | 5 | 13 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Soft Feel |
| 14458BISF | Ready to Go Finishing Trowel | 5012095062660 | 5 | 14 x 4.5/8" | Stainless Steel | 024 | Single | 12 | Soft Feel |
| 11400N | Finishing Trowel | 5012095012986 | 5 | 11 x 4.5/8" | Carbon Steel | 024 | Single | 10 | Beech, Banana |
| 11458S | Finishing Trowel | 5012095012993 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Beech, Banana |
| 13458S | Finishing Trowel | 5012095013013 | 5 | 13 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Beech, Banana |
| 13858N | Cementing Trowel | 5012095013044 | 5 | 16 x 4.5/8" | Carbon Steel | 032 | Single | 14 | Beech, Banana |
| 13100R | Finishing Trowel | 5011198181285 | 5 | 11 x 4.5/8" | Carbon Steel | 024 | Single | 10 | Mahogany, Banana |
| 21600W | Finishing Trowel | 5011198181315 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Mahogany, Banana |
| 13300K | Cementing Trowel | 5011198181759 | 5 | 11 x 4.5/8" | Carbon Steel | 032 | Double | 6 | Mahogany, Straight |
| 13100RSF | Finishing Trowel | 5012095048701 | 5 | 11 x 4.5/8" | Carbon Steel | 024 | Single | 10 | Soft Feel |
| 21600WSF | Finishing Trowel | 5012095048763 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Soft Feel |
| 13113FSF | Finishing Trowel | 5012095048718 | 5 | 13 x 4.5/8" | Carbon Steel | 024 | Single | 10 | Soft Feel |
| 13458SSF | Finishing Trowel | 5012095048732 | 5 | 13 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Soft Feel |
| 13514SSF | Finishing Trowel | 5012095049074 | 5 | 14 x 4.5/8" | Stainless Steel | 024 | Single | 12 | Soft Feel |
| 13858NSF | Cementing Trowel | 5012095048749 | 5 | 16 x 4.5/8" | Carbon Steel | 032 | Single | 14 | Soft Feel |
| 18458RSF | Cementing Trowel | 5012095048756 | 5 | 18 x 4.5/8" | Carbon Steel | 032 | Single | 16 | Soft Feel |
| | | | | | | | | | |

product specifications BUILDERS' tools

| Catalogue Number | Description | Barcode | Std Pack | Size | Blade Material | Thickness | Hang | Stud Weldings | Handle |
|---------------------|--------------------------|---------------|-------------|-------------|-----------------|-----------|--------|------------------|-------------------|
| | SPECIALIST TROWELS | | | | | | | | |
| 13716K | Flooring Trowel | 5011198181704 | 5 | 16" | Carbon Steel | 056 | Double | 7 | Mahogany, Straigh |
| 13718G | Flooring Trowel | 5011198181575 | 5 | 18" | Carbon Steel | 056 | Double | 8 | Mahogany, Straigh |
| 15200W | Edging Trowel | 5011198181780 | 5 | 11 x 4.1/2" | Carbon Steel | 056 | Double | 3 | Mahogany, Straigh |
| 13000U | Laying on Trowel | 5011198181353 | 5 | 10 x 4.5/8" | Carbon Steel | 032 | Single | 6 | Mahogany, Banana |
| 14500X | Adhesive Trowel | 5011198181735 | 5 | 11 x 4.5/8" | Carbon Steel | 032 | Double | - | Mahogany, Straigh |
| 14600Y | Adhesive Trowel | 5011198181520 | 5 | 11 x 4.5/8" | Carbon Steel | 032 | Double | - | Mahogany, Straigh |
| 14510Y | Adhesive Trowel Blade | 5011198181599 | 10 | 11 x 4.5/8" | Carbon Steel | 032 | - | - | - |
| 90911B | Drywall Finishing Trowel | 5012095044819 | 5 | 11 x 4.5/8" | Carbon Steel | 024 | Single | 10 | Soft Feel |
| 91911S | Drywall Finishing Trowel | 5012095044802 | 5 | 11 x 4.5/8" | Stainless Steel | 024 | Single | 10 | Soft Feel |
| 90914A | Drywall Finishing Trowel | 5012095044826 | 5 | 14 x 4.5/8" | Carbon Steel | 024 | Single | 12 | Soft Feel |
| 11507N | Gauging Trowel | 5011198180974 | 10 | 7" | Carbon Steel | - | - | - | Wood |
| 11507SF | Gauging Trowel | 5012095048589 | 10 | 7" | Carbon Steel | - | - | - | Soft Feel |
| 11508H | Gauging Trowel | 5012095048596 | 10 | 8" | Carbon Steel | - | - | - | Wood |
| 10565BSF | Bucket Trowel | 5012095044840 | 5 | 6.1/2" | Carbon Steel | - | - | - | Soft Feel |
| 12312D | Trowel & Square | 5011198181841 | 5 | 1/2" | - | - | - | - | - |
| 12012N | Leaf & Square | 5011198181827 | 5 | 1/2" | - | - | - | - | - |
| 715C | External Corner Trowel | 5012095044710 | 5 | 90° | Stainless Steel | - | - | - | Soft Feel |
| 714B | Internal Corner Trowel | 5012095044703 | 5 | 103° | Stainless Steel | - | - | - | Soft Feel |
| 11806X | Harling Trowel | 5011198181926 | 2 | 6½ x 6½" | Chem. Blacked | - | - | - | Soft Feel |
| 702S | Plastic Float | 5012095067665 | 10 | 11" | Plastic | - | - | - | Plastic |
| 702L | Plastic Float | 5012095182084 | 10 | 14" | Plastic | - | - | - | Plastic |
| 704N | Sponge Float | 5012095013815 | 10 | 9 x 4" | Sponge | - | - | - | Wood |
| 700Z | Wooden Float | 5011198182187 | 10 | 11" | Wood | - | - | - | Wood |
| 12712SF | Hawk - Aluminium | 5012095050919 | 5 | 12 x 12" | Aluminium | - | - | - | Soft Feel |
| 12714A | Hawk - Aluminium | 5012095079255 | 5 | 14 x 14" | Aluminium | - | - | - | Soft Feel |
| 12712H | Hawk - Aluminium | 5011198182015 | 5 | 12 x 12" | Aluminium | - | - | - | Wood |
| 708T | Hawk - Plastic | 5012095013778 | 6 | 13 x 13" | Polyurethane | - | - | - | Plastic |
| 15602MT | Margin Trowel | 5012095067917 | 10 | 6 x 2" | Carbon Steel | - | - | - | Soft Feel |
| 15634TP | Tuck Pointer | 5012095067900 | 10 | 6 x 3/4" | Carbon Steel | | - | - | Soft Feel |
| 15612TP | Tuck Pointer | 5012095067894 | 10 | 6 x 1/2" | Carbon Steel | - | - | - | Soft Feel |
| 15800C | Tiling | 5011198181773 | 10 | 61/2" | Carbon Steel | - | - | - | Wood |

| Catalogue Number | Description | Barcode | Std Pack | Size | Shaft Size | Mixer Dia. | Load Capacity |
|---------------------|-----------------------------|----------------|-------------|----------------|----------------|------------|---------------|
| | DRYLINING & PLASTERI | NG ACCESSORIES | | | | | |
| 74-PBSR | Drywall Saw | 5012095044796 | 5 | 31cm | - | - | - |
| 709W | Hand Sander | 5012095044833 | 5 | 239mm x 84mm | - | - | - |
| 720H | Pole Sander | 5012095044765 | 5 | 26 x 8½cm | extends to 51" | - | - |
| 713A | Support Prop | 5012095044727 | 1 | 1.15m - 2.90m | 1.15m - 2.90m | - | - |
| 724M | Mixing Paddle | 5012095079217 | 5 | 100mm dia head | 8mm | 84mm | - |
| 710X | Mixing Paddle | 5012095044789 | 5 | 100mm dia head | 10mm | 100mm | - |
| 725N | Mixing Paddle | 5012095079224 | 5 | 100mm dia head | 10mm | 134mm | - |
| 712Z | Board Lifter | 5012095044758 | 5 | 12 boards | - | - | 30kg |
| 711Y | Panel Carrier | 5012095044734 | 5 | Handle - 17%" | - | - | - |
| 721J | Lath Hammer | 5012095057383 | 5 | - | - | - | - |
| 718F | Jointing Knife | 5012095044680 | 5 | 4" | - | - | - |
| 719G | Jointing Knife | 5012095044697 | 5 | 5" | - | - | - |
| 716D | Taping Knife | 5012095044772 | 5 | 10" | - | - | - |
| 717E | Taping Knife | 5012095044741 | 5 | 12" | - | - | - |
| 723L | Broad Knife | 5012095057406 | 1 | 7" | - | - | - |
| 722K | Scarifier | 5012095057390 | 5 | 71/2" | - | - | - |
| FE6 | Feather Edge | 5012095066897 | 5 | 6' | - | - | - |
| ENDCAP | Feather Edge - End Caps (2) | 5012095066927 | 5 | - | - | - | - |

| Catalogue Number | Description | Barcode | Std Pack | Size |
|---------------------|-------------------------------------|---------------|-------------|------------------|
| | ANCILLARY TOOLS | | | |
| 10701S | Rubber Line Blocks (pair) & Line | 5012095069492 | 5 | 30m line |
| SJ-RLB-OY | Rubber Line Block Merch | 5012095066804 | 1 | 30m line |
| SJUK-50M-8W | Bricklayer's Line (White) | 5012095066781 | 1 | 50m line |
| SJUK-50M-OY | Bricklayer's Line (Orange & Yellow) | 5012095066798 | 1 | 50m line |
| 10505Z | Line & Pins | 5011198180318 | 5 | 30m line |
| PROFLP2PK | Line Pins (2) | 5012095070238 | 10 | Pin 160mm x 16mm |
| PROFLPBOX | Line Pins Merchandiser (30) | 5012095072232 | 1 | Pin 160mm x 16mm |
| 21258B | Convex Brick Jointer | 5011198180929 | 10 | 1/2" x 5/8" |
| 21238C | Convex Brick Jointer | 5012095018124 | 10 | 1/2" x 3/8" |
| 707S | Joint Raker | 5012095013785 | 5 | |

BUILDERS' TOOLS - S&J

| Number | Description | Barcode | Pack | Size | Blade Material | Handle |
|--|--|---|------|--|--|--|
| | S&J BRICKWORK & PLASTERING | | | | | |
| 1610BSF | Broad Heel Trowel | 5012095020660 | 10 | 10" | Carbon Steel | Soft Fee |
| 1611PSF | Philadelphia Trowel | 5012095020677 | 10 | 11" | Carbon Steel | Soft Fee |
| 0611CSF | Plastering Trowel | 5012095067443 | 10 | 11" | Carbon Steel | Soft Fee |
| 0611SF | Plastering Trowel | 5012095016472 | 10 | 11" | Stainless Steel | Soft Fee |
| 0613P | Plastering Trowel | 5012095072836 | 10 | 13" | Stainless Steel | Soft Fee |
| 0606U | Hawk | 5011198182138 | 10 | 12 x 12 | " Aluminium | Soft Fee |
| ILT6MM | Tiling Trowel - 6mm sq notch | 5012095067436 | 10 | 11" | Carbon Steel | Soft Fee |
| 06MAS | Mastic Trowel - Notches 1.5mm deep, 5mm pitch | 5012095016458 | 10 | 11" | Carbon Steel | Soft Fee |
| 1606PSF | Pointing Trowel | 5012095020691 | 10 | 6" | Carbon Steel | Soft Fee |
| 1607GSF | Gauging Trowel | 5012095020684 | 10 | 7" | Carbon Steel | Soft Fee |
| 0608SF | Mini Finishing Trowel | 5012095060437 | 10 | 8" | Stainless Steel | Soft Fee |
| 0510B | Broad Heel Trowel | 5012095016557 | 10 | 10" | Carbon Steel | Wood |
| 0611W | Plastering Trowel | 5012095016410 | 10 | 11" | Carbon Steel | Wood |
| 0614W | Plastering Trowel | 5012095016434 | 10 | 14" | Carbon Steel | Wood |
| 0511P | Philadelphia Trowel | 5012095016564 | 10 | 11" | Carbon Steel | Wood |
| 0565B | Bucket Trowel | 5012095019382 | 10 | 61/2" | Carbon Steel | Wood |
| 0505B 0505P | | 5012095019282 | 10 | 5" | | Wood |
| | Pointing Trowel | | | | Carbon Steel | |
| 0506P | Pointing Trowel | 5012095016595 | 10 | 6" | Carbon Steel | Wood |
| 0430 | Tape Measures | 5013035041141 | 12 | 3m (10f | | - |
| 0435 | Tape Measures | 5013035041158 | 12 | 5m (16f | , | - |
| 0440 | Tape Measures | 5013035041165 | 6 | 8m (26f | | - |
| OSMOSABS | Cosmos | 5013035025455 | 12 | 30m | - | - |
| OSMOSDCA | Cosmos | 5013035025462 | 12 | 30m | - | - |
| IINIRL | Mini Road Line | 5013035025493 | 12 | 30m | - | - |
| HALK224 | Chalk Refill - Blue | 5013035025523 | 12 | 224gm | - | - |
| HALK224RED | Chalk Refill - Red | 5013035036284 | 12 | 224gm | - | - |
| | | | | | | |
| atalogue umber | Description | Barcode | | Std Pack | Size | Gauge |
| | TACKERS, KNIVES & BLADES | | - | | | - |
| DTACKCOMBI | Heavy Duty Stapler / Nail Tacker | 5013035041721 | | 5 | - | - |
| TAPLESHD6 | Heavy Duty Staples (1000) | 5013035041769 | | 1 | 6mm (1/4") | - |
| TAPLESHD8 | Heavy Duty Staples (1000) | 5013030417835 | | 1 | 8mm (5/16") | - |
| TAPLESHD10 | Heavy Duty Staples (1000) | 5013035041790 | | 1 | 10mm (3/8") | _ |
| TAPLESHD12 | | 5013035041790 | | 1 | | |
| | Heavy Duty Staples (1000) | | | | 12mm (1/2") | - |
| TAPLESHD14 | Heavy Duty Staples (1000) | 5013035041813 | | 1 | 14mm (9/16") | - |
| RAD16MM | Brads (2000) | 5013035041837 | | 1 | 16mm | 18 |
| 1770 | Utility Knife - Standard | 5013035042483 | | 12 | - | - |
| 1780 | Utility Knife - Heavy Duty | 5013035042490 | | 8 | - | - |
| 702R | Utility Blades | 5013035041370 | | 10 | - | - |
| | | 8013035041370 Barcode | | 10 Std Pack | - Weight | - Handle |
| Catalogue Jumber | Description HAMMERS | Barcode | | Std Pack | | |
| Catalogue Jumber | Description HAMMERS Carpenters' Claw - Adze Eye | Barcode 5011198182282 | | Std Pack 5 | 454gm (16oz) | Hickory |
| Catalogue Jumber SJ-CAH16 SJ-CAH20 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye | Barcode 5011198182282 5011198182299 | | Std Pack 5 5 | 454gm (16oz) 567gm (20oz) | Hickory Hickory |
| ratalogue dumber J-CAH16 J-CAH20 J-CSS20 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye | Barcode 5011198182282 5011198182299 5012095018575 | | Std Pack 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) | Hickory Hickory Solid Stee |
| catalogue Jumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw | 5011198182282 5011198182299 5012095018575 5012095018582 | | Std Pack | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) | Hickory Hickory Solid Stee Steel |
| catalogue Jumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye | Barcode 5011198182282 5011198182299 5012095018575 | | Std Pack 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) | Hickory Hickory Solid Stee |
| catalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw | 5011198182282 5011198182299 5012095018575 5012095018582 | | Std Pack | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) | Hickory Hickory Solid Stee Steel |
| catalogue lumber UJ-CAH16 UJ-CAH20 UJ-CSS20 UJ-CTS16 UJ-UWAB UJ-UWA12 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 | | Std Pack 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) | Hickory Hickory Solid Stee Steel Hickory |
| catalogue lumber SJ-CAH16 SJ-CAH20 SJ-CSS20 SJ-CTS16 SJ-JWA18 SJ-JWA12 SJ-JWA12 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 | | Std Pack 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) | Hickory Hickory Solid Stee Steel Hickory Hickory |
| satalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA8 J-JWA12 J-JWA16 J-BSH25 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182251 | | Std Pack 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory |
| ratalogue dumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWAB J-JWA12 J-JWA12 J-JWA16 J-BSH25 J-BSF25 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182275 5011198182275 | | Std Pack 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory |
| atalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA12 J-JWA12 J-JWA16 J-JBSH25 J-BSH25 J-JSSF25 J-OSH | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182275 5011198182596 5012095020844 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Fibreglas |
| tatalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA15 J-JBSF25 J-OSH J-SSCF | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182596 5012095020844 5011198182732 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz | Hickory Hickory Solid Steel Hickory Hickory Hickory Hickory Fibreglas |
| satalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA18 J-JWA18 J-JWA16 J-BSH25 J-BSF25 J-OSH J-SSOF J-SLR | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182275 5011198182275 5011198182596 5012095020844 5011198182732 | | Std Pack 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz - | Hickory Hickory Solid Steel Hickory Hickory Hickory Hickory Hickory Fibreglas Hickory |
| catalogue Jumber SJ-CAH16 SJ-CAH20 SJ-CSS20 SJ-CTS16 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-SSCF SJ-SSCF SJ-SSCF | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182596 5012095020844 5011198182732 5011198182732 5011198182749 5011198182770 5011198182862 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz | Hickory Hickory Solid Steel Steel Hickory Hickory Hickory Hickory Fibreglas Hickory Steel |
| atalogue J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA15 J-BSH25 J-BSF25 J-SSCF J-SSCF J-SSCF J-SSCF J-SSRH J-SSH28 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Single End | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182275 5011198182275 5011198182792 5011198182732 5011198182749 5011198182770 5011198182862 5011198182664 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Sibreglas Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA15 J-BSF25 J-OSH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182275 5011198182596 5012095020844 5011198182732 5011198182770 5011198182770 5011198182664 5011198182664 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Steel - Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS20 J-JWA12 J-JWA12 J-JWA16 J-BSF25 J-OSH J-SSCF J-SRR J-SARH J-SSH28 J-SDH22 J-SDH22 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Comb 1" | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182596 5012095020844 5011198182732 5011198182749 501119818270 5011198182862 5011198182864 5011198182663 5011198182603 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Steel Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA18 J-JWA18 J-JWA16 J-BSH25 J-BSF25 J-BSF25 J-SSF5 J-SLR J-SAHH J-SSH28 J-SSH28 J-SSH28 J-SSH28 J-SSH28 J-SSH28 J-SCC1 J-MCH40 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Aight Hand Scutch Hammer - Double End Scutch Comb 1" Club Hammer | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182256 5012095020844 5011198182732 5011198182770 5011198182770 5011198182664 5011198182663 5011198182699 5011198182909 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 1000 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½ib | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Steel Hickory Hickory Hickory Hickory Hickory Hickory Hickory Hickory Thickory Hickory Hickory Hickory - Hickory |
| catalogue Jumber SJ-CAH16 SJ-CAH20 SJ-CSS20 SJ-CTS16 SJ-JWA12 SJ-JWA16 SJ-JWA12 SJ-JWA16 SJ-SSCF SJ-SLR SJ-SSCF SJ-SLR SJ-SARH SJ-SARH SJ-SARH SJ-SARH SJ-SARH SJ-SH28 SJ-CC1 SJ-MCH40 SJ-MCH64 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Comb 1" Club Hammer Club Hammer | Barcode 5011198182282 5011198182299 5012095018582 50112095018582 5011198182251 5011198182251 5011198182596 5012095020844 5011198182732 5011198182749 5011198182770 5011198182862 5011198182863 5011198182863 5011198182809 5011198182848 50111981828885 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 1000 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Fibreglas Hickory Steel Hickory |
| catalogue lumber LI-CAH16 LI-CAH16 LI-CAH20 LI-CSS20 LI-CSS20 LI-CSS20 LI-CSS20 LI-CSS20 LI-JWA12 LI-JWA16 LI-JWA16 LI-JWA16 LI-JSSH25 LI-SSH25 LI-SSH25 LI-SSH28 LI-SSH28 LI-SSH28 LI-SSH28 LI-SSH28 LI-SSH28 LI-SSH28 LI-SSH28 LI-SH240 LI-MCH40 LI-MCH40 LI-MCH40 LI-MCH40FG | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Slaters' Hammer Slaters' Hipper Slaters' Aipper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Comb 1" Club Hammer Club Hammer | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182279 5011198182792 5011198182770 501119818270 501119818262 5011198182633 5011198182909 5011198182848 5011198182848 | | Std Pack 5 5 5 5 5 5 5 5 5 5 100 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lb 2½lib | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Steel Hickory Hickory Hickory Steel Hickory Hickory Hickory Fibreglas |
| atalogue tumber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA15 J-SAF125 J-OSH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH40 J-MCH40 J-MCH40FG J-MCH40FG | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Comb 1" Club Hammer Club Hammer Club Hammer Club Hammer | Barcode 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182596 5012095020844 5011198182770 5011198182770 5011198182862 5011198182863 5011198182809 5011198182848 5011198182848 5011198182848 5011198182848 5011198182848 5011198182848 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 100 4 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½zlb 4lb 2½zlb | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Fibreglas Hickory Steel - Hickory Hickory Hickory Fibreglas Fibreglas Fibreglas Fibreglas |
| satalogue lumber J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CTS16 J-JWA16 J-JWA16 J-BSH25 J-JWA16 J-BSH25 J-BSF25 J-SARH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40-G | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Comb 1" Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182259 5011198182732 5011198182749 5011198182770 501119818264 5011198182664 5011198182683 5011198182909 5011198182885 5012095060314 5012095060321 | | Std Pack 5 5 5 5 5 5 5 5 5 5 1000 4 4 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Fibreglas Hickory Steel Hickory Hickory Hickory Fibreglas Fibreglas Anti Vibrati |
| catalogue lumber SJ-CAH16 SJ-CAH20 SJ-CS20 SJ-CT316 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-JWA18 SJ-SBF25 SJ-S | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Ake - Right Hand Scutch Hammer - Double End Scutch Comb 1" Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182237 5011198182251 501198182596 501209500844 5011198182592 5011198182770 5011198182770 5011198182624 5011198182624 5011198182683 5011198182909 5011198182885 5012095060314 5012095060321 5012095064084 5012095064107 | | Std Pack 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory Hickory Hickory Steel Hickory Hickory Fibreglas: Fibreglas: |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA12 J-JWA12 J-JWA12 J-JWA16 J-JSAF25 J-OSH J-SSF25 J-OSH J-SSCF J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH64FG J-MCH64FG J-MCH64FG J-MCH64FG J-AVCLUB40 J-AVCLUB64 J-AVCLUB64 J-SH166 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Hammer - Double End Scutch Hammer Club Hammer | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182237 5011198182275 5011198182275 501119818279 501119818270 501119818270 501119818262 5011198182633 5011198182909 5011198182909 5011198182848 50112095060321 5012095060321 5012095064084 5012095064084 5012095064087 5011198182916 | | Std Pack 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 4 4 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 454gm (1lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Steel Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA15 J-BSH25 J-OSH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH40 J-MCH40 J-MCH40 J-MCH40 J-MCH40 J-MCH40FG J-AVCLUB40 J-AVCLUB40 J-SWH16 J-SWH16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Comb 1" Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182237 5011198182251 5011198182256 5012095020844 5011198182732 5011198182770 5011198182770 501119818262 501119818263 5011198182909 5011198182848 5011198182848 50112095060321 5012095064084 5012095064107 5011198182916 5011198182916 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 4 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lb 2½lib 4lb 2½lib 4lb 454gm (1lb) 113gm (1½lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Fibreglas Hickory Steel - Hickory Hickory Fibreglas Fibreglas Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS16 J-JWA12 J-JWA12 J-JWA12 J-JWA16 J-BSH25 J-OSH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-AVCLUB64 J-SBH16 J-SBH16 J-SBH16 J-SBH18 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182256 5012095002844 5011198182770 5011198182770 5011198182624 501119818263 5011198182864 5011198182885 50112095060314 5012095060321 5012095064084 5012095064107 5011198182916 5011198182497 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lib 2½lib 4lib 2½lib 4lib 454gm (1lib) 113gm (1¼lb) 227gm (1½lib) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-SS25 J-JWA16 J-JWA12 J-JWA16 J-BSH25 J-BSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SMH40 J-SSH26 J-MCH40FG J-MCH644 J-MCH645 J-MCH40FG J-MCH645FG J-AVCLUB40 J-AVCLUB64 J-SPH18 J-BPH18 J-BPH18 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Aw - Right Hand Scutch Hammer - Single End Scutch Comb 1" Club Hammer Club Regineers' Ball Pein Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182237 5011198182251 5011198182256 5012095020844 5011198182732 5011198182770 5011198182770 501119818262 501119818263 5011198182909 5011198182848 5011198182848 50112095060321 5012095064084 5012095064107 5011198182916 5011198182916 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 4 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lb 2½lib 4lb 2½lib 4lb 454gm (1lb) 113gm (1½lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-SS25 J-JWA16 J-JWA12 J-JWA16 J-BSH25 J-BSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SSH25 J-SMH40 J-SSH26 J-MCH40FG J-MCH644 J-MCH645 J-MCH40FG J-MCH645FG J-AVCLUB40 J-AVCLUB64 J-SPH18 J-BPH18 J-BPH18 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182256 5012095002844 5011198182770 5011198182770 5011198182624 501119818263 5011198182864 5011198182885 50112095060314 5012095060321 5012095064084 5012095064107 5011198182916 5011198182497 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lib 2½lib 4lib 2½lib 4lib 454gm (1lib) 113gm (1¼lb) 227gm (1½lib) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA12 J-JWA16 J-BSH25 J-BSH25 J-BSF25 J-SARH J-SARH J-SSCF J-SLR J-SARH J-SCP J-WCH40 J-MCH40FG J-MCH | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Aw - Right Hand Scutch Hammer - Single End Scutch Comb 1" Club Hammer Club Regineers' Ball Pein Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182256 5012095020844 5011198182732 5011198182749 501119818270 501119818270 501119818264 5011198182664 5011198182664 5011198182865 5012095060314 5012095060321 5012095060321 5012095064107 5011198182916 5011198182916 5011198182917 5011198182917 5011198182503 | | Std Pack 5 5 5 5 5 5 5 5 5 5 1000 4 4 4 4 5 5 5 5 5 5 5 5 5 6 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½gm (11b) 113gm (1¼lb) 227gm (1½lb) 340gm (3¼lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA12 J-JWA12 J-BSF125 J-OSH J-SSCF J-SLR J-SSCF J-SLR J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH40 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-AVCLUB40 J-AVCLUB40 J-AVCLUB40 J-AVCLUB40 J-BPH18 J-BPH18 J-BPH18 J-BPH19 J-BPH16 J-BPH16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Ake - Right Hand Scutch Hammer - Double End Scutch Comb 1" Club Hammer Boiler Scaling Engineers' Ball Pein Engineers' Ball Pein Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182257 5011198182257 5011198182259 5012095020844 5011198182596 5012095020844 5011198182770 5011198182770 501119818262 501119818262 5011198182683 5011198182885 5012095060314 5012095060314 5012095060314 5012095064084 501209506407 5011198182296 5011198182297 | | Std Pack 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½ib 4ib 340gm (1/4lb) 113gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 454gm (1lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue tumber J-CAH16 J-CAH16 J-CAH20 J-GSS20 J-GSS20 J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-J-GSS20 J-GSS20 J-G | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Slaters' Hammer Slaters' Hipper Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182255 5011198182256 5012095002844 5011198182792 5011198182770 5011198182770 5011198182664 5011198182663 5011198182863 5011198182899 5011198182848 5011198182909 5011198182848 5011198182865 5012095060321 5012095064084 5012095064084 5012095064084 501198182296 5011198182296 5011198182500 5011198182500 5011198182500 | | Std Pack 5 5 5 5 5 5 5 5 5 5 100 4 4 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 454gm (1lb) 113gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 454gm (3/4lb) 680gm (1½lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS20 J-SST26 J-JWA16 J-BSH25 J-JWA16 J-BSH25 J-SSCF J-SARH J-SSCF J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH40 J-MCH40 J-MCH40 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-BPH12 J-BPH18 J-BPH18 J-BPH18 J-BPH16 J-BPH192 J-BPH192 J-BPH192 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018575 5011098182237 5011198182251 5011198182251 5011198182256 50120950020844 5011198182770 5011198182770 5011198182664 5011198182664 5011198182865 5011198182885 5012095060314 5012095064084 5012095064084 5012095064087 5011198182916 5011198182916 5011198182503 5011198182503 5011198182503 5011198182503 5011198182507 5011198182507 5011198182507 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lb 2½lib 4lb 2½lib 4lb 2½lib 4lb 2½lib 4lb 340gm (13/4lb) 113gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 454gm (1lb) 988gm (2lb) 1134gm (2½lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA16 J-JWA16 J-JWA16 J-BSH25 J-BSH25 J-BSF25 J-SAR J-SARH J-SSCF J-SLR J-SARH J-SSCF J-SLR J-SARH J-SSHB J-SAHU J-SSHB J-SHB J-SBH16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Ripper Slaters' Ripper Slaters' Awe - Right Hand Scutch Hammer - Single End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182257 5011198182257 5011198182259 5012095020844 5011198182732 5011198182749 501119818270 501119818270 501119818264 5011198182664 5011198182865 5011198182885 5012095060314 5012095060314 5012095060321 5012095064077 5011198182976 5011198182977 5011198182503 5011198182503 5011198182503 5011198182510 5011198182561 5011198182561 5011198182565 5011198182572 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 4lb 252gm (1/2lb) 340gm (3/4lb) 454gm (1/2lb) 340gm (3/4lb) 454gm (1/2lb) 1134gm (1/2/2lb) 1134gm (2/2lb) 11361gm (3lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA16 J-JSSP25 J-OSH J-SSP25 J-OSH J-SSP25 J-OSH J-SAPH J-SSH28 J-SDH22 J-CC1 J-MCH40FG J-MCH64FG J-MCH64FG J-AVCLUB40 J-AVCLUB40 J-AVCLUB64 J-BPH12 J-BPH12 J-BPH12 J-BPH12 J-BPH12 J-BPH140 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH48 J-BPH40 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hipper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182257 5011198182275 5011198182275 501119818270 50119818270 501119818270 501119818262 5011198182633 5011198182633 5011198182909 5011198182909 5011198182909 5011198182909 5011198182909 5011198182503 5011095064084 5012095064084 5012095064084 5012095064084 5011098182297 5011198182503 5011198182503 5011198182503 5011198182503 5011198182505 5011198182505 5011198182505 5011198182505 5011198182505 5011198182505 5011198182572 5011198182589 5011198182589 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lib 4lb 2½lib 4lb 2½lib 4lb 2½lib 4lb 2½lib 4lb 340gm (13/4lb) 113gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 454gm (1lb) 988gm (2lb) 1134gm (2½lb) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS20 J-J-CSS20 J-J-CSS20 J-J-CSS20 J-J-CSS20 J-SARH J-SSCF J-SARH J-SSH28 J-SARH J-SSH28 J-SAHH J-SSH28 J-SCH J-MCH640 J-MCH64F J-MCH64F J-MCH64F J-MCH64F J-MCH64F J-BPH8 J-BPH8 J-BPH8 J-BPH8 J-BPH2 J-BPH12 J-BPH16 J-BPH24 J-BPH32 J-BPH40 J-BPH40 J-BPH40 J-BPH40 J-BPH48 J-CCP4 J-MCH64 J-MCH64 J-BPH49 J-BPH48 J-BPH49 J-BPH | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Ripper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Comb 1" Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182237 5011198182251 5011198182255 5011198182596 5012095020844 5011198182732 5011198182749 5011198182770 501119818262 501119818262 5011198182862 5011198182899 5011198182899 5011198182816 5012095060321 5012095064084 5012095064084 5012095064084 5012095064084 5012095064084 5012095064084 5012095064084 5011198182503 5011198182503 5011198182507 5011198182527 5011198182527 5011198182569 5011198182589 5011198182589 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 133gm (1/4lb) 227gm (1/2lb) 340gm (1/2lb) 340gm (1/2lb) 908gm (2lb) 1134gm (2½lb) 1361gm (3lb) 113gm (4oz) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS20 J-J-CSS20 J-J-WA12 J-JWA12 J-JWA12 J-JWA16 J-BSH25 J-SSCF J-SARH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH640 J-MCH640 J-MCH640 J-MCH645 J-MCH645 J-MCH645 J-MCH644 J-BPH16 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182237 5011198182251 5011198182596 5012095020844 5011198182749 5011198182770 5011198182624 5011198182862 5011198182863 5011198182863 5011198182864 5011198182865 5011198182865 5011198182865 5011198182865 5011198182565 5011198182561 5011198182561 5011198182561 5011198182572 5011198182572 5011198182572 5011198182572 5011198182583 5011198182572 5011198182583 5011198182572 5011198182583 5011198182572 5011198182572 5011198182583 5011198182572 5011198182573 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 25gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 454gm (1lb) 13gm (1½lb) 136fgm (3lb) 113gm (4oz) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA12 J-JWA12 J-JWA12 J-JWA16 J-BSH25 J-SSCF J-SARH J-SSCF J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH12 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH14 J-BPH18 J-BPH19 J-BP | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hammer Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | 5011198182282 5011198182299 5012095018575 5012095018575 5012095018582 5011198182237 5011198182237 5011198182275 5011198182275 5011198182732 5011198182749 501119818270 501119818270 5011198182864 5011198182863 5011198182864 5011198182885 5012095060321 5012095064107 5011198182916 5011198182503 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½gm (1/2lb) 340gm (3/4lb) 454gm (1lb) 680gm (1½lb) 908gm (2lb) 1134gm (2½lb) 1134gm (2½lb) 1134gm (2½lb) 1134gm (2½lb) 1134gm (3lb) 113gm (4oz) 7lb | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel - Hickory |
| atalogue umber J-CAH16 J-CAH20 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA12 J-JWA16 J-BSH25 J-BSF25 J-OSH J-SSCF J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH64 J-MCH64FG J-MCH64FG J-MCH64FG J-MCH64FG J-BPH18 J-BPH18 J-BPH19 J-BPH | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hipper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182275 5011198182275 5011198182275 501119818270 501119818270 501119818270 501119818262 501119818262 5011198182833 5011198182803 5011198182909 5011198182909 5011198182909 5011198182909 5011198182909 5011198182503 5011198182501 5011198182503 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 340gm (1/4lb) 113gm (1/4lb) 908gm (2/b) 1364gm (2lb) 113dm (4oz) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CTS16 J-JWA8 J-JWA12 J-JWA12 J-JWA12 J-JWA12 J-JWA12 J-SSCF J-SAR J-SSCF J-SAR J-SSCF J-SAR J-SSCF J-SAR J-SSH28 J-SDH22 J-CC1 J-MCH40 J-MCH64 J-MCH64FG J-MCH64FG J-AVCLUB40 J-AVCLUB40 J-AVCLUB40 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH19 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hipper Slaters' Axe - Right Hand Scutch Hammer - Double End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182251 5011198182251 5011198182256 5012095020844 5011198182732 5011198182770 5011198182770 501119818270 5011198182862 5011198182862 5011198182803 5011198182803 5011198182909 5011198182909 5011198182909 5011198182916 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182505 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182503 5011198182705 5011198182705 5011198182705 5011198182705 5011198182705 5011198182800 5011198182811 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 2½lb 4lb 113gm (1/4lb) 227gm (1/2lb) 340gm (3/4lb) 908gm (3½lb) 1134gm (2½lb) 1134gm (2½lb) 113fgm (3lb) 113fgm (3lb) 113fgm (4oz) | Hickory Hickory Solid Steel Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |
| atalogue umber J-CAH16 J-CAH16 J-CAH20 J-CSS20 J-CSS20 J-CSS20 J-CSS20 J-CSS20 J-J-WA12 J-JWA16 J-BSH25 J-JWA16 J-BSH25 J-SSCF J-SLR J-SARH J-SSCF J-SLR J-SARH J-SSH28 J-SDH22 J-CC1 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-MCH64 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH12 J-BPH16 J-BPH24 J-BPH16 J-BPH24 J-BPH16 J-BPH24 J-BPH32 J-BPH40 | Description HAMMERS Carpenters' Claw - Adze Eye Carpenters' Claw - Adze Eye Carpenters' Claw Carpenters' Claw Joiners' Warrington Joiners' Warrington Joiners' Warrington Bricklayers' - Short Pattern Bricklayers' - Short Pattern Bricklayers' Slaters' Hammer Slaters' Hammer Slaters' Hipper Slaters' Axe - Right Hand Scutch Hammer - Single End Scutch Hammer - Double End Scutch Hammer Club Hammer Club Hammer Club Hammer Club Hammer Boiler Scaling Engineers' Ball Pein | Barcode 5011198182282 5011198182299 5012095018575 5012095018582 5011198182237 5011198182275 5011198182275 5011198182275 501119818270 501119818270 501119818270 501119818262 501119818262 5011198182833 5011198182803 5011198182909 5011198182909 5011198182909 5011198182909 5011198182909 5011198182503 5011198182501 5011198182503 | | Std Pack 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 454gm (16oz) 567gm (20oz) 567gm (20oz) 454gm (16oz) 227gm (8oz) 340gm (12oz) 454gm (16oz) 25oz 24oz 20oz 22oz - 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 4lb 2½ib 340gm (1/4lb) 113gm (1/4lb) 908gm (2/b) 1364gm (2lb) 113dm (4oz) | Hickory Hickory Solid Stee Steel Hickory Hickory Hickory Hickory Hickory Hickory Hickory Steel Hickory |



| Catalogue Number | Description | Barcode | Std Pack | Length | Blade Width | Hexagon Dia. |
|---------------------|--------------------------------|---------------|-------------|------------------|-----------------------------|------------------------------|
| | COLD CHISELS | | | | | |
| CB24A/07 | Flat Chisel | 5012095972358 | 10 | 100mm (4") | 6.35mm (1/4") | 6.35mm (1/4") |
| CB28G/07 | Flat Chisel | 5012095008064 | 10 | 150mm (6") | 6.35mm (1/4") | 6.35mm (1/4") |
| CB46T/07 | Flat Chisel | 5012095008057 | 10 | 125mm (5") | 9.5mm (3/8") | 9.5mm (3/8") |
| CB48E/07 | Flat Chisel | 5012095008071 | 10 | 150mm (6") | 9.5mm (3/8") | 9.5mm (3/8") |
| CB68V/07 | Flat Chisel | 5012095972402 | 10 | 150mm (6") | 12.7mm (1/2") | 12.7mm (1/2") |
| CB70H/07 | Flat Chisel | 5012095972495 | 10 | 205mm (8") | 12.7mm (1/2") | 12.7mm (1/2") |
| CB72F/07 | Flat Chisel | 5012095008101 | 10 | 250mm (10") | 12.7mm (1/2") | 12.7mm (1/2") |
| CB73N/07 | Flat Chisel | 5012095008125 | 10 | 300mm (12") | 12.7mm (1/2") | 12.7mm (1/2") |
| CB88R/07 | Flat Chisel | 5012095009399 | 10 | 150mm (6") | 15.9mm (5/8") | 12.7mm (1/2") |
| CB89H/07 | Flat Chisel | 5012095008088 | 10 | 180mm (7") | 15.9mm (5/8") | 12.7mm (1/2") |
| CB90M/07 | Flat Chisel | 5012095001508 | 10 | 205mm (8") | 15.9mm (5/8") | 12.7mm (1/2") |
| CB92N/07 | Flat Chisel | 5012095008118 | 10 | 250mm (10") | 15.9mm (5/8") | 12.7mm (1/2") |
| CB108D/07 | Flat Chisel | 5012095001478 | 10 | 150mm (6") | 19mm (3/4") | 15.9mm (5/8") |
| CB110T/07 | Flat Chisel | 5012095000105 | 10 | 205mm (8") | 19mm (3/4") | 15.9mm (5/8") |
| CB111G/07 | Flat Chisel | 5012095008095 | 10 | 230mm (9") | 19mm (3/4") | 15.9mm (5/8") |
| CB112E/07 | Flat Chisel | 5012095008132 | 10 | 250mm (10") | 19mm (3/4") | 15.9mm (5/8") |
| CB113V/07 | Flat Chisel | 5012095008132 | 10 | 300mm (12") | 19mm (3/4") | 15.9mm (5/8") |
| CB116M/07 | Flat Chisel | 5012095008149 | 5 | 450mm (18") | 19mm (3/4") | 15.9mm (5/8") |
| CB150E/07 | Flat Chisel | 5012095001485 | 5 | 205mm (8") | 25.4mm (1") | 22.2mm (7/8") |
| CB151V/07 | Flat Chisel | 5012095001492 | 5 | 230mm (9") | 25.4mm (1") | 22.2mm (7/8") |
| CB152R/07 | Flat Chisel | 5012095000082 | 5 | 250mm (10") | 25.4mm (1") | 22.2mm (7/8") |
| CB153H/07 | Flat Chisel | 5012095000099 | 5 | 300mm (12") | 25.4mm (1") | 22.2mm (7/8") |
| CB156N/07 | Flat Chisel | 5012095008156 | 5 | 450mm (18") | 25.4mm (1") | 22.2mm (7/8") |
| CB730K/07 | Brick Bolster | 5012095972792 | 5 | 230mm (9") | 75mm (3") | 19mm (3/4") |
| CB740K/07 | Brick Bolster | 5012095972808 | 5 | 230mm (9") | 100mm (4") | 25mm (1") |
| 00V/07 | Brick Bolster with Rubber Grip | 5012095009535 | 5 | 230mm (9") | 100mm (4") | 25mm (1") |
| CB770K/07 | Floorboard Chisel | 5012095972709 | 5 | 230mm (9") | 56mm (2 ¹ /4") | 17.5mm (¹¹ /16") |
| CB827V/07 | Plugging Chisel | 5012095972600 | 5 | 250mm (10") | 6.35mm (1/4") | 15.9mm (5/8") |
| CB292R/07 | Concrete Point Chisel | 5012095009429 | 10 | 250mm (10") | 4mm (5/32") | 15.9mm (5/8") |
| CB313P/07 | Concrete Point Chisel | 5012095009436 | 10 | 300mm (12") | 4.8mm (3/16") | 19mm (3/4") |
| CB353G/07 | Concrete Point Chisel | 5012095009542 | 5 | 300mm (12") | 6.35mm (1/4") | 25mm (1") |
| 22-410R/07 | Guarded Chisel - Grooving | 5012095200727 | 5 | 250mm (10") | 6.35mm (1/4") | 15.9mm (5/8") |
| 22-208R/07 | Guarded Chisel - Flat | 5012095195825 | 5 | 205mm (8") | 19mm (3/4") | 15.9mm (5/8") |
| 22-210R/07 | Guarded Chisel - Flat | 5012095197621 | 5 | 250mm (10") | 25.4mm (1") | 22.2mm (7/8") |
| 22-639R/07 | Guarded Chisel - Brick Cutting | 5012095203520 | 5 | 230mm (9") | 75mm (3") | 19mm (3/4") |
| 22-649R/07 | Guarded Chisel - Brick Cutting | 5012095203537 | 5 | 230mm (9") | 100mm (4") | 25mm (1") |
| 22-509R/07 | Guarded Chisel - Floorboard | 5012095204428 | 5 | 230mm (9") | 63.5mm (2 ¹ /2") | 17.5mm (11/16" |
| RIPPA14 | Wrecking Bar | 5012095066163 | 1 | 350mm (14") | - | - |
| RIPPA18 | Wrecking Bar | 5012095066170 | 1 | 450mm (18") | - | - |
| RIPPA24 | Wrecking Bar | 5012095066187 | 1 | 600mm (24") | - | - |
| RIPPA30 | Wrecking Bar | 5012095066194 | 1 | 750mm (30") | - | - |
| RIPPA36 | Wrecking Bar | 5012095066200 | 1 | 900mm (36") | - | - |
| RIPPA3PS | Wrecking Bar Set | 5012095058571 | 1 | 14" 24" 36" Bars | - | - |

| Catalogue Number | Description | Barcode | Std Pack | Length |
|---------------------|--------------------------|---------------|-------------|------------------------------------|
| | WOOD CHISELS | | | |
| BEWC3/8E | Bevel Edge | 5013035041851 | 5 | 3/8" (9mm) |
| BEWC1/4E | Bevel Edge | 5013035041868 | 5 | 1/4" (6mm) |
| BEWC5/8E | Bevel Edge | 5013035041875 | 5 | 5/8" (15mm) |
| BEWC3/4E | Bevel Edge | 5013035041882 | 5 | 3/4" (19mm) |
| BEWC1/2E | Bevel Edge | 5013035041899 | 5 | 1/2" (12mm) |
| BEWC1E | Bevel Edge | 5013035041905 | 5 | 1" (25mm) |
| BEWC11/4E | Bevel Edge | 5013035041912 | 5 | 1.1/4" (32mm) |
| BEWC11/2E | Bevel Edge | 5013035041929 | 5 | 1.1/2" (38mm) |
| BEWC2E | Bevel Edge | 5013035041936 | 5 | 2" (50mm) |
| BEWC3BCE | 3pc Set - Blister packed | 5013035042155 | 5 | 1/2", 3/4", 1" |
| BEWC4BCE | 4pc Set - Blister packed | 5013035042162 | 5 | 1/4", 1/2", 3/4", 1" |
| BEWC6BCE | 6pc Set - Blister packed | 5013035042186 | 5 | 1/4", 3/8", 1/2", 3/4", 1", 1.1/4" |
| BEWC3PSE | 3pc Set - Wallet | 5013035041943 | 5 | 1/2", 3/4", 1" |
| BEWC6PSE | 6pc Set - Boxed | 5013035041950 | 5 | 1/4", 3/8", 1/2", 3/4", 1", 1.1/4" |

product specifications POWER TOOL ACCESSORIES

| Number | Description | Barcode | Pack | Ø x Length | Length |
|------------------------------|--|---------------|------|---------------|--------|
| | DRILL BITS Premium SDS Plus Hammer | | | | |
| C-SDS040011 | Premium SDS Plus Hammer Drill - Metric | 5012095058601 | 10 | 4.0 x 110mm | 50mm |
| C-SDS050011 | Premium SDS Plus Hammer Drill - Metric | 5012095058618 | 10 | 5.0 x 110mm | 50mm |
| EC-SDS055011 | Premium SDS Plus Hammer Drill - Metric | 5012095058625 | 10 | 5.5 x 110mm | 50mm |
| C-SDS060011 | Premium SDS Plus Hammer Drill - Metric | 5012095058632 | 10 | 6.0 x 110mm | 50mm |
| EC-SDS070011 | Premium SDS Plus Hammer Drill - Metric | 5012095058649 | 10 | 7.0 x 110mm | 50mm |
| EC-SDS080011 | Premium SDS Plus Hammer Drill - Metric | 5012095058656 | 10 | 8.0 x 110mm | 50mm |
| EC-SDS100011 | Premium SDS Plus Hammer Drill - Metric | 5012095058663 | 10 | 10.0 x 110mm | 50mm |
| EC-SDS040016 | Premium SDS Plus Hammer Drill - Metric | 5012095058670 | 10 | 4.0 x 160mm | 100mm |
| EC-SDS050016 | Premium SDS Plus Hammer Drill - Metric | 5012095058687 | 10 | 5.0 x 160mm | 100mm |
| EC-SDS055016 | Premium SDS Plus Hammer Drill - Metric | 5012095058694 | 10 | 5.5 x 160mm | 100mm |
| EC-SDS060016 | Premium SDS Plus Hammer Drill - Metric | 5012095058632 | 10 | 6.0 x 160mm | 100mm |
| EC-SDS065016 | Premium SDS Plus Hammer Drill - Metric | 5012095058717 | 10 | 6.5 x 160mm | 100mm |
| | | | | | |
| EC-SDS070016 | Premium SDS Plus Hammer Drill - Metric | 5012095058724 | 10 | 7.0 x 160mm | 100mm |
| EC-SDS080016 | Premium SDS Plus Hammer Drill - Metric | 5012095058731 | 10 | 8.0 x 160mm | 100mm |
| EC-SDS090016 | Premium SDS Plus Hammer Drill - Metric | 5012095058748 | 10 | 9.0 x 160mm | 100mm |
| EC-SDS100016 | Premium SDS Plus Hammer Drill - Metric | 5012095058755 | 10 | 10.0 x 160mm | 100mm |
| EC-SDS110016 | Premium SDS Plus Hammer Drill - Metric | 5012095058762 | 10 | 11.0 x 160mm | 100mm |
| EC-SDS120016 | Premium SDS Plus Hammer Drill - Metric | 5012095058779 | 10 | 12.0 x 160mm | 100mm |
| EC-SDS130015 | Premium SDS Plus Hammer Drill - Metric | 5012095058786 | 10 | 13.0 x 150mm | 100mm |
| EC-SDS140015 | Premium SDS Plus Hammer Drill - Metric | 5012095058793 | 10 | 14.0 x 150mm | 100mm |
| | | | | | |
| EC-SDS150015 | Premium SDS Plus Hammer Drill - Metric | 5012095058809 | 10 | 15.0 x 150mm | 100mm |
| EC-SDS160015 | Premium SDS Plus Hammer Drill - Metric | 5012095058816 | 10 | 16.0 x 150mm | 100mm |
| EC-SDS050021 | Premium SDS Plus Hammer Drill - Metric | 5012095058823 | 10 | 5.0 x 210mm | 150mm |
| EC-SDS055021 | Premium SDS Plus Hammer Drill - Metric | 5012095058830 | 10 | 5.5 x 210mm | 150mm |
| EC-SDS060021 | Premium SDS Plus Hammer Drill - Metric | 5012095058847 | 10 | 6.0 x 210mm | 150mm |
| EC-SDS065021 | Premium SDS Plus Hammer Drill - Metric | 5012095058854 | 10 | 6.5 x 210mm | 150mm |
| EC-SDS070021 | Premium SDS Plus Hammer Drill - Metric | 5012095058861 | 10 | 7.0 x 210mm | 150mm |
| | | | | | |
| EC-SDS080021 | Premium SDS Plus Hammer Drill - Metric | 5012095058878 | 10 | 8.0 x 210mm | 150mm |
| EC-SDS090021 | Premium SDS Plus Hammer Drill - Metric | 5012095058885 | 10 | 9.0 x 210mm | 150mm |
| EC-SDS100021 | Premium SDS Plus Hammer Drill - Metric | 5012095058892 | 10 | 10.0 x 210mm | 150mm |
| EC-SDS120021 | Premium SDS Plus Hammer Drill - Metric | 5012095058908 | 10 | 12.0 x 210mm | 150mm |
| EC-SDS140020 | Premium SDS Plus Hammer Drill - Metric | 5012095058915 | 10 | 14.0 x 200mm | 150mm |
| EC-SDS160020 | Premium SDS Plus Hammer Drill - Metric | 5012095058922 | 10 | 16.0 x 200mm | 150mm |
| EC-SDS180020 | Premium SDS Plus Hammer Drill - Metric | 5012095058939 | 10 | 18.0 x 200mm | 150mm |
| EC-SDS200020 | Premium SDS Plus Hammer Drill - Metric | 5012095058946 | 10 | 20.0 x 200mm | 150mm |
| | | | | | |
| EC-SDS055026 | Premium SDS Plus Hammer Drill - Metric | 5012095058953 | 10 | 5.5 x 260mm | 200mm |
| EC-SDS060026 | Premium SDS Plus Hammer Drill - Metric | 5012095058960 | 10 | 6.0 x 260mm | 200mm |
| EC-SDS065025 | Premium SDS Plus Hammer Drill - Metric | 5012095058977 | 10 | 6.5 x 260mm | 200mm |
| EC-SDS080026 | Premium SDS Plus Hammer Drill - Metric | 5012095058984 | 10 | 8.0 x 260mm | 200mm |
| | | | | | |
| EC-SDS100026 | Premium SDS Plus Hammer Drill - Metric | 5012095058991 | 10 | 10.0 x 260mm | 200mm |
| EC-SDS110026 | Premium SDS Plus Hammer Drill - Metric | 5012095059004 | 10 | 11.0 x 260mm | 200mm |
| EC-SDS120025 | Premium SDS Plus Hammer Drill - Metric | 5012095059011 | 10 | 12.0 x 250mm | 200mm |
| EC-SDS130025 | Premium SDS Plus Hammer Drill - Metric | 5012095059028 | 10 | 13.0 x 250mm | 200mm |
| EC-SDS140025 | Premium SDS Plus Hammer Drill - Metric | 5012095059035 | 10 | 14.0 x 250mm | 200mm |
| EC-SDS150025 | Premium SDS Plus Hammer Drill - Metric | 5012095059042 | 10 | 15.0 x 250mm | 200mm |
| EC-SDS160025 | | | | | |
| | Premium SDS Plus Hammer Drill - Metric | 5012095059059 | 10 | 16.0 x 250mm | 200mm |
| EC-SDS180025 | Premium SDS Plus Hammer Drill - Metric | 5012095059066 | 10 | 18.0 x 250mm | 200mm |
| EC-SDS220025 | Premium SDS Plus Hammer Drill - Metric | 5012095059073 | 10 | 22.0 x 250mm | 200mm |
| EC-SDS240025 | Premium SDS Plus Hammer Drill - Metric | 5012095059080 | 1 | 24.0 x 250mm | 200mm |
| EC-SDS250025 | Premium SDS Plus Hammer Drill - Metric | 5012095059097 | 1 | 25.0 x 250mm | 200mm |
| EC-SDS260025 | Premium SDS Plus Hammer Drill - Metric | 5012095059103 | 1 | 26.0 x 250mm | 200mm |
| EC-SDS100031 | Premium SDS Plus Hammer Drill - Metric | 5012095059110 | 10 | 10.0 x 310mm | 250mm |
| | Premium SDS Plus Hammer Drill - Metric | 5012095059110 | | | |
| EC-SDS110031 | | | 10 | 11.0 x 310mm | 250mm |
| EC-SDS120030 | Premium SDS Plus Hammer Drill - Metric | 5012095059134 | 10 | 12.0 x 300mm | 250mm |
| EC-SDS130030 | Premium SDS Plus Hammer Drill - Metric | 5012095059141 | 10 | 13.0 x 300mm | 250mm |
| EC-SDS140030 | Premium SDS Plus Hammer Drill - Metric | 5012095059158 | 10 | 14.0 x 300mm | 250mm |
| EC-SDS160030 | Premium SDS Plus Hammer Drill - Metric | 5012095059158 | 10 | 16.0 x 300mm | 250mm |
| EC-SDS180030 | Premium SDS Plus Hammer Drill - Metric | 5012095059172 | 10 | 18.0 x 300mm | 250mm |
| EC-SDS200030 | Premium SDS Plus Hammer Drill - Metric | 5012095059172 | 10 | 20.0 x 300mm | 250mm |
| | | | | | |
| EC-SDS100036 | Premium SDS Plus Hammer Drill - Metric | 5012095059196 | 10 | 10.0 x 360mm | 300mm |
| EC-SDS060045 | Premium SDS Plus Hammer Drill - Metric | 5012095059202 | 1 | 6.0 x 450mm | 400mm |
| EC-SDS080045 | Premium SDS Plus Hammer Drill - Metric | 5012095059219 | 1 | 8.0 x 450mm | 400mm |
| EC-SDS100045 | Premium SDS Plus Hammer Drill - Metric | 5012095059226 | 1 | 10.0 x 450mm | 400mm |
| EC-SDS120045 | Premium SDS Plus Hammer Drill - Metric | 5012095059233 | 1 | 12.0 x 450mm | 400mm |
| EC-SDS130045 | Premium SDS Plus Hammer Drill - Metric | 5012095059240 | 1 | 13.0 x 450mm | 400mm |
| EC-SDS140045 | Premium SDS Plus Hammer Drill - Metric | 5012095059257 | 1 | 14.0 x 450mm | 400mm |
| | | | | | |
| EC-SDS150045 | Premium SDS Plus Hammer Drill - Metric | 5012095059264 | 1 | 15.0 x 450mm | 400mm |
| EC-SDS160045 | Premium SDS Plus Hammer Drill - Metric | 5012095059271 | 1 | 16.0 x 450mm | 400mm |
| EC-SDS180045 | Premium SDS Plus Hammer Drill - Metric | 5012095059288 | 1 | 18.0 x 450mm | 400mm |
| EC-SDS200045 | Premium SDS Plus Hammer Drill - Metric | 5012095059295 | 1 | 20.0 x 450mm | 400mm |
| EC-SDS220045 | Premium SDS Plus Hammer Drill - Metric | 5012095059301 | 1 | 22.0 x 450mm | 400mm |
| EC-SDS240045 | Premium SDS Plus Hammer Drill - Metric | 5012095059318 | 1 | 24.0 x 450mm | 400mm |
| EC-SDS250045 | Premium SDS Plus Hammer Drill - Metric | 5012095059325 | 1 | 25.0 x 450mm | 400mm |
| | | | | | |
| EC-SDS260045 | Premium SDS Plus Hammer Drill - Metric | 5012095059332 | 1 | 26.0 x 450mm | 400mm |
| C-SDS280045 | Premium SDS Plus Hammer Drill - Metric | 5012095059349 | 1 | 28.0 x 450mm | 400mm |
| C-SDS300045 | Premium SDS Plus Hammer Drill - Metric | 5012095059356 | 1 | 30.0 x 450mm | 400mm |
| C-SDS080060 | Premium SDS Plus Hammer Drill - Metric | 5012095059363 | 1 | 8.0 x 600mm | 550mm |
| EC-SDS100060 | Premium SDS Plus Hammer Drill - Metric | 5012095059363 | 1 | 10.0 x 600mm | 550mm |
| | | | | | |
| EC-SDS120060 | Premium SDS Plus Hammer Drill - Metric | 5012095059387 | 1 | 12.0 x 600mm | 550mm |
| EC-SDS140060 | Premium SDS Plus Hammer Drill - Metric | 5012095059394 | 1 | 14.0 x 600mm | 550mm |
| EC-SDS160060 | Premium SDS Plus Hammer Drill - Metric | 5012095059400 | 1 | 16.0 x 600mm | 550mm |
| EC-SDS180060 | Premium SDS Plus Hammer Drill - Metric | 5012095059417 | 1 | 18.0 x 600mm | 550mm |
| EC-SDS200060 | Premium SDS Plus Hammer Drill - Metric | 5012095059424 | 1 | 20.0 x 600mm | 550mm |
| | | | | | |
| EC-SDS220060 | Premium SDS Plus Hammer Drill - Metric | 5012095059431 | 1 | 22.0 x 600mm | 550mm |
| EC-SDS250060 | Premium SDS Plus Hammer Drill - Metric | 5012095059448 | 1 | 25.0 x 600mm | 550mm |
| EC-SDS160080 | Premium SDS Plus Hammer Drill - Metric | 5012095059455 | 1 | 16.0 x 800mm | 750mm |
| EC-SDS120100 | Premium SDS Plus Hammer Drill - Metric | 5012095059479 | 1 | 12.0 x 1000mm | 950mm |
| EC-SDS140100 | Premium SDS Plus Hammer Drill - Metric | 5012095059486 | 1 | 14.0 x 1000mm | 950mm |
| | | | | | |
| EC-SDS180100 | Premium SDS Plus Hammer Drill - Metric | 5012095059493 | 1 | 18.0 x 1000mm | 950mm |
| | Premium SDS Plus Hammer Drill - Metric | 5012095059509 | 1 | 20.0 x 1000mm | 950mm |
| EC-SDS200100 EC-SDS220100 | | | | | |

product specifications POWER TOOL ACCESSORIES

| | DRILL BITS Premium SDS Plus Hammer | Barcode | Std Pack | Size Ø x Length | Working Length |
|--|---|---|---|--|--|
| C-SDS031604 | Premium SDS Plus Hammer Drill - Imperial | 5012095057567 | 10 | 3/16 x 4" | 2" |
| C-SDS014004 | Premium SDS Plus Hammer Drill - Imperial | 5012095057581 | 10 | 1/4 x 4" | 2" |
| C-SDS093294 | Premium SDS Plus Hammer Drill - Imperial | 5012095059530 | 10 | 9/32 x 4" | 2" |
| C-SDS051604 | Premium SDS Plus Hammer Drill - Imperial | 5012095059547 | 10 | 5/16 x 4" | 2" |
| C-SDS031606 | Premium SDS Plus Hammer Drill - Imperial | 5012095057574 | 10 | 3/16 x 6" | 4" |
| C-SDS073206 | Premium SDS Plus Hammer Drill - Imperial | 5012095059554 | 10 | 7/32 x 6" | 4" |
| C-SDS014006 | Premium SDS Plus Hammer Drill - Imperial | 5012095057598 | 10 | 1/4 x 6" | 4" |
| C-SDS093206 | Premium SDS Plus Hammer Drill - Imperial | 5012095059561 | 10 | 9/32 x 6" | 4" |
| C-SDS051606 | Premium SDS Plus Hammer Drill - Imperial | 5012095057611 | 10 | 5/16 x 6" | 4" |
| C-SDS038006 | Premium SDS Plus Hammer Drill - Imperial | 5012095057635 | 10 | 3/8 x 6" | 4" |
| C-SDS071606 | Premium SDS Plus Hammer Drill - Imperial | 5012095059578 | 10 | 7/16 x 6" | 4" |
| C-SDS012006 | Premium SDS Plus Hammer Drill - Imperial | 5012095057642 | 10 | 1/2 x 6" | 4" |
| C-SDS091606 | Premium SDS Plus Hammer Drill - Imperial | 5012095059585 | 10 | 9/16 x 6" | 4" |
| C-SDS058006 | Premium SDS Plus Hammer Drill - Imperial | 5012095057673 | 10 | 5/8 x 6" | 4" |
| C-SDS034006 | Premium SDS Plus Hammer Drill - Imperial | 5012095057697 | 10 | 3/4 x 6" | 4" |
| C-SDS031608 | Premium SDS Plus Hammer Drill - Imperial | 5012095059592 | 10 | 3/16 x 8" | 6" |
| C-SDS073208 | Premium SDS Plus Hammer Drill - Imperial | 5012095059608 | 10 | 7/32 x 8" | 6" |
| C-SDS014008 | Premium SDS Plus Hammer Drill - Imperial | 5012095059615 | 10 | 1/4 x 8" | 6" |
| EC-SDS051608 | Premium SDS Plus Hammer Drill - Imperial | 5012095057628 | 10 | 5/16 x 8" | 6" |
| C-SDS038008 | Premium SDS Plus Hammer Drill - Imperial | 5012095059622 | 10 | 3/8 x 8" | 6" |
| EC-SDS058008 | Premium SDS Plus Hammer Drill - Imperial | 5012095059639 | 10 | 5/8 x 8" | 6" |
| C-SDS034008 | Premium SDS Plus Hammer Drill - Imperial | 5012095059646 | 10 | 3/4 x 8" | 6" |
| C-SDS012010 | Premium SDS Plus Hammer Drill - Imperial | 5012095059653 | 10 | 1/2 x 10" | 8" |
| C-SDS058010 | Premium SDS Plus Hammer Drill - Imperial | 5012095059660 | 10 | 5/8 x 10" | 8" |
| EC-SDS073212 | Premium SDS Plus Hammer Drill - Imperial | 5012095059677 | 10 | 7/32 x 12" | 10" |
| C-SDS051612 | Premium SDS Plus Hammer Drill - Imperial | 5012095059684 | 10 | 5/16 x 12" | 10" |
| C-SDS071612 | Premium SDS Plus Hammer Drill - Imperial | 5012095059691 | 10 | 7/16 x 12" | 10" |
| C-SDS012012 | Premium SDS Plus Hammer Drill - Imperial | 5012095057659 | 10 | 1/2 x 12" | 10" |
| C-SDS091612 | Premium SDS Plus Hammer Drill - Imperial | 5012095059738 | 10 | 9/16 x 12" | 10" |
| C-SDS058012 | Premium SDS Plus Hammer Drill - Imperial | 5012095059660 | 10 | 5/8 x 12" | 10" |
| EC-SDS034012 | Premium SDS Plus Hammer Drill - Imperial | 5012095059660 | 10 | 3/4 x 12" | 10" |
| EC-SDS078012 | Premium SDS Plus Hammer Drill - Imperial | 5012095057710 | 10 | 7/8 x 12" | 10" |
| C-SDS100012 | Premium SDS Plus Hammer Drill - Imperial | 5012095059707 | .5 | 1 x 12" | 10" |
| EC-SDS038018 | Premium SDS Plus Hammer Drill - Imperial | 5012095057734 | 1 | 3/8 x 18" | 16" |
| EC-SDS038018 | Premium SDS Plus Hammer Drill - Imperial | 5012095059714 | 1 | 1/2 x 18" | 16" |
| EC-SDS091618 | Premium SDS Plus Hammer Drill - Imperial | 5012095059721 | 1 | 9/16 x 18" | 16" |
| EC-SDS051618 | Premium SDS Plus Hammer Drill - Imperial | 5012095059736 | 1 | 5/8 x 18" | 16" |
| EC-SDS034018 | Premium SDS Plus Hammer Drill - Imperial | 5012095059745 | 1 | 3/8 x 18" | 16" |
| EC-SDS078018 | Premium SDS Plus Hammer Drill - Imperial | 5012095059752 | 1 | 7/8 x 18" | 16" |
| EC-SDS100018 | Premium SDS Plus Hammer Drill - Imperial | 5012095059752 | 1 | 1 x 18" | 16" |
| | | | | | |
| EC-SDS058024 EC-SDS100024 | Premium SDS Plus Hammer Drill - Imperial Premium SDS Plus Hammer Drill - Imperial | 5012095059776 5012095059783 | 1 | 5/8 x 24" 1 x 24" | 22" 22" |
| | DRILL BITS - Masonry | | | | |
| | Masonry Drill Bit | 5012095077077 | 1 | 3 x 60mm | 30mm |
| EMD30X60 EMD35X70 | Masonry Drill Bit Masonry Drill Bit | 5012095077053 | 1 | 3.5 x 60mm | 40mm |
| EMD35X70 EMD40X70 | Masonry Drill Bit Masonry Drill Bit Masonry Drill Bit | 5012095077053 5012095077084 | 1 | 3.5 x 60mm 4 x 70mm | 40mm 50mm |
| EMD35X70 EMD40X70 EMD45X75 | Masonry Drill Bit Masonry Drill Bit Masonry Drill Bit Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 | 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm | 40mm 50mm 50mm |
| EMD35X70 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 | 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm | 40mm 50mm 50mm 50mm |
| EMD35X70 EMD40X70 EMD45X75 EMD50X85 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 | 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm | 40mm 50mm 50mm 50mm 60mm |
| EMD35X70 EMD40X70 EMD45X75 EMD50X85 EMD55X85 EMD60X100 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077138 | 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm | 40mm 50mm 50mm 50mm |
| EMD35X70 EMD40X70 EMD45X75 EMD50X85 EMD55X85 EMD60X100 EMD65X100 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 | 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm | 40mm 50mm 50mm 50mm 60mm |
| EMD35X70 EMD40X70 EMD45X75 EMD50X85 EMD55X85 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077138 5012095077145 | 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm | 40mm 50mm 50mm 50mm 60mm 60mm |
| EMD35X70 EMD40X70 EMD40X70 EMD45X75 EMD50X85 EMD55X85 EMD65X100 EMD65X100 EMD70X100 EMD80X120 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077145 5012095077152 5012095077169 | 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm |
| EMD35X70 EMD40X70 EMD45X75 EMD55X85 EMD55X85 EMD60X100 EMD65X100 EMD65X100 EMD70X100 EMD80X120 EMD90X120 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077138 5012095077145 5012095077152 | 1 1 1 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm | 40mm 50mm 50mm 50mm 60mm 60mm 60mm 80mm |
| EMD35X70 EMD40X70 EMD40X70 EMD45X75 EMD50X85 EMD50X85 EMD60X100 EMD65X100 EMD70X100 EMD70X100 EMD80X120 EMD90X120 EMD10X120 EMD10X120 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077152 5012095077169 5012095077169 | 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD65X100 EMD60X100 EMD80X120 EMD80X120 EMD10X120 EMD10X120 EMD10X120 EMD11X150 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077152 5012095077169 5012095077166 | 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm 10 x 120mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 80mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD70X100 EMD80X120 EMD80X120 EMD10X120 EMD11X150 EMD11X150 EMD12X150 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077165 5012095077169 5012095077166 5012095077168 5012095077169 5012095077169 | 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm 10 x 120mm 11 x 150mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 80mm |
| EMD35X70 EMD40X70 EMD40X70 EMD45X75 EMD50X85 EMD55X85 EMD60X100 EMD6X100 EMD70X100 EMD80X120 EMD90X120 EMD90X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X140 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077166 5012095077169 5012095077183 5012095077190 5012095077190 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD70X100 EMD70X100 EMD90X120 EMD90X120 EMD90X120 EMD10X120 EMD10X130 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077152 5012095077169 5012095077169 5012095077183 5012095077190 5012095077193 | 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 7 x 100mm 9 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD70X100 EMD70X100 EMD80X120 EMD80X120 EMD11X150 EMD11X150 EMD12X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077138 5012095077145 5012095077169 5012095077169 5012095077163 5012095077190 5012095077213 5012095077213 5012095077220 5012095077220 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 90mm 90mm 90mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X80 EMD65X100 EMD6X100 EMD70X100 EMD7 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 5012095077190 5012095077237 5012095077244 5012095077244 5012095077261 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 7 x 100mm 9 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 16 x 150mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 90mm 90mm 90mm 90mm 100mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X80 EMD70X100 EMD70X100 EMD80X120 EMD90X120 EMD90X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X160 EMD10X150 EMD10X150 EMD10X150 EMD15X160 EMD16X160 EMD16X150 EMD16X150 EMD16X150 EMD16X150 EMD18X150 EMD16X150 EMD18X150 EMD | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 5012095077213 5012095077213 5012095077213 5012095077213 5012095077213 5012095077220 5012095077220 5012095077237 5012095077244 5012095077251 5012095077251 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 17 x 160mm 18 x 150mm 19 x 120mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD70X100 EMD80X120 EMD80X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X150 EMD16X150 EMD12X160 EMD12X160 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 501209507723 501209507723 5012095077220 5012095077220 5012095077251 5012095077251 5012095077251 5012095077255 5012095077255 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 9 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 18 x 150mm 10 x 120mm | 40mm 50mm 50mm 60mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD65X85 EMD60X100 EMD70X100 EMD | Masonry Drill Bit | 5012095077053 5012095077054 5012095077094 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 501209507725 501209507725 501209507725 501209507725 5012095077251 5012095077251 5012095077268 5012095077275 5012095077275 5012095077282 5012095077299 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 18 x 150mm 20 x 160mm 21 x 150mm | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X85 EMD65X100 EMD70X100 EMD | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077138 5012095077152 5012095077169 5012095077169 5012095077163 5012095077190 5012095077213 5012095077220 5012095077244 5012095077244 5012095077251 5012095077255 5012095077255 5012095077255 5012095077282 5012095077282 5012095077282 5012095077282 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 20 x 160mm 21 x 160mm | 40mm 50mm 50mm 60mm 60mm 80mm 90mm 90mm 90mm 100mm 100mm 100mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD55X85 EMD60X100 EMD6X100 EMD6X100 EMD90X120 EMD90X120 EMD91X120 EMD11X150 EMD11X150 EMD11X150 EMD16X150 EMD16X150 EMD16X150 EMD16X150 EMD16X150 EMD16X150 EMD15X160 EMD2X160 EMD2X160 EMD2X160 EMD2X160 EMD2X160 EMD2X160 EMD5X200 EMD5X200 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 5012095077213 5012095077213 5012095077220 5012095077220 50120950772251 5012095077251 5012095077251 5012095077251 5012095077251 5012095077251 5012095077251 5012095077251 5012095077282 5012095077282 5012095077282 5012095077285 5012095077305 5012095077305 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 12 x 150mm 17 x 150mm 18 x 150mm 19 x 150mm 19 x 150mm 19 x 150mm 19 x 150mm 10 x 150mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD55X85 EMD65X100 EMD65X100 EMD70X100 EMD70X200 EMD | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077220 5012095077251 5012095077244 5012095077251 5012095077251 5012095077268 5012095077255 5012095077282 5012095077299 5012095077299 5012095077305 5012095077329 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 17 x 160mm 18 x 150mm 19 x 120mm 10 x 120mm 11 x 150mm 10 x 120mm 11 x 150mm 15 x 160mm 15 x 160mm 16 x 150mm 17 x 150mm 18 x 150mm 18 x 150mm 19 x 150mm 10 x 150 | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X85 EMD65X100 EMD70X100 EMD80X120 EMD80X120 EMD10X120 EMD10X120 EMD10X120 EMD110X150 EMD110X150 EMD110X150 EMD12X150 EMD12X150 EMD12X150 EMD12X150 EMD12X160 EMD16X160 EMD16X160 EMD16X160 EMD16X160 EMD25X160 EMD25X160 EMD50X200 EMD55X200 EMD65X200 EMD65X200 EMD65X200 EMD65X200 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077183 5012095077180 5012095077190 5012095077213 5012095077220 5012095077221 5012095077244 5012095077251 5012095077255 5012095077268 5012095077268 5012095077275 5012095077275 5012095077282 5012095077282 5012095077305 5012095077312 5012095077312 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 20 x 160mm 20 x 160mm 25 x 160mm 25 x 160mm 25 x 160mm 6 x 200mm 6.5 x 200mm 6.5 x 200mm 6.5 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X85 EMD65X100 EMD70X100 EMD80X120 EMD90X120 EMD90X120 EMD10X120 EMD10X120 EMD11X150 EMD11X150 EMD11X150 EMD11X150 EMD11X150 EMD12X150 EMD12X150 EMD15X160 EMD16X160 EMD16X160 EMD16X160 EMD16X160 EMD25X160 EMD20X160 EMD20X160 EMD20X160 EMD55X200 EMD65X200 EMD65X200 EMD65X200 EMD65X200 EMD60X200 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077220 5012095077220 5012095077225 5012095077226 5012095077255 5012095077251 5012095077282 5012095077282 5012095077282 5012095077305 5012095077312 5012095077329 5012095077329 5012095077336 5012095077336 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 25 x 160mm 25 x 160mm 6 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 7 x 200mm | 40mm 50mm 50mm 60mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 100mm 112mm 112mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X100 EMD65X100 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD70X120 EMD70X120 EMD70X120 EMD70X150 EMD70X150 EMD70X150 EMD70X160 EMD | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077220 5012095077221 5012095077227 5012095077251 5012095077251 5012095077251 5012095077251 5012095077268 5012095077282 5012095077282 5012095077282 5012095077282 5012095077305 5012095077305 5012095077305 50120950773305 5012095077336 5012095077336 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 5 x 85mm 5 x 85mm 6 x 100mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 17 x 160mm 18 x 150mm 18 x 150mm 19 x 120mm 10 x 120mm 10 x 120mm 11 x 150mm 10 x 120mm 1 | 40mm 50mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD6X100 EMD70X100 EMD70X200 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077152 5012095077169 5012095077169 5012095077183 5012095077190 5012095077190 5012095077213 5012095077220 5012095077244 5012095077244 5012095077251 5012095077255 5012095077268 5012095077275 5012095077275 5012095077282 5012095077299 5012095077305 5012095077305 5012095077329 5012095077336 5012095077336 5012095077336 5012095077336 5012095077336 5012095077336 5012095077336 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 16 x 160mm 17 x 100mm 18 x 150mm 19 x 120mm 19 x 120mm 10 x 120mm 10 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 15 x 160mm 16 x 160mm 16 x 120mm 17 x 200mm 18 x 200mm 19 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm 112mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD55X85 EMD65X85 EMD65X86 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD11X150 EMD12X150 EMD12X150 EMD14X140 EMD15X160 EMD16X150 EMD16X150 EMD20X160 EMD20X160 EMD50X200 EMD50X200 EMD50X200 EMD65X200 EMD65X200 EMD6X200 EMD6X200 EMD6X200 EMD80X200 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077138 5012095077152 5012095077169 5012095077169 5012095077163 5012095077190 5012095077213 50120950772213 50120950772213 5012095077224 5012095077244 5012095077255 5012095077255 5012095077255 5012095077282 5012095077282 5012095077305 5012095077305 5012095077312 5012095077312 5012095077336 5012095077336 5012095077336 5012095077335 5012095077335 5012095077336 5012095077357 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 6 x 150mm 6 x 150mm 7 x 100mm 8 x 150mm 18 x 150mm 19 x 150mm 10 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm 112mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD55X85 EMD65X85 EMD65X100 EMD70X100 EMD70X200 EMD7 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077091 5012095077114 5012095077114 5012095077169 5012095077169 5012095077169 5012095077169 5012095077190 5012095077213 5012095077213 5012095077220 5012095077224 5012095077225 5012095077251 5012095077251 5012095077251 5012095077251 5012095077282 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 21 x 150mm 22 x 160mm 33 x 150mm 34 x 140mm 35 x 160mm 36 x 150mm 37 x 160mm 38 x 200mm 39 x 200mm 60 x 200mm 10 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD65X85 EMD65X85 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD10X120 EMD10X120 EMD10X150 EMD10X150 EMD16X150 EMD16X160 EMD16X160 EMD50X160 EMD50X160 EMD50X200 EMD60X200 EMD60X200 EMD60X200 EMD70X200 EMD70X400 EMD70 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077183 5012095077190 501209507720 5012095077227 5012095077227 5012095077244 5012095077251 5012095077268 5012095077268 5012095077268 5012095077275 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077350 5012095077350 5012095077367 5012095077367 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 21 x 200mm 5 x 200mm 6 x 200mm 7 x 200mm 8 x 200mm 10 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X85 EMD65X100 EMD6X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD10X120 EMD10X150 EMD10X150 EMD10X150 EMD10X160 EMD10X160 EMD22X160 EMD22X160 EMD50X200 EMD50X200 EMD65X200 EMD65X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD70X200 EMD70X | Masonry Drill Bit | 5012095077053 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077152 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077213 5012095077220 5012095077244 5012095077251 5012095077255 5012095077255 5012095077268 5012095077275 5012095077275 5012095077282 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 21 x 150mm 20 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 21 x 150mm 20 x 160mm 21 x 200mm 5 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 10 x 200mm 12 x 200mm 12 x 200mm 12 x 200mm 13 x 200mm 14 x 200mm 15 x 200mm 17 x 200mm 18 x 200mm 19 x 200mm 10 x 200mm 10 x 200mm 10 x 200mm 10 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD55X85 EMD55X85 EMD65X85 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD10X120 EMD11X150 EMD12X150 EMD12X150 EMD14X140 EMD15X160 EMD16X150 EMD20X160 EMD20X160 EMD20X160 EMD20X160 EMD50X200 EMD50X200 EMD50X200 EMD50X200 EMD65X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD70X200 EMD70X400 EMD70 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077183 5012095077190 501209507720 5012095077227 5012095077227 5012095077244 5012095077251 5012095077268 5012095077268 5012095077268 5012095077275 5012095077305 5012095077305 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077350 5012095077350 5012095077367 5012095077367 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 150mm 22 x 160mm 25 x 160mm 35 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 10 x 400mm | 40mm 50mm 50mm 60mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD50X85 EMD65X85 EMD60X100 EMD60X100 EMD60X100 EMD80X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X150 EMD13X150 EMD13X150 EMD13X150 EMD16X160 EMD16X160 EMD25X160 EMD25X160 EMD25X160 EMD26X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 5012095077190 501209507720 5012095077221 5012095077221 5012095077228 5012095077288 5012095077288 5012095077282 5012095077282 5012095077299 5012095077305 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077318 5012095077318 5012095077318 5012095077318 5012095077319 5012095077319 5012095077319 5012095077319 5012095077310 5012095077310 5012095077310 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 20 x 160mm 21 x 200mm 22 x 160mm 25 x 200mm 5 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 8 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm 11 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD6X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD10X150 EMD10X150 EMD10X150 EMD10X150 EMD10X150 EMD10X160 EMD10X160 EMD22X160 EMD22X160 EMD22X160 EMD55X200 EMD65X200 EMD65X200 EMD65X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077091 5012095077107 5012095077114 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077220 5012095077221 5012095077224 5012095077224 5012095077225 501209507725 5012095077268 5012095077269 5012095077275 5012095077282 5012095077299 5012095077305 5012095077305 5012095077305 5012095077312 5012095077305 5012095077343 5012095077343 5012095077344 5012095077381 5012095077381 5012095077388 5012095077388 5012095077388 5012095077398 5012095077398 5012095077398 5012095077411 5012095077428 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 16 x 160mm 17 x 100mm 18 x 150mm 19 x 120mm 10 x 120mm 10 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 17 x 160mm 18 x 150mm 18 x 150mm 19 x 160mm 10 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD55X85 EMD65X85 EMD65X85 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD11X150 EMD12X150 EMD12X150 EMD12X150 EMD14X140 EMD15X160 EMD25X160 EMD25X160 EMD25X160 EMD50X200 EMD50X200 EMD50X200 EMD50X200 EMD65X200 EMD65X200 EMD60X200 EMD60X400 EMD12X400 EMD13X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077118 5012095077152 5012095077169 5012095077169 5012095077163 5012095077190 5012095077213 5012095077213 50120950772213 5012095077224 5012095077244 5012095077255 5012095077255 5012095077282 5012095077282 5012095077282 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077315 5012095077315 5012095077315 5012095077316 5012095077317 5012095077318 5012095077318 5012095077318 5012095077319 5012095077314 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 17 x 100mm 18 x 150mm 19 x 120mm 10 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 16 x 150mm 18 x 150mm 18 x 150mm 18 x 150mm 18 x 150mm 19 x 160mm 20 x 160mm 21 x 160mm 25 x 160mm 5 x 200mm 5 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 10 x 200mm 10 x 200mm 11 x 200mm 12 x 200mm 12 x 200mm 13 x 400mm 14 x 400mm 15 x 400mm 16 x 400mm 18 x 400mm 18 x 400mm 18 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 350mm 350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD55X85 EMD65X100 EMD65X100 EMD65X100 EMD80X120 EMD10X120 EMD10X120 EMD110X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD15X160 EMD15X160 EMD25X160 EMD25X160 EMD25X160 EMD25X160 EMD26X160 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 501209507720 5012095077220 5012095077227 5012095077227 5012095077288 5012095077288 5012095077282 5012095077282 5012095077299 5012095077305 5012095077305 5012095077305 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077404 5012095077428 5012095077428 5012095077428 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4 x 70mm 5 x 85mm 5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 200mm 21 x 200mm 22 x 160mm 25 x 200mm 3 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 1350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD65X100 EMD70X100 EMD70X200 EMD70 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077118 5012095077152 5012095077169 5012095077169 5012095077163 5012095077190 5012095077213 5012095077213 50120950772213 5012095077224 5012095077244 5012095077255 5012095077255 5012095077282 5012095077282 5012095077282 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077315 5012095077315 5012095077315 5012095077316 5012095077317 5012095077318 5012095077318 5012095077318 5012095077319 5012095077314 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 5012095077315 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 16 x 160mm 17 x 100mm 18 x 150mm 19 x 120mm 10 x 200mm 10 x 400mm 11 x 400mm 12 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 1350mm 350mm 350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD6X100 EMD70X100 EMD10X150 EMD10X150 EMD10X150 EMD10X150 EMD10X160 EMD10X160 EMD22X160 EMD22X160 EMD50X200 EMD50X200 EMD65X200 EMD65X200 EMD65X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 5012095077190 5012095077237 5012095077220 5012095077244 5012095077251 5012095077282 5012095077282 5012095077282 5012095077299 5012095077299 5012095077305 5012095077305 5012095077305 5012095077343 5012095077343 5012095077367 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077398 5012095077404 5012095077428 5012095077428 5012095077442 5012095077445 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4 x 70mm 5 x 85mm 5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 200mm 21 x 200mm 22 x 160mm 25 x 200mm 3 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 1350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD50X85 EMD60X100 EMD60X100 EMD60X100 EMD60X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD16X160 EMD26X160 EMD26X160 EMD26X160 EMD26X160 EMD26X160 EMD26X160 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077114 5012095077145 5012095077152 5012095077169 5012095077169 5012095077183 5012095077190 5012095077213 5012095077220 5012095077237 5012095077244 5012095077251 5012095077255 5012095077268 5012095077268 5012095077275 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077314 5012095077315 5012095077314 5012095077315 5012095077345 5012095077345 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 21 x 150mm 20 x 160mm 21 x 100mm 21 x 100mm 25 x 100mm 3 x 200mm 5.5 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 11 x 200mm 12 x 200mm 12 x 200mm 12 x 200mm 13 x 200mm 14 x 400mm 15 x 400mm 16 x 400mm 17 x 200mm 18 x 400mm 19 x 400mm 19 x 400mm 10 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 1350mm 350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD65X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD10X120 EMD10X150 EMD12X150 EMD12X150 EMD16X160 EMD16X160 EMD16X160 EMD25X160 EMD25X160 EMD25X160 EMD25X160 EMD56X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X200 EMD10X200 EMD10X200 EMD10X200 EMD10X200 EMD10X200 EMD10X400 EMD12X400 EMD10X600 EMD10X600 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077190 501209507720 5012095077237 5012095077237 5012095077244 5012095077251 5012095077288 5012095077282 5012095077282 5012095077282 5012095077282 5012095077305 5012095077305 5012095077305 5012095077305 5012095077381 5012095077381 5012095077381 5012095077388 5012095077388 5012095077388 5012095077381 5012095077388 5012095077388 5012095077388 5012095077388 5012095077388 5012095077388 5012095077388 5012095077388 5012095077448 5012095077448 5012095077442 5012095077459 5012095077466 5012095077466 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4 x 70mm 5 x 85mm 5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 150mm 21 x 150mm 22 x 160mm 25 x 160mm 25 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 10 x 200mm 10 x 400mm 11 x 400mm 12 x 400mm 12 x 400mm 12 x 400mm 13 x 400mm 14 x 400mm 16 x 400mm 18 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm 11 x 400mm 12 x 400mm 12 x 400mm 13 x 400mm 14 x 400mm 16 x 400mm 17 x 200mm 18 x 400mm 18 x 400mm 18 x 400mm 19 x 400mm 10 x 400mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 1350mm 350mm 350mm 350mm 350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X85 EMD65X85 EMD65X100 EMD6X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD10X150 EMD10X150 EMD10X150 EMD10X150 EMD10X150 EMD10X160 EMD10X160 EMD10X160 EMD22X160 EMD22X160 EMD50X200 EMD50X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077169 5012095077183 5012095077190 5012095077237 5012095077220 5012095077237 5012095077237 5012095077228 5012095077282 5012095077282 5012095077282 5012095077395 5012095077404 5012095077404 5012095077459 5012095077466 5012095077480 5012095077480 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 21 x 200mm 3 x 200mm 5 x 200mm 5 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 11 x 200mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 112m |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD56X85 EMD66X86 EMD66X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD10X120 EMD11X150 EMD12X150 EMD12X150 EMD14X140 EMD15X160 EMD15X160 EMD15X160 EMD25X160 EMD25X160 EMD50X200 EMD50X200 EMD50X200 EMD50X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077107 5012095077114 5012095077145 5012095077145 5012095077169 5012095077169 5012095077183 5012095077190 501209507720 5012095077213 5012095077220 5012095077244 5012095077251 5012095077256 5012095077268 5012095077275 5012095077275 5012095077282 5012095077282 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077312 5012095077313 5012095077343 5012095077343 5012095077344 5012095077345 5012095077345 5012095077381 5012095077381 5012095077404 5012095077404 5012095077404 5012095077405 5012095077442 5012095077442 5012095077442 5012095077445 5012095077445 5012095077446 5012095077466 5012095077473 5012095077480 5012095077497 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 17 x 100mm 18 x 150mm 19 x 120mm 10 x 200mm 10 x 400mm 10 x 400mm 10 x 400mm 10 x 400mm 11 x 400mm 11 x 400mm 12 x 400mm 12 x 400mm 13 x 400mm 14 x 400mm 15 x 600mm 16 x 600mm 17 x 8 800mm 18 x 800mm 10 x 800mm 10 x 600mm 10 x 600mm 10 x 600mm 10 x 600mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 112mm 112mm 112mm 112mm 112mm 112mm 112mm 112mm 1350mm 350mm 350mm 350mm 350mm 350mm 350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X75 EMD50X85 EMD50X85 EMD65X85 EMD65X85 EMD60X100 EMD60X100 EMD80X120 EMD10X120 EMD10X120 EMD10X120 EMD10X120 EMD10X150 EMD13X150 EMD13X150 EMD13X150 EMD13X150 EMD16X160 EMD16X160 EMD25X160 EMD25X160 EMD25X160 EMD26X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD60X200 EMD10X200 EMD10X400 EMD10X600 | Masonry Drill Bit | 5012095077053 5012095077084 5012095077084 5012095077091 5012095077114 5012095077118 5012095077185 5012095077169 5012095077169 5012095077169 5012095077190 5012095077190 5012095077213 5012095077220 5012095077221 5012095077244 5012095077251 5012095077255 5012095077282 5012095077282 5012095077282 5012095077305 5012095077305 5012095077305 5012095077312 5012095077312 5012095077312 5012095077312 5012095077315 5012095077315 5012095077343 5012095077343 5012095077345 5012095077350 5012095077350 5012095077350 5012095077350 5012095077350 5012095077350 5012095077350 5012095077350 5012095077367 5012095077367 5012095077367 5012095077365 5012095077404 5012095077404 5012095077404 5012095077404 5012095077405 5012095077406 5012095077406 5012095077407 5012095077407 5012095077407 5012095077407 | | 3.5 x 60mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 6.5 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 150mm 20 x 160mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 21 x 160mm 22 x 160mm 25 x 160mm 5 x 200mm 6 x 200mm 6 x 200mm 10 x 200mm 11 x 200mm 12 x 200mm 12 x 200mm 12 x 200mm 13 x 200mm 14 x 400mm 15 x 400mm 15 x 400mm 16 x 400mm 17 x 200mm 18 x 400mm 19 x 400mm 10 x 600mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm 112mm 112mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD50X85 EMD65X85 EMD65X86 EMD65X100 EMD65X100 EMD70X100 EMD70X200 EMD70X | Masonry Drill Bit | \$012095077053 \$012095077084 \$012095077084 \$012095077107 \$012095077114 \$012095077145 \$012095077145 \$012095077169 \$012095077169 \$012095077169 \$012095077169 \$012095077190 \$01209507720 \$012095077220 \$012095077220 \$012095077227 \$012095077228 \$012095077288 \$012095077288 \$012095077282 \$012095077282 \$012095077299 \$012095077299 \$012095077305 \$012095077305 \$012095077305 \$012095077381 \$012095077381 \$012095077381 \$012095077385 \$012095077398 \$012095077398 \$012095077398 \$012095077404 \$012095077428 \$012095077428 \$012095077459 \$012095077459 \$012095077466 \$012095077480 \$012095077480 \$012095077503 \$012095077503 \$012095077503 \$012095077503 \$012095077503 \$012095077503 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 20 x 160mm 21 x 150mm 20 x 160mm 20 x 160mm 20 x 160mm 21 x 200mm 22 x 150mm 23 x 150mm 24 x 150mm 25 x 160mm 26 x 200mm 6 x 200mm 6 x 200mm 6 x 200mm 10 x 400mm 10 x 600mm 11 x 600mm 11 x 600mm 11 x 600mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 112mm 112mm 112mm 112mm 112mm 112mm 1350mm 350mm |
| EMD35X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD40X70 EMD50X85 EMD65X85 EMD65X85 EMD65X86 EMD60X100 EMD70X100 EMD70X100 EMD70X100 EMD70X100 EMD70X120 EMD70X120 EMD10X120 EMD11X150 EMD11X150 EMD14X140 EMD15X160 EMD16X160 EMD16X160 EMD20X160 EMD2X160 EMD50X200 EMD50X200 EMD50X200 EMD65X200 EMD65X200 EMD70X200 EMD60X400 EMD10X400 EMD12X400 EMD12X400 EMD12X400 EMD112X400 EMD12X400 EMD12X400 EMD12X400 EMD12X400 EMD12X400 EMD2X400 | Masonry Drill Bit | \$012095077053 \$012095077084 \$012095077084 \$012095077107 \$012095077114 \$012095077145 \$012095077145 \$012095077169 \$012095077169 \$012095077169 \$012095077183 \$012095077190 \$012095077213 \$012095077220 \$012095077237 \$012095077244 \$012095077244 \$012095077245 \$012095077282 \$012095077285 \$012095077282 \$012095077282 \$012095077299 \$012095077305 \$012095077305 \$012095077367 \$012095077381 \$012095077381 \$012095077398 \$012095077398 \$012095077398 \$012095077398 \$012095077398 \$012095077398 \$012095077404 \$012095077428 \$012095077428 \$012095077429 \$012095077428 \$012095077429 \$012095077429 \$012095077429 \$012095077428 \$012095077429 \$012095077429 \$012095077429 \$012095077429 \$012095077429 \$012095077429 \$012095077429 \$012095077466 \$012095077473 \$012095077480 \$012095077503 \$012095077503 \$012095077507 | | 3.5 x 60mm 4 x 70mm 4 x 70mm 4.5 x 75mm 5 x 85mm 5.5 x 85mm 6 x 100mm 7 x 100mm 8 x 120mm 10 x 120mm 11 x 150mm 12 x 150mm 13 x 150mm 14 x 140mm 15 x 160mm 16 x 160mm 16 x 160mm 17 x 100mm 18 x 150mm 19 x 120mm 10 x 200mm 10 x 400mm 10 x 600mm 10 x 600mm 10 x 600mm 10 x 600mm 11 x 600mm | 40mm 50mm 50mm 60mm 60mm 80mm 80mm 90mm 90mm 90mm 100mm 100mm 112mm 112mm 112mm 112mm 350mm |

POWER TOOL ACCESSORIES

| Catalogue Number | Description | Barcode | Std Pack | Size Ø x Length |
|---------------------|--------------------------------------|---------------|--------------|--------------------|
| | DRILL BITS - HSS | | | |
| EHSS10 | HSS Drill Bit | 5012095075738 | 1 tube of 10 | 1.00mm |
| EHSS15 | HSS Drill Bit | 5012095075745 | 1 tube of 10 | 1.50mm |
| EHSS20 | HSS Drill Bit | 5012095075752 | 1 tube of 10 | 2.00mm |
| EHSS21 | HSS Drill Bit | 5012095075769 | 1 tube of 10 | 2.10mm |
| EHSS22 | HSS Drill Bit | 5012095075776 | 1 tube of 10 | 2.20mm |
| EHSS25 | HSS Drill Bit | 5012095075783 | 1 tube of 10 | 2.50mm |
| EHSS30 | HSS Drill Bit | 5012095075790 | 1 tube of 10 | 3.00mm |
| EHSS31 | HSS Drill Bit | 5012095075806 | 1 tube of 10 | 3.10mm |
| EHSS32 | HSS Drill Bit | 5012095075813 | 1 tube of 10 | 3.20mm |
| EHSS35 | HSS Drill Bit | 5012095075820 | 1 tube of 10 | 3.50mm |
| EHSS40 | HSS Drill Bit | 5012095075837 | 1 tube of 10 | 4.00mm |
| EHSS41 | HSS Drill Bit | 5012095075844 | 1 tube of 10 | 4.10mm |
| EHSS42 | HSS Drill Bit | 5012095075851 | 1 tube of 10 | 4.20mm |
| EHSS43 | HSS Drill Bit | 5012095075868 | 1 tube of 10 | 4.30mm |
| EHSS45 | HSS Drill Bit | 5012095075875 | 1 tube of 10 | 4.50mm |
| EHSS50 | HSS Drill Bit | 5012095075882 | 1 tube of 10 | 5.00mm |
| EHSS55 | HSS Drill Bit | 5012095075899 | 1 tube of 10 | 5.50mm |
| EHSS60 | HSS Drill Bit | 5012095075905 | 1 tube of 10 | 6.00mm |
| EHSS65 | HSS Drill Bit | 5012095075912 | 1 tube of 10 | 6.50mm |
| EHSS70 | HSS Drill Bit | 5012095075929 | 1 tube of 10 | 7.00mm |
| EHSS75 | HSS Drill Bit | 5012095075936 | 1 tube of 10 | 7.50mm |
| EHSS80 | HSS Drill Bit | 5012095075943 | 1 tube of 5 | 8.00mm |
| EHSS85 | HSS Drill Bit | 5012095075967 | 1 tube of 5 | 8.50mm |
| EHSS90 | HSS Drill Bit | 5012095075974 | 1 tube of 5 | 9.00mm |
| EHSS95 | HSS Drill Bit | 5012095075981 | 1 tube of 5 | 9.50mm |
| EHSS100 | HSS Drill Bit | 5012095075998 | 1 tube of 5 | 10.00mm |
| EHSS105 | HSS Drill Bit | 5012095076001 | 1 tube of 5 | 10.50mm |
| EHSS110 | HSS Drill Bit | 5012095076018 | 1 tube of 5 | 11.00mm |
| EHSS115 | HSS Drill Bit | 5012095076025 | 1 tube of 5 | 11.50mm |
| EHSS120 | HSS Drill Bit | 5012095076032 | 1 tube of 5 | 12.00mm |
| EHSS125 | HSS Drill Bit | 5012095076049 | 1 tube of 5 | 12.50mm |
| EHSS130 | HSS Drill Bit | 5012095076056 | 1 tube of 5 | 13.00mm |
| EHSS6PC | HSS Drill Bit 6pc Set in PVC Wallet | 5012095076346 | 1 | - |
| EHSS19PC | HSS Drill Bit 19pc Set in Metal Case | 5012095076353 | 1 | - |
| EHSS25PC | HSS Drill Bit 25pc Set in Metal Case | 5012095076360 | 1 | - |

| Catalogue Number | Description | Barcode | Std Pack | Dia. Inch | Dia. Metric | Bore |
|---------------------|----------------|---------------|-------------|--------------|----------------|------|
| | DIAMOND WHEELS | | | | | |
| DW11522 | Flat | 5012095068761 | 1 | 4.5 | 115 | 22.2 |
| DW12522 | Flat | 5012095068778 | 1 | 5 | 125 | 22.2 |
| DW18022 | Flat | 5012095070191 | 1 | 7 | 180 | 22.2 |
| DW23022 | Flat | 5012095065661 | 1 | 9 | 230 | 22.2 |
| DW30020 | Flat | 5012095065678 | 1 | 12 | 300 | 20 |
| DW35025 | Flat | 5012095065685 | 1 | 14 | 350 | 25.4 |

SCREWDRIVERS

| Catalogue Number | Description | Barcode | Std Pack | Size |
|---------------------|-------------------------|---------------|-------------|-------------|
| | SUREGRIP | | | |
| PA100X3 | Slotted Parallel | 5013035036093 | 6 | 100 x 3mm |
| PA100X5 | Slotted Parallel | 5013035035713 | 6 | 100 x 5mm |
| PA200X5 | Slotted Parallel | 5013035036123 | 6 | 200 x 5mm |
| FL6CH | Slotted Flared - Chubby | 5013035035997 | 6 | 40 x 6mm |
| FL100X5 | Slotted Flared | 5013035036017 | 6 | 100 x 5mm |
| FL150X6 | Slotted Flared | 5013035036024 | 6 | 150 x 6mm |
| FL150X8 | Slotted Flared | 5013035036031 | 6 | 150 x 8mm |
| FL200X8 | Slotted Flared | 5013035036048 | 6 | 200 x 8mm |
| FL250X95 | Slotted Flared | 5013035036055 | 6 | 250 x 9mm |
| PH100X2 | Phillips | 5013035035850 | 6 | 100mm x No2 |
| PH150X3 | Phillips | 5013035035867 | 6 | 150mm x No2 |
| PO2CH | Pozidriv - Chubby | 5013035035874 | 6 | 40mm x No2 |
| PO75X0 | Pozidriv | 5013035035881 | 6 | 75mm x No0 |
| PO75X1 | Pozidriv | 5013035035898 | 6 | 75mm x No1 |
| PO100X2 | Pozidriv | 5013035035904 | 6 | 100mm x No4 |
| PO150X3 | Pozidriv | 5013035035911 | 6 | 150mm x No3 |
| PO250X2 | Pozidriv | 5013035035928 | 6 | 250mm x No2 |
| SD8SET | 8 Piece Set | 5013035035966 | 1 | - |
| SD10SET | 10 Piece Set | 5013035035973 | 1 | - |
| | | | | |

SCREWDRIVERS

| Catalogue Number | Description | Barcode | Std Pack | Size | Tip Thickness |
|---------------------|---|---------------|-------------|-------------|------------------|
| | FLUTED POLYPROPYLENE & SPECIALIS | ED | | | |
| 30-2 | Fluted Polypropylene - Slotted Parallel | 5013035023161 | 6 | 50 x 3mm | 0.58mm |
| 30-3 | Fluted Polypropylene - Slotted Parallel | 5013035023154 | 6 | 75 x 3mm | 0.58mm |
| 30-4 | Fluted Polypropylene - Slotted Parallel | 5013035023178 | 6 | 100 x 3mm | 0.58mm |
| 30-6 | Fluted Polypropylene - Slotted Parallel | 5013035023185 | 6 | 150 x 3mm | 0.58mm |
| 31-3 | Fluted Polypropylene - Slotted Parallel | 5013035023239 | 6 | 75 x 5mm | 0.79mm |
| 31-4 | Fluted Polypropylene - Slotted Parallel | 5013035023246 | 6 | 100 x 5mm | 0.79mm |
| 31-6 | Fluted Polypropylene - Slotted Parallel | 5013035023253 | 6 | 150 x 5mm | 0.79mm |
| 33-CH | Fluted Polypropylene - Slotted Flared | 5013035023468 | 6 | 40 x 6mm | 1.09mm |
| 33-4 | Fluted Polypropylene - Slotted Flared | 5013035023475 | 6 | 100 x 6mm | 1.09mm |
| 33-6 | Fluted Polypropylene - Slotted Flared | 5013035023482 | 6 | 150 x 6mm | 1.09mm |
| 33-8 | Fluted Polypropylene - Slotted Flared | 5013035023499 | 6 | 200 x 3mm | 1.09mm |
| 33-10 | Fluted Polypropylene - Slotted Flared | 5013035020658 | 6 | 250 x 9.5mm | 1.60mm |
| 33-12 | Fluted Polypropylene - Slotted Flared | 5013035020672 | 6 | 300 x 9.5mm | 1.60mm |
| 32-3 | Fluted Polypropylene - Slotted Sleeved | 5013035020535 | 6 | 75 x 5mm | 0.79mm |
| 32-6 | Fluted Polypropylene - Slotted Sleeved | 5013035023284 | 6 | 150 x 5mm | 0.79mm |
| 32-8 | Fluted Polypropylene - Slotted Sleeved | 5013035023291 | 6 | 200 x 5mm | 0.79mm |
| 32-10 | Fluted Polypropylene - Slotted Sleeved | 5013035038486 | 6 | 250 x 5mm | 0.79mm |
| 34-CH1 | Fluted Polypropylene - Phillips Chubby | 5013035023758 | 6 | 40mm | No1 |
| 34-CH2 | Fluted Polypropylene - Phillips Chubby | 5013035023765 | 6 | 40mm | No2 |
| 34-0-2 | Fluted Polypropylene - Phillips | 5013035033313 | 6 | 50mm | No0 |
| 34-1 | Fluted Polypropylene - Phillips | 5013035023789 | 6 | 75mm | No1 |
| 34-2 | Fluted Polypropylene - Phillips | 5013035023796 | 6 | 100mm | No2 |
| 34-3 | Fluted Polypropylene - Phillips | 5013035023802 | 6 | 150mm | No3 |
| 36-CH1 | Fluted Polypropylene - Pozidriv Chubby | 5013035023949 | 6 | 40mm | No1 |
| 36-2 | Fluted Polypropylene - Pozidriv | 5013035023987 | 6 | 100mm | No2 |
| 36-4 | Fluted Polypropylene - Pozidriv | 5013035024007 | 6 | 200mm | No4 |
| 36-2-10 | Fluted Polypropylene - Pozidriv | 5013035024021 | 6 | 250mm | No2 |
| 39-T10 | Fluted Polypropylene - Torx | 5013035024199 | 6 | 60mm | T10 |
| 39-T15 | Fluted Polypropylene - Torx | 5013035024205 | 6 | 100mm | T15 |
| 39-T20 | Fluted Polypropylene - Torx | 5013035024212 | 6 | 100mm | T20 |
| P18/2-NEW | Terminal - Extra Light Duty | 5013035024915 | 10 | 63 x 3mm | - |
| P18/4-NEW | Terminal - Extra Light Duty | 5013035024922 | 50 | 100 x 3mm | - |
| P18/0-NEW | Terminal - Extra Light Duty Phillips | 5013035033801 | 50 | 63 x No2 | |
| 6200 | Ratchet - Phillips | 5013035021884 | 6 | 100mm x No2 | - |
| 6220 | Ratchet - Pozi/Spadriv | 5013035021150 | 6 | 100mm x No2 | - |
| 6204 | Ratchet - Flared Tip | 5013035021167 | 6 | 100mm x 6mm | - |
| 6206 | Ratchet - Flared Tip | 5013035024250 | 6 | 150mm x 6mm | - |
| 6412 | Interchangeable Ratchet | 5013035036567 | 6 | - | - |
| | | | | | |

CONTRACTORS

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Handle Length | Handle Type |
|---------------------|------------------|---------------|-------------|------------------------------|------------------|----------------|
| | OPEN SOCKET | | | | | |
| 2521AU | Square Mouth No2 | 5011198020522 | 5 | 302mm (12") x 250mm (10") | 711mm (28") | Т |
| 2521UA | Square Mouth No2 | 5011198020591 | 5 | 302mm (12") x 250mm (10") | 711mm (28") | MYD |
| 2531UH | Square Mouth No2 | 5012095011408 | 5 | 302mm (12") x 250mm (10") | 1220mm (48") | LK |
| 2521HT | Square Mouth No4 | 5011198020638 | 5 | 345mm (131/2") x 280mm (11") | 711mm (28") | MYD |
| 2521VC | Square Mouth No4 | 5011198020607 | 5 | 345mm (131/2") x 280mm (11") | 711mm (28") | PYD |
| 2521NC | Square Mouth No6 | 5011198020676 | 5 | 370mm (141/2") x 305mm (12") | 711mm (28") | т |
| 2521WE | Square Mouth No6 | 5011198020645 | 5 | 370mm (14½") x 305mm (12") | 711mm (28") | PYD |
| 2530BW | West Country | 5011198020683 | 5 | 305mm (12") x 255mm (10") | 1372mm (54") | LK |
| 2540HU | Irish Round | 5011198020744 | 5 | 355mm (14") x 240mm (91/2") | 1372mm (54") | LK |
| 2540JV | Irish Round | 5011198020720 | 5 | 355mm (14") x 240mm (91/2") | 1524mm (60") | LK |
| IRISHDS | Irish Digging | 5012095073796 | 5 | 330mm (13") x 240mm (91/2") | 1200mm (60") | LK |

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Socket Size | Handle Length | Handle Type |
|---------------------|--------------------|---------------|-------------|---|----------------|------------------|----------------|
| | SOLID SOCKET | | | | | | |
| 2061TP | Square Mouth No000 | 5012095006718 | 5 | 265mm (101/2") x 205mm (8") | 305mm (12") | 711mm (28") | Т |
| 2064GH | Square Mouth No0 | 5012095013761 | 5 | 290mm (11½") x 245mm (9½") | 305mm (12") | 711mm (28") | т |
| 2029AV | Square Mouth No2 | 5011198020218 | 5 | 302mm (12") x 250mm (10") | 305mm (12") | 711mm (28") | Т |
| 2029RW | Square Mouth No2 | 5011198020225 | 5 | 320mm (12") x 250mm (10") | 305mm (12") | 711mm (28") | MYD |
| 2026AG | Trenching | 5011198020133 | 5 | 280mm (11") x 190mm (7") x 165mm (61/2") | 305mm (12") | 711mm (28") | MYD |
| 1307HDS | Heavy Duty Spade | 5012095042754 | 5 | 305mm (121/4") x 200mm (8") | 305mm (12") | 711mm (28") | MYD |
| 2028AZ | Taper Mouth No2 | 5011198020195 | 5 | 315mm (121/2") x 218mm (83/4") | 305mm (12") | 711mm (28") | Т |
| 2028RS | Taper Mouth No2 | 5011198020164 | 5 | 315mm (121/2") x 218mm (83/4") | 305mm (12") | 711mm (28") | MYD |
| 2050AV | Round Mouth | 5011198020294 | 5 | 305mm (121/4") x 240mm (91/2") | 305mm (12") | 711mm (28") | PY |
| 1047MY | Rabbiting Spade | 5012095005803 | 5 | 276mm (11") x 133mm (5%") | 325mm (12¾") | 711mm (28") | MYD |
| 2027AC | Cable Laying | 5011198020140 | 5 | 280mm (11") x 140mm (51/2") x 115mm (41/2") | 305mm (12") | 711mm (28") | MYD |

CONTRACTORS

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Handle Length | Handle Type |
|---------------------|--------------------------|---------------|-------------|--------------------------------|------------------|----------------|
| | TUBULAR STEEL | | | | | |
| 2002AR | Square Mouth No2 | 5011198020065 | 5 | 302mm (12") x 250mm (10") | 711mm (28") | MYD |
| 2000AC | Taper Mouth No2 | 5011198020034 | 5 | 318mm (121/2") x 222mm (83/4") | 711mm (28") | MYD |
| 2001AD | Round Mouth No2 | 5011198020058 | 5 | 305mm (11") x 240mm (91/2") | 711mm (28") | MYD |
| 2006AP | Trenching | 5011198600007 | 5 | 276mm (11") x 172mm (7") | 711mm (28") | MYD |
| 2007AP | Cable Laying | 5012095011378 | 5 | 276mm (11") x 119mm (43/4") | 711mm (28") | MYD |
| 2131GZ | Grafting Spade | 5011198020836 | 5 | 320mm (13") x 165mm (61/2") | 711mm (28") | MYD |
| 2153AA | Newcastle | 5012095011385 | 5 | 355mm (14") x 105mm (4") | 711mm (28") | MYD |
| 2153AE | Newcastle | 5012095011392 | 5 | 405mm (16") x 105mm (4") | 711mm (28") | MYD |
| 2154HK | Draining | 5011198020898 | 5 | 405mm (16") x 105mm (4") | 711mm (28") | MYD |
| 1700AV | Tubular Fork | 5011198090020 | 5 | 325mm (13") x 215mm (81/2") | 760mm (30") | MYD |
| 1710AW | Tubular Lightweight Fork | 5012095011286 | 5 | 325mm (13") x 210mm (81/4") | 760mm (30") | MYD |

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Strap Size | Handle Length | Handle Type |
|---------------------|--------------------------------|---------------|-------------|---|---------------|------------------|----------------|
| | STRAPPED TOOLS | | | | | | |
| 2136NM | General Service Treaded Shovel | 5012095007135 | 5 | 255mm (10") x 205mm (8") | 255mm (10") | 711mm (28") | Т |
| 1072AY | Irish Spade | 5011198270675 | 5 | 330mm (13") x 165mm (6½") x 140mm (5½") | 255mm (10") | 762mm (36") | Т |
| 1702FLW | Shallow Dish Fork | 5012095065357 | 5 | 340mm (13½") x 230mm (9") | 530mm (21") | 787mm (31") | Wood R.E.H. |

| Catalogue Number | Description CONTRACTORS' FORKS | Barcode | Std Pack | Blade Size | Handle Length | Handle Type |
|---------------------|---------------------------------|---------------|-------------|-----------------------------|------------------|----------------|
| 1700AV | Tubular Fork | 5011198090020 | 5 | 325mm (13") x 215mm (81/2") | 760mm (30") | MYD |
| 1710AW | Tubular Lightweight Fork | 5012095011286 | 5 | 325mm (13") x 210mm (81/4") | 760mm (30") | MYD |
| 1712PF/INS | Insulated Fork | 5012095069799 | 5 | 325mm (13") x 215mm (81/2") | 711mm (28") | YD Insulated |
| 1712PF/C | Polyfibre Fork | 5012095072355 | 5 | 325mm (13") x 215mm (81/2") | 711mm (28") | YD |
| 2741TFL | Fibrelite Fork | 5012095069850 | 5 | 325mm (13") x 215mm (81/2") | 711mm (28") | MYD |
| 92069-SJ | Long Handled Fork | 400240920696 | 5 | 275mm (9¾") x 175mm (6¾") | 850mm (331/2") | Т |
| 1702FLW | Shallow Dish Fork | 5012095065357 | 5 | 340mm (131/4") x 230mm (9") | 787mm (31") | Wood R.E.H. |

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Handle Length | Handle Type |
|---------------------|-------------------|---------------|-------------|-----------------------------|------------------|----------------|
| | POLYFIBRE | | | | | |
| 2026PF/C | Trenching | 5012095072300 | 5 | 276mm (11") x 172mm (7") | 760mm (30") | MYD |
| 2027PF/C | Cable | 5012095072294 | 5 | 276mm (11") x 119mm (4¾") | 760mm (30") | MYD |
| 2028PF/C | Taper Mouth | 5012095072317 | 5 | 315mm (12½") x 218mm (8¾") | 711mm (28") | MYD |
| 2029PF/C | Square Mouth | 5012095072324 | 5 | 302mm (12") x 250mm (10") | 711mm (28") | YD Insulated |
| 2036PF/C | General Service | 5012095072331 | 5 | 345mm (13½") x 280mm (11") | 711mm (28") | YD |
| 2159PF/C | Newcastle Drainer | 5012095072348 | 5 | 405mm (16") x 105mm (4") | 711mm (28") | MYD |
| 1712PF/C | Fork | 5012095072355 | 5 | 325mm (13") x 215mm (81/2") | 850mm (331/2") | Т |

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Socket Size | Handle Length | Handle Type |
|---------------------|-------------------|---------------|-------------|--------------------------------|----------------|------------------|----------------|
| | FIBRELITE | | | | | | |
| 2731TFL | Square Mouth | 5012095069805 | 5 | 302mm (12") x 250mm (10") | 190mm (7½") | 711mm (28") | MYD |
| 2701TFL | Trenching | 5012095069812 | 5 | 276mm (11") x 172mm (7") | 190mm (7½") | 711mm (28") | MYD |
| 2721TFL | Round Mouth | 5012095069829 | 5 | 305mm (121/4") x 240mm (91/2") | 190mm (7½") | 711mm (28") | MYD |
| 2702TFL | Taper Mouth | 5012095069836 | 5 | 315mm (121/2") x 218mm (83/4") | 190mm (7½") | 711mm (28") | MYD |
| 2711TFL | Cable Layer | 5012095069843 | 5 | 276mm (11") x 119mm (4¾") | 190mm (7½") | 711mm (28") | MYD |
| 2753TFL | Newcastle Drainer | 5012095069867 | 5 | 405mm (161/4") x 105mm (4") | 190mm (7½") | 711mm (28") | MYD |
| 2741TFL | Trenching Fork | 5012095069850 | 5 | 325mm (13") x 215mm (8½") | 190mm (7½") | 711mm (28") | MYD |

CONTRACTORS

| Catalogue Number | Description | Barcode | Std Pack | Blade Size | Handle Length | Handle Type |
|---------------------|-------------------------------|---------------|-------------|---|-------------------|----------------|
| | INSULATED | | | | | |
| 2029PF/INS | Square Mouth No2 | 5012095069768 | 5 | 302mm (12") x 250mm (10") | 733mm (28%") | YD Insulated |
| 2061PF/INS | Square Mouth No000 | 5012095078937 | 5 | 270mm (10%") x 204mm (8") | 733mm (28%") | YD Insulated |
| 2028PF/INS | Taper Mouth | 5012095069751 | 5 | 315mm (121/2") x 218mm (83/4") | 733mm (28%") | YD Insulated |
| 2030PF/INS | Round Mouth | 5012095069775 | 5 | 305mm (121/4") x 240mm (91/2") | 733mm (28%") | YD Insulated |
| 2026PF/INS | Trenching | 5012095069706 | 5 | 276mm (11") x 172mm (7") | 733mm (28%") | YD Insulated |
| 2027PF/INS | Cable Laying | 5012095069713 | 5 | 276mm (11") x 119mm (43/4") | 733mm (28%") | YD Insulated |
| 2861PF/INS | Grafting Spade | 5012095078944 | 5 | 320mm (12%") x 160mm (61/4") | 733mm (28%") | YD Insulated |
| 2159PF/INS | Newcastle Drainer | 5012095069782 | 5 | 405mm (161/4") x 105mm (4") | 733mm (28%") | YD Insulated |
| 2036PF/INS | General Service | 5012095069775 | 5 | 240mm (9½") x 195mm (7¾") | 733mm (28%") | YD Insulated |
| 1180PF/INS | Digging Spade | 5012095078951 | 5 | 289mm (11%") x 190mm (7½") | 733mm (28%") | YD Insulated |
| 1712PF/INS | Trenching Fork | 5012095069799 | 5 | 325mm (13") x 215mm (81/2") | 711mm (28") | YD Insulated |
| 1706PF/INS | Short Tine Fork | 5012095078920 | 5 | 190mm (7½") x 205mm (8") | 733mm (28%") | YD Insulated |
| 2PF/INS | 2 Prong Fork | 5012095078869 | 5 | 195mm (7¾") x 76mm (3") | 730mm (28¾") | YD Insulated |
| GF/INS | Gravel Fork | 5012095075608 | 5 | 400mm (15¾") x 310mm (12¼") | 730mm (28¾") | YD Insulated |
| LHGS/INS | Rabbiting Spade | 5012095078241 | 4 | 270mm (10%") x 135mm (51/4") | 1710mm (671/4") | Insulated |
| CBPB114/INS | Crowbar - Point & Blunt | 5012095072577 | 1 | Width - 43mm (1%") | O/A 1872mm (72") | Insulated |
| CBCB114/INS | Crowbar - Chisel & Blunt | 5012095075431 | 1 | Width - 43mm (1%") | O/A 1872mm (72") | Insulated |
| CBCP114/INS | Crowbar - Chisel & Point | 5012095072584 | 1 | Width - 43mm (1%") | O/A 1872mm (72") | Insulated |
| CBHP114/INS | Crowbar - Bent Chisel & Point | 5012095072744 | 1 | Width - 43mm (1%") | O/A 1872mm (72") | Insulated |
| DSH/INS | Double Shovel Holer | 5012095072614 | 1 | Blade Length - 355mm (14") | 32mm (11/4") | Insulated |
| PBRKR/INS | Pipe Breaker | 5012095072607 | 1 | Head - 91mm (31/2") to 61mm (2%") x 355mm (14") | O/A 1305mm (51") | Insulated |
| RAM10LB/INS | 10lb Rammer | 5012095072591 | 1 | Head - 130mm (5") x 130mm (5") | O/A 1235mm (48½") | Insulated |
| MCH40FG/INS | 21/2lb Club Hammer | 5012095078197 | 4 | Head - 90mm (31/2") x 48mm (13/4") | O/A 250mm (10") | Insulated |
| MCH64FG/INS | 4lb Club Hammer | 5012095078210 | 4 | Head - 106mm (4") x 52mm (2") | O/A 250mm (10") | Insulated |
| DSH224FG/INS | 14lb Sledge Hammer | 5012095072812 | 1 | Head - 193mm (71/2") x 68mm (25/") | O/A 850mm (33") | Insulated |
| DSH160FG/INS | 10lb Sledge Hammer | 5012095078227 | 1 | Head - 178mm (7") x 64mm (21/2") | O/A 850mm (33") | Insulated |
| DSH112FG/INS | 7lb Sledge Hammer | 5012095078234 | 1 | Head - 158mm (6") x 54mm (2") | O/A 850mm (33") | Insulated |
| 5000/INS | 7lb Pick - Chisel & Point | 5012095072829 | 1 | Head - 158mm (6") x 54mm (2") | O/A 910mm (36") | Insulated |
| 5020/INS | Pick Handle | 5012095076155 | 5 | - | O/A 910mm (36") | Insulated |
| | | | | | | |

| Catalogue Number | Description | Barcode | Std Pack | Size | Handle Length | Handle Type |
|---------------------|--------------------------------|---------------|-------------|---|--------------------|----------------|
| | CONTRACTOR OTHERS | | | | | |
| 3886AA | Asphalt Rake | 5011198090204 | 5 | Head - 90mm (31/2") x 380mm (15") | 1750mm (69") | Wood |
| 3886BC | Asphalt Rake | 5011198090211 | 5 | Head - 90mm (31/2") x 380mm (15") | 1750mm (69") | Tubular |
| 3887AE | Tarmac Rake | 5011198090136 | 5 | Head - 90mm (31/2") x 380mm (15") | 1750mm (69") | Wood |
| 3887AD | Asphalt Rake | 5011198011439 | 5 | Head - 90mm (31/2") x 380mm (15") | 1750mm (69") | Tubular |
| 5005AX | 10lb Square Tamper | 5012095072652 | 1 | Head - 125mm (5") Square | 1345mm (53") | Tubular |
| 5006AX | 22lb Asphalt Tamper | 5012095072669 | 1 | Head - 310mm (12") x 125mm (5") | 1380mm (54") | Tubular |
| 3420BC | Floor Scraper | 5012095054740 | 5 | Head - 75mm (3") x 205mm (8") | 1220mm (48") | Tubular |
| 3421AW | Floor Scraper Blade | 5011198040742 | 20 | Head - 75mm (3") x 205mm (8") | - | - |
| 3422HD7 | Heavy Duty Scraper | 5012095070252 | 6 | Head - 175mm (7") x 360mm (14") | O/A 1620mm (63") | Wood |
| 3422HD4 | Heavy Duty Scraper | 5012095070269 | 6 | Head - 100mm (4") x 360mm (14") | O/A 1620mm (63") | Wood |
| MALLET24 | 24oz Rubber Mallet | 5012095078173 | 6 | Head - 110mm (41/4") x 63mm (21/2") | 275mm (21/2") | |
| RMAUL | Rubber Maul | 5012095072799 | 1 | Head - 329mm (13") x 129mm (5") | 1066mm (42") | Wood |
| RMAUL-HD | Rubber Maul - Head Only | 5012095072904 | 1 | Head - 329mm (13") x 129mm (5") | | - |
| RMAUL-HANDLE | Rubber Maul - Handle Only | 5012095074779 | 1 | - | 1066mm (42") | Wood |
| 5007AB | Fencing Pin | 5011198090181 | 5 | Diameter - 22mm (¾") | 1372mm (54") | - |
| FB72 | Fencing Bar | 5012095072805 | 5 | Diameter - 25mm (1") - Blade Width 65mm (21/2") | 1830mm (72") | - |
| 5002AE | Grubbing Mattock | 5011198090143 | 5 | Weight - 2.3kg (5lbs) | - | - |
| 5000BT | Navvy Pick - Chisel & Point | 5011198090242 | 1 | Weight - 3.2kg (7lbs) | - | - |
| 5020AP | Hardwood Pick Handle | 5011198090280 | 1 | - | 910mm (36") | Wood |
| PHD-WH | Post Hole Digger | 5012095072034 | 1 | Blade - 230mm (9") x 120mm (4") | 1219mm (48") | Wood |
| DSH/WH | Double Shovel Holer | 5012095072881 | 1 | Blade - 355mm (14") x 220mm (81/2") | 1690mm (66") | Wood |
| DSH/TH | Double Shovel Holer | 5012095072874 | 1 | Blade - 355mm (14") x 220mm (81/2") | 1725mm (68") | Tubular |
| CBCP1125 | Chisel & Point Crowbar | 5012095074670 | 1 | Chisel Width - 28mm (1%") | 1540mm (60") | - |
| CBCP114 | Chisel & Point Crowbar | 5012095074687 | 1 | Chisel Width - 31mm (11/4") | 1540mm (60") | - |
| FG-HD54 | Cable Grafter | 5012095072898 | 1 | Blade - 276mm (11") x 119mm (43/4") | 1380mm (54") | Tubular |
| 5004AX | 10lb Square Rammer | 5011198090198 | 1 | Head - 125mm (5") Square | 1372mm (54") | Wood |
| 3872DH | Heavy Duty Lawn Rake | 5012095071006 | 5 | Head - 203mm (8") | 1220mm (48") | Wood |
| 3872DHLH | Heavy Duty Lawn Rake | 5012095072737 | 5 | Head - 203mm (8") | 1380mm (54") | Wood |
| PHAUG | Post Hole Auger | 5012095072782 | 1 | Weight - 4kg (81/2lb) | O/A 1105mm (43½") | Wood |
| PHR5 | Post Hole Rammer | 5012095072768 | 1 | Weight - 14.4kg (311/2lb) | O/A 685mm (27") | |
| 3825NB | Turfing Iron | 5011198040155 | 1 | Blade - 280mm (11") x 220mm (81/2") | 1270mm (50") | MYD |
| SFC32 | Self Cleaning Rake | 5012095074694 | 5 | Head - 647mm (251/2") | 1610mm (63½") | Wood |
| SFC32-HD | Self Cleaning Rake - Head Only | 5012095074717 | 5 | Head - 647mm (251/2") | 1610mm (63½") | - |
| SFC48 | Self Cleaning Rake | 5012095074700 | 5 | Head - 966mm (38") | 1610mm (63½") | Wood |
| SFC48-HD | Self Cleaning Rake - Head Only | 5012095074724 | 5 | Head - 966mm (38") | 1610mm (63½") | - |
| 3209FG | Agricultural Rake | 5012095079453 | 5 | Head - 700mm (271/2") | O/A 1555mm (61") | Aluminiur |
| B208ST | Landscaping Rake | 5012095079446 | 5 | Head - 630mm (24½") | O/A 1555mm (61") | Wood |
| 8206AH | Alloy Hay Rake | 5012095015475 | 5 | Head - 120mm (4 ³ / ₄ ") x 700mm (27 ¹ / ₂ ") | 1778mm (70") | Wood |
| SNOW460 | Snow Shovel | 5012095078456 | 5 | Blade Width - 460mm (18") | O/A 1295mm (51") | PYD |
| SNOWTELE | Telescopic Snow Shovel | 5012095078463 | 5 | Blade Width - 310mm (12") | O/A 36" - 48" | PYD |
| MICROSQUARE | Micro Shovel - Square | 5012095078814 | 5 | Blade Width - 160mm (61/4") | O/A 710mm (28") | Soft Feel |
| MICROROUND | Micro Shovel - Round | 5012095078807 | 5 | Blade Width - 150mm (5%") | O/A 695mm (271/2") | Soft Feel |

RAZORSHARP cutting

10 YEAR

| Catalogue Number | Description | Barcode | Std Pack | Max Cutting Diameter | Blade Size (to fulcrum) | Overall Length |
|---------------------|--|---------------|-------------|-------------------------|----------------------------|-------------------|
| | SECATEURS | | | | | |
| 6659BS | Advance Heavy Duty Bypass Secateurs | 5012095072393 | 5 | 20mm (¾") | 69mm (2%") | 215mm (8½") |
| 6259BS | Advance Ergo Twist Bypass Secateurs | 5012095072362 | 5 | 16mm (%") | 67mm (2%") | 220mm (8¾") |
| 6160BS | Advance Premium Bypass Secateurs | 5012095050296 | 5 | 15mm (%") | 64mm (2½") | 215mm (8½") |
| 6758GS | Advance Geared Anvil Secateurs | 5012095079859 | 5 | 15mm (%") | 71mm (2¾") | 215mm (8½") |
| 6358RS | Advance Ratchet Anvil Secateurs | 5012095072379 | 5 | 20mm (¾") | 68mm (2%") | 207mm (81/4") |
| 6458RS | Advance Ratchet Anvil Twist Handle Secateurs | 5012095072386 | 5 | 20mm (¾") | 68mm (2%") | 217mm (8½") |
| 7057SP | Advance Interchangeable Snips | 5012095068143 | 5 | 10mm (%") | 67mm (2%") | 215mm (8½") |
| 7058AP | Advance Interchangeable Anvil Secateurs | 5012095068129 | 5 | 16mm (%") | 58mm (21/4") | 208mm (81/4") |
| 7059BP | Advance Interchangeable Bypass Secateurs | 5012095068112 | 5 | 19mm (¾") | 58mm (21/4") | 207mm (81/4") |
| 7060FP | Advance Interchangeable Flower Snips | 5012095068136 | 5 | 16mm (%") | 71mm (2¾") | 218mm (8½") |
| 6057BS | Advantage Small Bypass Secateurs | 5012095021254 | 5 | 10mm (%") | 45mm (1¾") | 180mm (7") |
| 6059BS | Advantage Medium Bypass Secateurs | 5012095021230 | 5 | 15mm (%") | 60mm (2¾") | 205mm (8") |
| 6060BS | Advantage Large Bypass Secateurs | 5012095021223 | 5 | 20mm (¾") | 72mm (2½") | 220mm (8¾") |
| 6058AS | Advantage Medium Anvil Secateurs | 5012095021247 | 5 | 15mm (%") | 55mm (2%") | 205mm (8") |
| 6558AS | Advantage Adjustable Width Anvil Secateurs | 5012095071990 | 5 | 15mm (%") | 51mm (2") | 187mm (7%") |
| 6559BS | Advantage Adjustable Width Bypass Secateurs | 5012095072003 | 5 | 15mm (%") | 55mm (2%") | 189mm (7%") |
| 7158AS | Advantage Medium Anvil Secateurs | 5012095076629 | 5 | 15mm (%") | 60mm (2%") | 205mm (8") |
| 7159BS | Advantage Medium Bypass Secateurs | 5012095076636 | 5 | 15mm (%") | 60mm (2¾") | 212mm (81/4") |
| 5959RSA | Active Medium Bypass Secateurs | 5012095009757 | 5 | 15mm (%") | 60mm (2¾") | 209mm (81/4") |
| 5958RSA | Active Medium Anvil Secateurs | 5012095009771 | 5 | 15mm (%") | 53mm (2") | 200mm (8") |
| 5960RSA | Active Large Bypass Secateurs | 5012095009740 | 5 | 20mm (¾") | 73mm (2%") | 222mm (8¾") |

| Catalogue Number | Description | Barcode | Std Pack | Max Cutting Diameter | Blade/Head Size | Handle Size |
|---------------------|--------------------------------------|---------------|-------------|-------------------------|--------------------|---|
| | SHEARS | | | | | |
| 4888HS | Advance Wishbone Hand Shears | 5012095072416 | 5 | - | 230mm (9") | 290mm (11½") |
| 8250RS | Advance Edging Shears | 5012095072270 | 5 | - | 200mm (8") | 1165mm (45") * |
| 4873MS | Advance Multi Shears | 5012095072447 | 5 | - | 150mm (6") | 910mm (36") * |
| 8170RS/11 | Advance Hand Shears | 5012095066132 | 5 | - | 200mm (8") | 295mm (11½") |
| 8175RS | Advance Geared Shears | 5012095079910 | 5 | - | 200mm (8") | 370mm (14½") |
| 8260RS | Advance Single Handed Grass Shears | 5012095076667 | 5 | - | 150mm (6") | - |
| 4867RS | Advantage Lawn Shears | 5012095006091 | 5 | - | 230mm (9") | 915mm (36") |
| 4870RS | Advantage Edging Shears | 5012095006084 | 5 | - | 230mm (9") | 915mm (36") |
| 8110RS | Advantage Hedge Shears | 5012095045359 | 5 | - | 230mm (9") | 305mm (12") |
| 8120RS | Advantage Telescopic Shears | 5012095045366 | 5 | - | 230mm (9") | 340-500mm (13-19") |
| 8240RS/11 | Advantage Long Reach Shears | 5012095070122 | 5 | - | 203mm (8") | 415mm (16") |
| 4868SS | Advantage Wooden Handle Shears | 5011198094998 | 5 | - | 203mm (8") | 185mm (7 ¹ / ₄ ") |
| 4855TS | Advantage Topiary Shears | 5012095072409 | 5 | - | 164mm (6½") | 126mm (5") |
| 8130RS | Advantage Single-handed Grass Shears | 5012095045373 | 5 | - | 180mm (7") | 125mm (5") |
| 4901RSS | Steel Lawn Shears | 5012095051749 | 5 | - | 230mm (9") | 813mm (32") |
| 4900RSS | Steel Edging Shears | 5012095051732 | 5 | - | 230mm (9") | 813mm (32") |
| 4904RSS | Steel Telescopic Shears | 5012095051770 | 5 | - | 230mm (9") | 340-525mm (131/4-20") |
| 4875RSS | Steel Wood handle Shears | 5011198070183 | 5 | - | 203mm (8") | 185mm (7 ¹ / ₄ ") |
| 4862RSA | Active Soft Grip Hand Shears | 5012095005957 | 5 | - | 230mm (9") | 305mm (12") |

| Catalogue Number | Description | Barcode | Std Pack | Max Cutting Diameter | Blade Size (to fulcrum) | Overall Length |
|---------------------|---|---------------|-------------|-------------------------|----------------------------|----------------------------|
| | LOPPERS | | | | | |
| 8210RS/11 | Advance 28" Geared Bypass Loppers | 5012095069881 | 5 | 40mm (1%°") | 82mm (31/4") | 715mm (28") |
| 8270RS | Advance 28" Geared Anvil Loppers | 5012095076674 | 5 | 40mm (1%") | 90mm (3½") | 720mm (28") |
| 8230RS/11 | Advance 171/2" Geared Mini Bypass | 5012095070139 | 5 | 30mm (%") | 68mm (2%") | 450mm (171/2") |
| 8275RS | Advance 201/2" Geared Anvil Loppers | 5012095079934 | 5 | 40mm (1%") | 95mm (3¾") | 515mm (201/2") |
| 8215RS | Advance 21" Geared Bypass Loppers | 5012095079927 | 5 | 40mm (1%") | 95mm (3¾") | 535mm (21") |
| 8290RS | Advance HD Telescopic Ratchet Anvil | 5012095076711 | 5 | 50mm (2") | 96mm (3¾") | 710-1030mm (28-40") |
| 8160RS | Advance 26" Anvil Loppers | 5012095066156 | 5 | 45mm (1¾") | 62mm (2¾") | 660mm (26") |
| 8280RS | Advance 26" Bypass with 2R Blade | 5012095076704 | 5 | 35mm (1%") | 76mm (3") | 665mm (26") |
| 4940TP | Advance Tel. Tree Pruner & Saw Blade | 5012095076759 | 4 | 30mm (1½") | 50mm (2") / 350mm (14") | 2480mm (97") |
| 8400LR | Advance Adjustable Long Reach Cutter | 5012095076742 | 5 | 25mm (1") | 62mm (2¾") | 1810mm (71") |
| 4930FZ | Advantage Telescopic Tree Pruner | 5012095010395 | 4 | 30mm (1½") | 65mm (2½") | Extends up to 2340mm (92") |
| 8300LR | Advantage Long Reach Cutter | 5012095074144 | 5 | 30mm (1%") | 63mm (2¾") | 1810mm (71") |
| 8010RS | Advantage 22" Bypass Loppers | 5012095045250 | 5 | 38mm (1½") | 95mm (3¾") | 558mm (22") |
| 8020RS | Advantage 22" Anvil Loppers | 5012095045267 | 5 | 38mm (11/2") | 98mm (3¾") | 558mm (22") |
| 8030RS | Advantage 27" Bypass Loppers | 5012095045274 | 5 | 42mm (15/8") | 95mm (3¾") | 685mm (27") |
| 8040RS | Advantage 27" Anvil Loppers | 5012095045281 | 5 | 42mm (15/8") | 100mm (4") | 685mm (27") |
| 8070RS | Advantage Telescopic Bypass Loppers | 5012095045311 | 5 | 42mm (15/8") | 95mm (3¾") | 460-790mm (18-31") |
| 8080RS | Advantage Telescopic Anvil Loppers | 5012095045328 | 5 | 42mm (15/8") | 95mm (3¾") | 460-790mm (18-31") |
| 8090RS | Advantage Telescopic Ratchet Bypass Loppers | 5012095045335 | 5 | 42mm (15/8") | 95mm (3¾") | 460-720mm (18-28") |
| 8100RS | Advantage Telescopic Ratchet Anvil Loppers | 5012095045342 | 5 | 42mm (15/8") | 95mm (3¾") | 460-720mm (18-28") |
| 4903RSS | Steel Telescopic Bypass Loppers | 5012095051763 | 5 | 42mm (15/8") | 106mm (4%") | 610-940mm (24-37") |
| 4902RSS | Steel Telescopic Anvil Loppers | 5012095051770 | 5 | 42mm (15/8") | 86mm (3%") | 610-940mm (24-37") |
| 4822RSA | Active 22" Bypass Loppers | 5012095006039 | 5 | 32mm (11/4") | 77mm (3") | 560mm (22") |
| 4826RSA | Active 26" Anvil Loppers | 5012095006046 | 5 | 32mm (11/4") | 65mm (2½") | 660mm (26") |

RAZORSHARP cutting



| Catalogue Number | Description | Barcode | Std Pack | Max Cutting Diameter | Blade (to fulcrum) Size | Handle Size |
|---------------------|------------------------------------|---------------|-------------|-------------------------|----------------------------|---|
| | OTHER CUTTING | | | | | |
| 4966PS | Fixed Blade Pruning Saw | 5012095072430 | 5 | - | 325mm (12") | 185mm (7 ¹ / ₄ ") |
| 4948PS | Large Folding Pruning Saw | 5012095011798 | 5 | - | 305mm (12") | 340mm (13%") |
| 4933PS | Retractable Pruning Saw | 5012095072423 | 5 | - | 150mm (6") | 199mm (7¾") |
| 4960RSA | Small Folding Pruning Saw | 5012095047452 | 5 | - | 178mm (7") | 248mm (9¾") |
| 3621K | 21" Bow Saw | 5011198001750 | 5 | - | 533mm (21") | - |
| 3921W | 21" Bow Saw Spare Blade | 5011198001941 | 10 | - | 533mm (21") | - |
| 3624Z | 24" Bow Saw | 5011198001781 | 5 | - | 609mm (24") | - |
| 3924C | 24" Bow Saw Spare Blade | 5011198001972 | 10 | - | 609mm (24") | - |
| 4943BE/12 | Garden Saw | 5012095066774 | 10 | - | 470mm (181/2") | 125mm (5") |
| 4941MP | Mini Pruner Set | 5012095047445 | 5 | - | 53mm (2") | 99mm (3%") |
| 8140RS | Multi-tool | 5012095045380 | 6 | - | 50mm (2") | 102mm (4") |
| 8200RS | Easy Reach Pruner | 5012095065708 | 10 | 7.5mm (%") | 68mm (2%") | 760mm (30") * |
| 4946GK | Large Garden Knife | 5012095005933 | 5 | - | 83mm (31/4") | 115mm (4½") |
| 4947FC/11 | Floral Clip with Lock | 5012095005926 | 5 | - | 30mm (1½") | 95mm (3¾") |
| 4152GS/11 | All-Purpose Scissors | 5012095042839 | 5 | - | 95mm (3¾") | 213mm (8%") |
| 4152GSSF | Soft-Feel Scissors | 5012095065692 | 5 | - | 48mm (1%") | 108mm (4½") |
| 4053BS | Blade Sharpener | 5012095065876 | 5 | - | - | 102mm (4") |
| 4056BS | 6 in 1 Blade Sharpener | 5012095072454 | 5 | - | - | 110mm (4%") |
| 4153PK | Patio Knife | 5012095047391 | 5 | - | 140mm (5½") | 140mm (5½") |
| 5153PK | Patio Knife Long Handled | 5012095080251 | 5 | - | 140mm (5½") | Extends to 1220mm (40") |
| 3715AB | 1.5lb Hatchet | 5012095017899 | 2 | - | - | 380mm (15") |
| 3725CD | 2.5lb Axe | 5012095017912 | 2 | - | - | 485mm (19") |
| 3745EF | 4.5lb Axe | 5012095017905 | 2 | - | - | 845mm (33") |
| 4765LM | 6.5lb Log Splitting Maul | 5012095045908 | 1 | - | - | 885mm (34¾") |
| SPLITTER | Wood Splitter | 5012095078180 | 1 | - | - | 170mm (6¾")* |
| 4752SS | Scythette | 5011198040803 | 5 | - | 305mm (12") | 890mm (35") |
| 4731SL | Little Giant Grass Hook | 5011198040797 | 5 | - | 305mm (12") | 345mm (131/2") |
| 4732SY | Scythette / Grass Hook Spare Blade | 5011198040773 | 5 | - | 305mm (12") | - |
| 4770BH | Brush Hook | 5012095080282 | 5 | - | 255mm (10") | 230mm (9") |
| | | | | | | |

TRADITIONAL stainless



| Catalogue Number | Description | Barcode | Std Pack | Blade/Head Size | Handle Size |
|---------------------|--------------------------|---------------|-------------|---------------------------------|----------------|
| 4450DS | Digging Spade | 5012095045397 | 5 | 280mm (11") x 180mm (7") | 28" |
| 4550DF | Digging Fork | 5012095045403 | 5 | 280mm (11") x 180mm (7") | 28" |
| 4454BS | Border Spade | 5012095045410 | 5 | 230mm (9") x 138mm (5½") | 28" |
| 4552BF | Border Fork | 5012095045427 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 4581DH | Dutch Hoe | 5012095045441 | 5 | 125mm (5") | 48" |
| 4860SW | Angled Hoe | 5012095072010 | 5 | 200mm (8") | 48" |
| 4850SR | Soil Rake | 5012095045434 | 5 | 12 teeth | 48" |
| 4812FR | Lawn (Flexo) Rake | 5012095047360 | 5 | 16 teeth | 47" |
| 4811EK | Edging Knife | 5012095045458 | 5 | 200mm (8") | 30" |
| 4856PC* | Block Paving Cleaner | 5012095067870 | 5 | 75mm (3") x 25mm (1") | 48" |
| 5030TR | Hand Trowel | 5012095045496 | 5 | 150mm (6") x 80mm (31/4") | 51/2" |
| 5040WF | Weed Fork | 5012095045489 | 5 | 150mm (6") x 75mm (3") | 51/2" |
| TT0805 | Transplanting Trowel | 5012095068280 | 5 | 150mm (6") x 65mm (21/2") | 51/2" |
| 5060SS | Soil Scoop | 5012095068280 | 5 | 150mm (6") x 90mm (31/2") | 51/2" |
| 5010TR | Hand Trowel 12" | 5012095065791 | 10 | 150mm (6") x 80mm (31/4") | 12" |
| 5110WF | Weed Fork 12" | 5012095065807 | 10 | 120mm (4½") x 75mm (3") | 12" |
| 5210PC | 3 Prong Cultivator 12" | 5012095065814 | 10 | 100mm (4") x 75mm (3") 3 prongs | 12" |
| 5070DG | Daisy Grubber | 5012095068297 | 5 | 150mm (6") x 20mm (¾") | 51/2" |
| 5310TR | Long Handled Hand Trowel | 5012095065821 | 10 | 150mm (6") x 80mm (31/4") | 42" |
| 5510WF | Long Handled Weed Fork | 5012095065838 | 10 | 120mm (4½") x 75mm (3") | 42" |
| 5050OH | Onion Hoe | 5012095068273 | 5 | 75mm (3") | 12" O/A |
| 5610DB | Dibber | 5012095065845 | 10 | 125mm (5") x 30mm (11/4") | 12" O/A |

^{*} This product is not covered by the 10 year guarante

TRADITIONAL carbon



| Catalogue Number | Description | Barcode | Std Pack | Blade/Head Size | Handle Size |
|---------------------|--------------------------|---------------|-------------|---------------------------------|----------------|
| 2450DS | Digging Spade | 5012095080046 | 5 | 280mm (11") x 180mm (7") | 28" |
| 2550DF | Digging Fork | 5012095080053 | 5 | 280mm (11") x 180mm (7") | 28" |
| 2454BS | Border Spade | 5012095080060 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 2552BF | Border Fork | 5012095080077 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 2581DH | Dutch Hoe | 5012095080084 | 5 | 125mm (5") | 48" |
| 2860SW | Angled Hoe | 5012095080091 | 5 | 200mm (8") | 48" |
| 2850SR | Soil Rake | 5012095080107 | 5 | 12 teeth | 48" |
| 2812FR | Lawn (Flexo) Rake | 5012095080114 | 5 | 16 teeth | 47" |
| 2811EK | Edging Knife | 5012095080121 | 5 | 200mm (8") | 32" |
| 2030TR | Hand Trowel | 5012095080138 | 5 | 150mm (6") x 80mm (31/4") | 51/2" |
| 2010TR | Hand Trowel 12" | 5012095080176 | 10 | 150mm (6") x 80mm (31/4") | 12" |
| 2310TR | Long Handled Hand Trowel | 5012095080213 | 10 | 150mm (6") x 80mm (31/4") | 42" |
| 2040WF | Weed Fork | 5012095080145 | 5 | 120mm (4½") x 75mm (3") | 51/2" |
| 2110WF | Weed Fork 12" | 5012095080193 | 10 | 120mm (4½") x 75mm (3") | 12" |
| 2510WF | Long Handled Weed Fork | 5012095080220 | 10 | 120mm (4½") x 75mm (3") | 42" |
| 2080TT | Transplanting Trowel | 5012095080152 | 5 | 150mm (6") x 65mm (21/2") | 51/2" |
| 2060SS | Soil Scoop | 5012095080169 | 5 | 150mm (6") x 90mm (31/2") | 51/2" |
| 2070DG | Daisy Grubber | 5012095080206 | 5 | 150mm (6") x 20mm (3/4") | 51/2" |
| 2210PC | 3 Prong Cultivator 12" | 5012095080190 | 10 | 100mm (4") x 75mm (3") 3 prongs | 12" |
| 2050OH | Onion Hoe | 5012095080237 | 5 | 75mm (3") | 51/2" |
| 2610DB | Dibber | 5012095080244 | 10 | 125mm (5") x 30mm (11/4") | 111/2" |
| | | | | | |

TRADITIONAL cutting & tiny traditions

10 YEAR

| Catalogue Number | Description | Barcode | Std Pack | Blade/Head Size | Handle Size |
|---------------------|---------------------------|---------------|-------------|-------------------------|----------------|
| 7945HS | Hand Shear | 5012095062967 | 10 | 200mm (8") | 101/2" |
| 7946SH | Single Handed Grass Shear | 5012095062721 | 5 | 130mm (5") | 6" |
| 4035SET | Children's Hand Tool Set | 5012095067658 | 5 | 90mm (3½") x 60mm (2¼") | 4" |
| 4350CS | Children's Digging Spade | 5012095063612 | 5 | 180mm (7") x 125mm (5") | 25" |
| 4250CF | Children's Diaging Fork | 5012095067863 | 5 | 180mm (7") x 125mm (5") | 25" |

NEVERBEND carbon

15 YEAR GUARANTEE

| Catalogue | Description | Barcode | Pack | Blade/Head | Shaft |
|-----------|-----------------------------|---------------|------|------------------------------|-------|
| Number | · | | Size | Size | Size |
| 1180NB | Digging Spade - Treaded | 5011198270187 | 5 | 280mm (11") x 180mm (7") | 28" |
| 1680NB | Digging Fork | 5011198010127 | 5 | 280mm (11") x 180mm (7") | 28" |
| 1184NB | Border Spade - Treaded | 5011198270422 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 1684NB | Border Fork | 5011198010288 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 3818NB | Edging Knife | 5011198040131 | 5 | 200mm (8") | 32" |
| 3580NB | Dutch Hoe | 5011198050161 | 5 | 125mm (5") | 54" |
| 3588NB | Draw Hoe | 5011198050369 | 5 | 150mm (6") | 54" |
| 2581NB | Open Socket Shovel Sq Mth | 5012095011804 | 5 | 320mm (121/2") x 255mm (10") | 28" |
| 2422NB | Root Breaker | 5012095080268 | 5 | 210mm (81/4") x 100mm (4") | 37" |
| 3882NB | Adjustable Lawn Rake | 5011198600182 | 5 | 178mm - 610mm (7-24") span | 46" |
| 3881NB | Deluxe Lawn (Flexo) Rake | 5011198050666 | 5 | 20 tines | 48" |
| 3880NB | Soil Rake | 5011198050543 | 5 | 12 teeth | 54" |
| 3884NB | Plastic Leaf Rake - Tubular | 5011198050789 | 5 | 24 tines | 48" |
| 3884WNB | Plastic Leaf Rake - Wood | 5012095063650 | 5 | 24 tines | 48" |
| 3883NB | 3 Prong Cultivator | 5012095063445 | 5 | 3 prong | 60" |
| 4090NB | Hand Trowel | 5011198040261 | 10 | 150mm (6") x 80mm (31/4") | 5" |
| 4094NB | Weed Fork | 5011198040421 | 10 | 120mm (41/2") x 75mm (3") | 5" |
| 4092NB | Transplanting Trowel | 5011198973118 | 10 | 150mm (6") x 75mm (3") | 5" |
| 4096NB | Daisy Grubber | 5011198040070 | 10 | 150mm (6") x 20mm (¾") | 5" |

NEVERBEND stainless

10 YEAR

| Catalogue Number | Description | Barcode | Pack Size | Blade/Head Size | Shaft Size |
|---------------------|----------------------|---------------|--------------|---|---------------|
| 1160SP/09 | Digging Spade | 5012095010005 | 5 | 280mm (11") x 180mm (7") | 28" |
| 1560SF/09 | Digging Fork | 5012095010012 | 5 | 280mm (11") x 180mm (7") | 28" |
| 1161BS/09 | Border Spade | 5012095010029 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 1561BF/09 | Border Fork | 5012095010036 | 5 | 230mm (9") x 138mm (51/2") | 28" |
| 3981EK/09 | Edging Knife | 5012095047339 | 5 | 215mm (8 ¹ / ₂ ") | 32" |
| 3983DH/09 | Dutch Hoe | 5012095047353 | 5 | 127mm (5") | 60" |
| 3980SR/09 | Garden Rake | 5012095047322 | 5 | 12 teeth | 60" |
| 3982FR/09 | Lawn (Flexo) Rake | 5012095047346 | 5 | 16 tines | 54" |
| 3010TR/09 | Hand Trowel | 5012095013471 | 10 | 150mm (6") x 80mm (31/4") | 5" |
| 3060WF/09 | Weed Fork | 5012095013488 | 10 | 120mm (4½") x 75mm (3") | 5" |
| 3020SP/09 | Transplanting Trowel | 5012095010500 | 10 | 150mm (6") x 75mm (3") | 5" |

NEVERBEND professional

10 YEAR

| Catalogue Number | Description | Barcode | Pack Size | Blade/Head Size | Shaft Size |
|---------------------|--------------------------|---------------|--------------|--|---------------|
| 1070AK | Digging Spade | 5011198270606 | 5 | 290mm (11 ¹ / ₂ ") x 190mm (7 ¹ / ₂ ") | 28" |
| 1071AL | Treaded Digging Spade | 5011198270613 | 5 | 290mm (111/2") x 190mm (71/2") | 28" |
| 1307HDS | Heavy Duty Spade | 5012095042754 | 5 | 305mm (12") x 208mm (8") | 28" |
| 1072AY | Irish Spade | 5011198270675 | 5 | 330mm (13") x 165mm (61/2") x 140mm (51/2") | 36" |
| 1570AL | Digging Fork | 5011198010011 | 5 | 305mm (12") x 208mm (8") | 28" |
| 1650SN | Potato Fork | 5011198080144 | 5 | 280mm (11") x 180mm (7") | 28" |
| 3805AS | Edging Knife | 5011198040087 | 5 | 203mm (8") | 32" |
| 3825NB | Turfing Iron | 5011198040155 | 1 | 245mm (91/2") x 220mm (81/2") | 43" |
| 3540BT | Dutch Hoe | 5011198050123 | 5 | 203mm (8") | 54" |
| 3840EY | Garden Rake | 5011198050499 | 5 | 12 teeth | 60" |
| 3872HD | Heavy Duty Lawn Rake 48" | 5012095071006 | 5 | 20 teeth | 48" |
| 3872HDLH | Heavy Duty Lawn Rake 54" | 5012095072737 | 5 | 20 teeth | 54" |
| 8208ST | Landscaping Rake | 5012095079446 | 5 | Head: 610mm (24") | 58" |

ELEMENTS grow your own

YEAR GUARANTEE

| 4990NB Digging Fork 5012095060918 5 280mm (11") x 175mm (7") 4194NB Border Spade 5012095060895 5 230mm (9") x 138mm (5½") 4994NB Border Fork 5012095060857 5 230mm (9") x 138mm (5½") 4135NB Dutch Hoe 5012095060840 5 125mm (5") 4160NB Angled Hoe 5012095072492 5 138mm (5½") x 63mm (1½") 4175NB Draw Hoe 5012095060833 5 125mm (5") 4145NB Soil Rake 5012095060826 5 12 teeth 4155NB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4184NB Plastic Leaf Rake 5012095072515 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 5 5 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3½") 4058NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4058N | / Handle ize |
|---|-----------------|
| A194NB Border Spade S012095060895 5 230mm (9") x 138mm (5½") | 28" |
| 4994NB Border Fork 5012095060857 5 230mm (9") x 138mm (5½") 4135NB Dutch Hoe 5012095060840 5 125mm (5") 4160NB Angled Hoe 5012095060833 5 138mm (5½") x 63mm (1½") 4175NB Draw Hoe 5012095060833 5 125mm (5") 4145NB Soil Rake 5012095060826 5 12 teeth 415SNB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4184NB Plastic Leaf Rake 5012095072515 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" c 4058NB Hand Trowel 5012095060726 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (2") 4055NB Transplanting Trowel 501209506091 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 50120950604411 5 150mm (6") x 90mm (3½") | 28" |
| A135NB | 28" |
| 4160NB Angled Hoe 5012095072492 5 138mm (5½") x 63mm (1½") 4175NB Draw Hoe 5012095060833 5 125mm (5") 4145NB Soil Rake 5012095060826 5 12 teeth 4155NB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4158NB Lawn (Flexo) Rake 5012095072515 5 24 tines 4164NB Plastic Leaf Rake 5012095072515 5 200mm (8") 4063NB Aerator 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" of 4058NB Hand Trowel 5012095060726 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 28" |
| 4175NB Draw Hoe 5012095060833 5 125mm (5") 4145NB Soil Rake 5012095060826 5 12 teeth 4155NB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4184NB Plastic Leaf Rake 5012095072515 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" c 4183NB 3 Prong Cultivator 5012095064455 5 5 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (31/4") 4053NB Weed Fork 5012095060772 5 120mm (41/4") x 75mm (3") 4054NB Transplanting Trowel 501209506091 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (31/4") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (31/4") | 6" |
| 4145NB Soil Rake 5012095060826 5 12 teeth 4155NB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4184NB Plastic Leaf Rake 5012095060819 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" c 4183NB 3 Prong Cultivator 5012095072508 5 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 501209506091 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 54" |
| 4155NB Lawn (Flexo) Rake 5012095060819 5 16 teeth 4184NB Plastic Leaf Rake 5012095072515 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" of acrators 4183NB 3 Prong Cultivator 5012095072508 5 - - 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3"/2") 4053NB Weed Fork 5012095060772 5 120mm (4"/2") x 75mm (2") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3"/2") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3"/2") | 6" |
| 4184NB Plastic Leaf Rake 5012095072515 5 24 tines 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 eerators 36" c 4183NB 3 Prong Cultivator 5012095072508 5 - - 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3") 4053NB Weed Fork 5012095060772 5 120mm (4"/e") x 75mm (2") 4054NB Transplanting Trowel 5012095060901 5 175mm (6") x 90mm (3"/e") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3"/e") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3"/e") | 6" |
| 4164NB Edging Knife 5012095060802 5 200mm (8") 4063NB Aerator 5012095064435 5 5 aerators 36" of aerators 4183NB 3 Prong Cultivator 50120950672508 5 - - 4058NB Hand Trowel 5012095060796 5 150mm (6") × 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") × 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") × 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") × 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") × 90mm (3½") | 6" |
| 4063NB Aerator 5012095064435 5 5 aerators 36" c 4183NB 3 Prong Cultivator 5012095072508 5 - - 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 50" |
| 4183NB 3 Prong Cultivator 5012095072508 5 - 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 32" |
| 4058NB Hand Trowel 5012095060796 5 150mm (6") x 90mm (3½") 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | a length |
| 4053NB Weed Fork 5012095060772 5 120mm (4½") x 75mm (3") 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 54" |
| 4054NB Transplanting Trowel 5012095060901 5 175mm (7") x 50mm (2") 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3"/2") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3"/2") | 5" |
| 4055NB Soil Scoop 5012095072522 5 150mm (6") x 90mm (3½") 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3½") | 5" |
| 4061NB Long-handled Hand Trowel 5012095064411 5 150mm (6") x 90mm (3"/x") | 5" |
| | 5" |
| 4060NB Long-handled Weed Fork 5012095064404 5 120mm (4½") x 75mm (3") | 29" |
| | 29" |
| 4059NB Dandelion weeder 5012095060864 5 205mm (8 ¹ / ₄ ") x 20mm (%") | 5" |
| 4057NB Daisy Grubber 5012095060871 5 150mm (6") x 20mm (%") | 5" |
| 4052NB Onion Hoe 5012095060888 5 75mm (3") | 5" |
| 4062NB Dibber 5012095064428 5 125mm (5") x 30mm (1'/4") | 5" |

S&J grow your own

| Catalogue Number | Description | Barcode | Std Pack | Size (mm) | Size |
|---------------------|----------------|---------------|-------------|------------------|----------------|
| COLDFRAME1 | Cold Frame | 5012095076889 | 1 | 900 x 460 x 450 | 35 x 18 x 17½" |
| COLDFRAME2 | Cold Frame | 5012095076896 | 1 | 900 x 830 x 590 | 35 x 32½ x 23" |
| COLDFRAME3 | Cold Frame | 5012095076902 | 1 | 750 x 500 x 1200 | 29 x 19½ x 47 |
| RAISEDBED1 | Raised Bed Kit | 5012095076919 | 1 | 1200 x 300 | 47 x 12" |
| RAISEDBED2 | Raised Bed Kit | 5012095076926 | 1 | 1250 x 180 | 49 x 7" |

SELECT stainless

| 1 | 0 |
|----|----|
| YE | AF |

| Catalogue Number | Description | Barcode | Pack Size | Blade/Head Size | Overall Length |
|---------------------|-------------------|---------------|--------------|----------------------------|-------------------|
| 1190EL | Digging Spade 28" | 5012095015772 | 5 | 280mm (11") x 180mm (7") | 39" |
| 1990EL | Digging Fork 28" | 5012095015796 | 5 | 280mm (11") x 180mm (7") | 39" |
| 1194EL | Border Spade 28" | 5012095015802 | 5 | 230mm (9") x 138mm (51/2") | 37" |
| 1994EL | Border Fork 28" | 5012095015802 | 5 | 230mm (9") x 138mm (51/2") | 37" |
| 3135EL | Dutch Hoe | 5012095022749 | 5 | 125mm (5") | 66" |
| 3145EL | Soil Rake | 5012095022756 | 5 | 12 teeth | 66" |
| 3155EL | Lawn (Flexo) Rake | 5012095047377 | 5 | 16 tines | 66" |
| 3164EL | Edging Knife | 5012095022763 | 5 | 200mm (8") | 36" |
| 3058EL | Hand Towel | 5012095017868 | 5 | 150mm (6") x 90mm (31/2") | 13" |
| 3053EL | Weed Fork | 5012095017875 | 5 | 120mm (4½") x 75mm (3") | 12" |
| 3049EL | Soil Scoop | 5012095069386 | 5 | 150mm (6") x 90mm (31/2") | 13" |
| 3048EL | Weeder & Fulcrum | 5012095069409 | 5 | 56mm (21/8") x 19mm (3/4") | 12" |
| 3060EL | Bulb Planter | 5012095017868 | 5 | 110mm (41/4") | 91/4" |

SELECT carbon



| Catalogue Number | Description | Barcode | Pack Size | Blade/Head Size | Overall Length |
|---------------------|-------------------|---------------|--------------|----------------------------|-------------------|
| 2190NS | Digging Spade 28" | 5012095051848 | 5 | 280mm (11") x 180mm (7") | 39" |
| 2990NS | Digging Fork 28" | 5012095051855 | 5 | 280mm (11") x 180mm (7") | 39" |
| 2194NS | Border Spade 28" | 5012095051862 | 5 | 230mm (9") x 138mm (51/2") | 37" |
| 2994NS | Border Fork 28" | 5012095051879 | 5 | 230mm (9") x 138mm (5½") | 37" |
| 2135NS | Dutch Hoe | 5012095051886 | 5 | 127mm (5") | 66" |
| 2145NS | Soil Rake | 5012095051893 | 5 | 12 teeth | 66" |
| 2155NS | Lawn (Flexo) Rake | 5012095051909 | 5 | 16 teeth | 66' |
| 2164NS | Edging Knife | 5012095051916 | 5 | 215mm (81/2") | 36" |
| 2058NS | Hand Towel | 5012095051923 | 5 | 150mm (6") x 90mm (3½") | 13" |
| 2053NS | Weed Fork | 5012095051930 | 5 | 120mm (4½") x 75mm (3") | 12" |

E-SERIES stainless



| Catalogue Number | Description | Barcode | Std Pack | Blade/Head Size | Overall Length |
|---------------------|-------------------|---------------|-------------|-----------------------------|-------------------|
| 7301DS | Digging Spade 28" | 5012095063308 | 5 | 300mm (11½") x 175mm (7") | 1060mm (42") |
| 7302DF | Digging Fork 28" | 5012095063292 | 5 | 300mm (111/2") x 175mm (7") | 1060mm (42") |
| 7303BS | Border Spade 28" | 5012095063315 | 5 | 230mm (9") x 140mm (51/2") | 1015mm (40") |
| 7304BF | Border Fork 28" | 5012095063322 | 5 | 230mm (9") x 140mm (51/2") | 1015mm (40") |
| 7308EK | Edging Knife | 5012095063360 | 5 | 220mm (8½) | 1090mm (43") |
| 7307DH | Dutch Hoe | 5012095063346 | 5 | 125mm (5") | 1600mm (63") |
| 7309HT | Hand Trowel | 5012095063377 | 10 | 150mm (6") x 80mm (31/4") | 330mm (13") |
| 7305LR | Lawn (Flexo) Rake | 5012095063391 | 5 | 20 tines | 1600mm (63") |
| 7306GR | Soil Rake | 5012095063339 | 5 | 12 tines | 1600mm (63") |
| 7310WF | Weed Fork | 5012095063384 | 10 | 120mm (4½") x 75mm (3") | 310mm (12") |

LITEWORK lightweight tools



| Catalogue Number | Description | Barcode | Std Pack | Max Cutting Diameter | Blade Size / Head (to fulcrum) | Overall Length |
|---------------------|--------------------------|---------------|-------------|-------------------------|-----------------------------------|--------------------|
| 5190LW | Digging Spade | 5012095076421 | 5 | - | 290 x 176mm | 1055mm (41½") |
| 5990LW | Digging Fork | 5012095076438 | 5 | - | 290 x 172mm | 1050mm (411/4") |
| 5194LW | Border Spade | 5012095076445 | 5 | - | 230 x 138mm | 1005mm (39½") |
| 5994LW | Border Fork | 5012095076452 | 5 | - | 235 x 145mm | 995mm (39") |
| 5135LW | Dutch Hoe | 5012095076469 | 5 | - | 122mm (4¾") | 1655mm (65") |
| 5145LW | Soil Rake | 5012095076476 | 5 | - | 304mm (13") | 1660mm (65") |
| 5155LW | Flexo Rake | 5012095076483 | 5 | - | 400mm (15¾") | 1655mm (65") |
| 5164LW | Edging Knife | 5012095076490 | 5 | - | 197mm (7¾") | 905mm (35½") |
| 5060LW | Weed Fork - Long Handle | 5012095076506 | 5 | - | 67mm (25/8") | 1020mm (40") |
| 5058LW | Hand Trowel | 5012095076520 | 5 | - | 150mm (6") | 332mm (13") |
| 5053LW | Weed Fork | 5012095076513 | 5 | - | 67mm (25/8") | 300mm (12") |
| 4958LW | Anvil Secateurs | 5012095076537 | 5 | 10mm (3/8") | 60mm (23/8") | 190mm (7½") |
| 4959LW | Bypass Secateurs | 5012095076544 | 5 | 10mm (3/8") | 60mm (23/8") | 190mm (71/2") |
| 5458LW | Ratchet Anvil Secateurs | 5012095076551 | 5 | 15mm (5/8") | 62mm (23/8") | 166mm (6½") |
| 5110LW | Hand Shears | 5012095076568 | 5 | - | 200mm (8") | 305mm (12") - Hdl |
| 5020LW | 22" Anvil Lopper | 5012095076575 | 5 | 40mm (1½") | 63mm (23/8") | 560mm (1½") - O/A |
| 5010LW | 22" Bypass Lopper | 5012095076582 | 5 | 40mm (1½") | 70mm (2¾") | 560mm (22") - O/A |
| 5025LW | 21" Ratchet Anvil Lopper | 5012095076599 | 5 | 40mm (1½") | 80mm (31/8") | 560mm (22") - O/A |
| 5870LW | Edging Shears | 5012095076612 | 5 | - | 200mm (8") | 900mm (35½") - O/A |

GIFT SETS range

| Catalogue Number | Description | Barcode | Std Pack |
|---------------------|---|---------------|-------------|
| TRAD3PS | Traditional Stainless 3pc | 5012095076766 | 5 |
| TWINESET2 | Traditional Stainless 2pc with gloves & twine | 5012095076803 | 5 |
| SELECT3PS | Select Stainless 3pc | 5012095076773 | 5 |
| TWINESET3 | Select Stainless 2pc with gloves & twine | 5012095076827 | 5 |
| 3056GS/10 | Neverbend Stainless 3pc | 5012095043676 | 5 |
| NEVERBEND3PS | Neverbend Carbon 3pc | 5012095076865 | 5 |
| ELEMENTS3PS | Elements Carbon 3pc | 5012095076797 | 5 |
| TWINESET4 | Elements Carbon 2pc with gloves & twine | 5012095076834 | 5 |
| CUTTINGSET1 | Razorsharp Ratchet Secateurs & Blade Sharpener | 5012095076841 | 5 |
| CUTTINGSET2 | Razorsharp Bypass & Anvil Secateurs | 5012095076858 | 5 |
| CUTTINGSET3 | Razorsharp Adjustable Width Secateurs with gloves | 5012095076872 | 5 |
| CUTTINGSET4 | Razorsharp Bypass Secateurs & Holster Set | 5012095079873 | 5 |
| INTERSET1 | Interchangeable Hand Tool Set | 5012095079866 | 5 |
| 4941MP/09 | Mini Secateurs & Snips | 5012095047445 | 5 |
| 6070TP/09 | Razorsharp Medium Bypass & Anvil Secateurs | 5012095047407 | 5 |

GARDEN TIDY range

| Catalogue Number | Description | Barcode | Std Pack | Size | Length |
|---------------------|--|---------------|-------------|----------------|--------------------|
| PLASTICRAKE | Plastic Leaf Rake with replaceable tines | 5012095076957 | 5 | 540mm (21") | 1630mm (64") |
| LEAFGRABBER | Plastic Leaf Grabber | 5012095076964 | 5 | 500mm (191/2") | - |
| LEAFCOLLECT | Leaf Collectors | 5012095076971 | 12 | 340mm (131/2") | 480mm (19") |
| LITTERPICKER | Litter Picker | 5012095076988 | 5 | 115mm (4½") | 1070mm (42") - Hdl |
| PEBIN58 | High Pop Up Bin | 5012095076995 | 10 | 47 x 55mm | - |
| PEBIN70 | High Pop Up Bin | 5012095077008 | 10 | 50 x 67mm | - |
| POLYBIN58 | High Heavy Duty Pop Up Bins | 5012095077015 | 5 | 47 x 55mm | - |
| POLYBIN70 | High Heavy Duty Pop Up Bins | 5012095077022 | 5 | 50 x 68mm | - |
| KNEELER | Garden Kneeler | 5012095077039 | 1 | 480 x 270mm | 595mm (23") |
| 4859PC | Block Paving Cleaner | 5012095079128 | 5 | 100mm (4") | 1550mm (61") |

RAINFOREST sprinklers

| Catalogue Number | Description | Barcode | Std Pack |
|---------------------|--------------------------------|---------------|-------------|
| SJ107 | Spike Sprinkler | 5012095077978 | 12 |
| SJ207 | Spike Sprinkler - Twin Pack | 5012095077992 | 10 |
| SJ112 | Riser Sprinkler 12" | 5012095078005 | 12 |
| SJ124 | Riser Sprinkler 24" | 5012095078012 | 12 |
| SJ136 | Riser Sprinkler 36" | 5012095078029 | 12 |
| SJ137 | Foot Push Sprinkler | 5012095078036 | 12 |
| SJ138 | Metal Base Sprinkler | 5012095078043 | 12 |
| SJ148 | Wheel Base Sprinkler | 5012095078050 | 12 |
| SJ150 | Recycled Spike Sprinkler | 5012095078067 | 12 |
| SJ151 | Recycled Flat Base Sprinkler | 5012095078074 | 12 |
| SJ600 | 6ft Aluminium Tripod Sprinkler | 5012095078081 | 6 |
| SJ601 | 3ft Aluminium Tripod Sprinkler | 5012095078098 | 6 |

BRASS water fittings

| Catalogue Number | Description | Barcode | Std Pack |
|---------------------|--|---------------|-------------|
| BWF1 | 1/2" Female Hose Connector | 5012095079620 | 5 |
| BWF2 | 1/2" Male Hose Connector | 5012095079637 | 5 |
| BWF3 | 1/2" Female & 1/2" Male Hose Connector | 5012095079644 | 5 |
| BWF4 | ¾" Female Hose Connector | 5012095079651 | 5 |
| BWF5 | 3/4" Male Hose Connector | 5012095079668 | 5 |
| BWF6 | Hose Connector with Water Stop | 5012095079675 | 5 |
| BWF7 | Double Male Hose Connector | 5012095079682 | 5 |
| BWF8 | Triple Male Hose Connector | 5012095079699 | 5 |
| BWF9 | 1/2" Female Threaded Tap Connector | 5012095079705 | 5 |
| BWF10 | %" Female Threaded Tap Connector | 5012095079712 | 5 |
| BWF11 | 3/4" Female Threaded Tap Connector | 5012095079729 | 5 |
| BWF12 | 1/2" Male Threaded Tap Connector | 5012095079736 | 5 |
| BWF13 | 3/4" Male Threaded Tap Connector | 5012095079743 | 5 |
| BWF14 | ¾" Two Way Tap Connector | 5012095079750 | 5 |
| BWF15 | Tap Connector with Hose Clip | 5012095079767 | 5 |
| BWF16 | 1/2" Hose Repairer | 5012095079774 | 5 |
| BWF17 | ¾" Hose Repairer | 5012095079781 | 5 |
| BWF18 | Spray Nozzle | 5012095079798 | 5 |
| BWF19 | Spray Gun | 5012095079804 | 5 |
| BWF22 | Oscillating Sprinkler | 5012095079835 | 5 |
| BWF23 | Spare Ring O Rings (Pack 20) | 5012095079842 | 10 |

LANDSCAPING & FENCING tools

| Catalogue Number | Description | Barcode | Std Pack | Size | Length |
|---------------------|--------------------------|---------------|-------------|--|----------------------|
| 1070AK | Digging Spade | 5011198270606 | 5 | Blade: 290mm (111/2") x 190mm (71/2") | Shaft: 28" |
| 1071AL | Treaded Digging Spade | 5011198270613 | 5 | Blade: 290mm (111/2") x 190mm (71/2") | Shaft: 28" |
| 1570AL | Digging Fork | 5011198010011 | 5 | Blade: 305mm (12") x 208mm (8") | Shaft: 28" |
| 2029RW | Square Mouth No.2 Shovel | 5011198020225 | 5 | Blade: 320mm (121/2") x 255mm (10") | Socket: 12" |
| 2422NB | Root Breaker | 5012095080268 | 5 | 210mm (81/4") x 100mm (4") | 37" |
| 3540BT | Dutch Hoe | 5011198050123 | 5 | 203mm (8") | Shaft: 60" |
| 3840EY | Soil Rake | 5011198050499 | 5 | 14 Teeth | Shaft: 60" |
| 3805AS | Edging Iron | 5011198040087 | 5 | 203mm (8") | Shaft: 32" |
| 3872HD | Heavy Duty Lawn Rake 48" | 5012095071006 | 5 | 20 teeth | 48" |
| 3872HDLH | Heavy Duty Lawn Rake 54" | 5012095072737 | 5 | 20 teeth | 54" |
| 5000BT | Chisel & Point | 5011198090242 | 5 | Weight: 3.2kg (7lbs) | 640mm (25") |
| 5002AE | Grubbing Mattock | 5011198090143 | 5 | Weight: 2.3kg (5lbs) | 425mm (16¾") |
| 5020AP | Hardwood Pick Handle | 5011198090280 | 5 | • | 36" |
| 5007AB | Fencing Pin | 5011198090181 | 5 | 22mm (¾") | 54" |
| 8208ST | Landscaping Rake | 5012095079446 | 5 | Head: 610mm (24") | Shaft: 1470mm (58") |
| PHAUG | Post Hole Auger | 5012095072782 | 5 | Screw L 380mm (15") Screw 35mm (13/8") | O/A: 1105mm (431/2") |
| PHD-WH | Post Hole Digger | 5012095072034 | 1 | 255mm (10") x 125mm (5") | Handle: (48") |
| PHR5 | Post Hole Rammer | 5012095072768 | 1 | Steel Body: 165mm (6") | O/A: 710mm (28") |
| RMAUL | Rubber Maul | 5012095072799 | 1 | Weight: 6kg (13lb) | Handle: 42" |
| FG-HD54 | Fencing Grafter | 5012095072898 | 1 | Blade: 276mm (105/8") x 144mm (55/8") | O/A: 1645mm (64") |

AGRICULTURAL tools

| Catalogue Number | Description | Barcode | Std Pack | Head / Blade Size | Handle Length |
|---------------------|----------------------------------|---------------|-------------|--------------------------------------|---------------|
| 1636DE | Manure Fork PY Handle | 5011198080250 | 5 | 330mm (13") x 230mm (9") | 810mm (32") |
| 1636AY | Manure Fork PT Handle | 5011198080243 | 5 | 330mm (13") x 230mm (9") | 810mm (32") |
| 1609CS | Manure Drag LK Handle | 5011198080045 | 5 | 130mm (5") x 178mm (7") x 203mm (8") | 1830mm (72") |
| 1636CU | Manure Drag Tubular Handle | 5011198080274 | 5 | 330mm (13") x 230mm (9") | 1220mm (48") |
| 1600HS | Manure Fork LK Handle | 5011198080076 | 5 | 330mm (13") x 240mm (91/2") | 1220mm (48") |
| 91159-SJ | Manure Fork T Handle | 4002408911595 | 5 | 310mm (12") x 225mm (8¾") | 850mm (33½") |
| 1600FD | Manure Fork T Handle | 5011198080083 | 5 | 330mm (13") x 240mm (91/2") | 810mm (32") |
| 1602BA | Hay Fork LK Handle | 5011198080090 | 5 | 242mm (91/2") x 140mm (51/2") | 1370mm (54") |
| 8206AH | Hay Rake - Alloy | 5012095015475 | 5 | 120mm (4¾") x 700mm (27½") | 1778mm (70") |
| 8207WH | Hay Rake - Wooden | 5012095015468 | 5 | 85mm (3%") x 700mm (271/2") | 1778mm (70") |
| 8209FG | Aluminium Rake Fibreglass Handle | 5012095079453 | 5 | 710mm (28") | 1470mm (58") |
| 2750AG | Grain Shovel | 5012095015536 | 5 | 250mm (10") x 420mm (161/2") | 810mm (32") |
| 4604BY | Double Brush Hook - Heavy Duty | 5011198080496 | 1 | 230mm (9") | 910mm (36") |
| 4601BT | Single Brush Hook - Heavy Duty | 5011198080472 | 1 | 255mm (10") | 910mm (36") |
| 4655BM | Staff Brushing Hook | 5011198080618 | 1 | 380mm (15") | 910mm (36") |
| 4605BU | Irish Slasher | 5011198080502 | 1 | 380mm (15") | 760mm (30") |
| 4607CE | Heavy Duty Brushing Slasher | 5011198080533 | 1 | 380mm (15mm) | 910mm (36") |
| 4700BU | Fussel Bristol Reap | 5011198080670 | 5 | 362mm (14") | 150mm (6") |
| 4717BT | John Riley Irish Hook | 5011198080731 | 5 | 305mm (12") | 140mm (5½") |
| 4550AP | Stafford Bill Hook | 5011198080434 | 5 | 255mm (10") | 150mm (6") |
| 4501BZ | Newton Bill Hook | 5011198080397 | 5 | 255mm (10") | 150mm (6") |
| 4516AZ | Southern Counties Bill Hook | 5011198080427 | 5 | 255mm (10") | 150mm (6") |

PLANTATION tools

| Catalogue Number | Description | Barcode | Std Pack | Head / Blade Size | Handle Length |
|---------------------|-------------------------|---------------|-------------|------------------------------|---------------|
| 2050AV | Fox Shovel PYD | 5011198020294 | 5 | 310mm (121/4") x 230mm (9") | 711mm (28") |
| 2050DB | Fox Shovel LK | 5011198020324 | 5 | 310mm (121/4") x 230mm (9") | 1220mm (48") |
| 2521EC | Open Socket Shovel | 5011198020508 | 5 | 320mm (121/2") x 255mm (10") | 810mm (32") |
| 2521LY | Open Socket Shovel | 5011198020614 | 5 | 350mm (12¾") x 280mm (11") | 810mm (32") |
| 2521QT | Open Socket Shovel | 5011198020652 | 5 | 370mm (141/2") x 305mm (12") | 810mm (32") |
| 3677BA | Yam Spade | 5011198050345 | 25 | 203mm (8") | - |
| 3678AV | Tonga Field Hoe | 5011198050352 | 25 | 178mm (7") | - |
| 4680AU | Fern Hook - Single Edge | 5011198080625 | 25 | 343mm (131/2") | - |
| 4681AV | Fern Hook - Double Edge | 5011198080632 | 25 | 343mm (131/2") | - |
| 4782AB | Oil Palm Knife | 5011198080816 | 100 | 295mm (11½") | - |
| 4774BM | Cocoa Pruner | 5011198080809 | 25 | 83mm (3½") | - |
| SJ270220 | Machete | 5012095056614 | 24 | 508mm (20") | - |
| SJ270222 | Machete | 5012095056607 | 24 | 559mm (22") | - |
| SJ23220 | Machete | 5012095056638 | 24 | 508mm (20") | - |
| SJ23222 | Machete | 5012095065111 | 24 | 559mm (22") | - |
| SJ23016 | Machete | 5012095057277 | 24 | 406mm (16") | - |
| SJ23018 | Machete | 5012095057284 | 24 | 457mm (18") | - |
| SJ23020 | Machete | 5012095057291 | 24 | 508mm (20") | - |
| SJ23022 | Machete | 5012095057307 | 24 | 559mm (22") | - |
| SJ5180718 | Machete | 5012095056577 | 24 | 457mm (18") | - |
| SJ120219 | Machete | 5012095056591 | 24 | 482mm (19") | - |
| SJ2100615 | Machete | 5012095061182 | 24 | 381mm (15") | - |

Machetes export only



THE OFFICIAL MARK OF QUALITY

Nell Tools Ltd. supplies the following Neverbend products in general compliance with the British Standard:- ISO 9001: 2008. This represents another important milestone in **NEILL TOOLS** history, since this is internationally recognised as a mark of quality. In addition, we guarantee all our tools and products against defective workmanship and materials so you can be sure of first-class quality every time.